

JC1AF-TM-DC18V

JC1AF-TM-DC18V Information



Part Number	JC1AF-TM-DC18V	
Manufacturer	Panasonic Electric Works	
Category	Relays Power Relays, Over 2 Amps	
Description	RELAY GEN PURPOSE SPST 15A 18V	
Package	-	
	For the pricing/inventory/lead time, please contact us	
	Website: https://www.heisener.com	
	E-mail: salesdept@heisener.com	



Request a Quote

For Reference Only

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



JC1AF-TM-DC18V Specifications

Manufacturer Part Number ICIAF-TM-DC18V Manufacturer Panasonic Electric Works Category Relays Ower Relays, Over 2 Amps Power Relays, Over 2 Amps Package - Series JC Relay Type General Purpose Coil Type Non Latching Coil Current SomA Coil Voltage 18VDC Contact Form SPST-NO (I Form A) Switching Voltage 250VAC - Max Turn On Voltage (Max) 14.4 VDC Turn Off Voltage (Min) 18SVDC Operate Time Isms Release Time 2ms Features - Features - Features -		
CategoryRelaysPower Relays, Over 2 AmpsPackage-Package-SeriesCGRelay TypeGeneral PurposeCoil TypeNon LatchingCoil CurrentSomACoil OtageSPST-NO (1 Form A)Contact FormSPST-NO (1 Form A)Contact Rating (Current)SDAC - MaxSwitching Yoltage14 VDCTurn On Voltage (Max)14 SDCCorrent Fine15msRelease TimeSinsRelease Time-Features-Mounting TypeChasis MountFernination StyleQuick Connect - Natr, "Connect - Natr, "Co	Manufacturer Part Number	JC1AF-TM-DC18V
PackagePower Relays, Over 2 AmpsPackage-SeriesJCRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current50mACoil VoltageI8VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)15ASwitching Voltage250VAC - MaxTurn On Voltage (Max)1.4 VDCOperate Time15msRelease Time2msFeatures-Mounting TypeChasis MountTermination StyleQuick Connect - 0.187" (4.7mm)	Manufacturer	Panasonic Electric Works
Package-SeriesJCRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current50mAColl Voltage18VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)15ASwitching Voltage (Max)14.4 VDCTurn On Voltage (Max)1.8 VDCOperate Time1.8 VDCRelease Time5msFeatures-Mounting TypeChasis MountTermination StyleQuick Connect - 0.18" (4.7mm)	Category	Relays
SeriesJCRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current50mACoil VoltageI8VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)15ASwitching Voltage250VAC - MaxTurn On Voltage (Max)14.4 VDCTurn Off Voltage (Min)15msOperate TimeSmsRelease Time2msFeatures-Mounting TypeChasis MountTermination StyleQuick Connect - 0.187" (4.7mm)		Power Relays, Over 2 Amps
Relay TypeGeneral PurposeCoil TypeNon LatchingCoil CurrentS0mACoil Voltage18VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)5ASwitching Voltage250VAC - MaxTurn On Voltage (Max)1.4 VDCOperate Time1.5msRelease Time2msFatures-Mounting TypeChasis MountTermination StyleQuick Connect - 0.187" (4.7mm)	Package	-
Coil TypeNon LatchingCoil Current50mACoil Voltage18VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)15ASwitching Voltage250VAC - MaxTurn On Voltage (Max)14.4 VDCTurn Off Voltage (Min)15msPoreate Time5msRelease Time2msFeatures-Mounting TypeChasis MountTermination StyleQuick Connect - 0.187" (4.7mm)	Series	JC
Coil Current50mACoil Voltage18VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)15ASwitching Voltage250VAC - MaxTurn On Voltage (Max)14.4 VDCTurn Off Voltage (Min)1.8 VDCOperate Time15msRelease Time2msFeatures-Mounting TypeChassis MountTermination StyleQuick Connect - 0.187" (4.7mm)	Relay Type	General Purpose
Coil Voltage18VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)15ASwitching Voltage250VAC - MaxTurn On Voltage (Max)14.4 VDCTurn Off Voltage (Min)18 VDCOperate Time15msRelease Time2msFeatures-Mounting TypeChasis MountTermination StyleQuick Connect - 0.187" (4.7mm)	Coil Type	Non Latching
Contact FormSPST-NO (1 Form A)Contact Rating (Current)15ASwitching Voltage250VAC - MaxTurn On Voltage (Max)14.4 VDCTurn Off Voltage (Min)1.8 VDCOperate Time15msRelease Time2msFeatures-Mounting TypeChassis MountTermination StyleQuick Connect - 0.187" (4.7mm)	Coil Current	50mA
Contact Rating (Current)15ASwitching Voltage250VAC - MaxTurn On Voltage (Max)14.4 VDCTurn Off Voltage (Min)1.8 VDCOperate Time15msRelease Time2msFeatures-Mounting TypeChassis MountTermination StyleQuick Connect - 0.187" (4.7mm)	Coil Voltage	18VDC
Switching Voltage250VAC - MaxTurn On Voltage (Max)14.4 VDCTurn Off Voltage (Min)1.8 VDCOperate Time15msRelease Time2msFeatures-Mounting TypeChassis MountTermination StyleQuick Connect - 0.187" (4.7mm)	Contact Form	SPST-NO (1 Form A)
Turn On Voltage (Max)14.4 VDCTurn Off Voltage (Min)1.8 VDCOperate Time15msRelease Time2msFeatures-Mounting TypeChassis MountTermination StyleQuick Connect - 0.187" (4.7mm)	Contact Rating (Current)	15A
Turn Off Voltage (Min)1.8 VDCOperate Time15msRelease Time2msFeatures-Mounting TypeChassis MountTermination StyleQuick Connect - 0.187" (4.7mm)	Switching Voltage	250VAC - Max
Operate Time15msRelease Time2msFeatures-Mounting TypeChassis MountTermination StyleQuick Connect - 0.187" (4.7mm)	Turn On Voltage (Max)	14.4 VDC
Release Time2msFeatures-Mounting TypeChassis MountTermination StyleQuick Connect - 0.187" (4.7mm)	Turn Off Voltage (Min)	1.8 VDC
Features-Mounting TypeChassis MountTermination StyleQuick Connect - 0.187" (4.7mm)	Operate Time	15ms
Mounting TypeChassis MountTermination StyleQuick Connect - 0.187" (4.7mm)	Release Time	2ms
Termination StyleQuick Connect - 0.187" (4.7mm)	Features	-
	Mounting Type	Chassis Mount
Report errors?	Termination Style	Quick Connect - 0.187" (4.7mm)
		Report errors?

JC1AF-TM-DC18V Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

JC1AF-TM-DC18V Payment Methods



JC1AF-TM-DC18V Shipping Methods



If you have any question about JC1AF-TM-DC18V, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com