

# JC1AF-TM-DC6V-F

#### JC1AF-TM-DC6V-F Information

Heisener.com

Part Number JC1AF-TM-DC6V-F
Manufacturer Panasonic Electric Works

**Category** Relays

Power Relays, Over 2 Amps

**Description** RELAY GEN PURPOSE SPST 15A 6V

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## JC1AF-TM-DC6V-F Specifications

Manufacturer Part NumberJC1AF-TM-DC6V-FManufacturerPanasonic Electric WorksCategoryRelaysPower Relays, Over 2 AmpsPackage-SeriesJCRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current150mACoil Voltage6VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)15ASwitching Voltage250VAC - MaxTurn On Voltage (Max)4.8 VDC
Category Relays Power Relays, Over 2 Amps  Package - Series JC Relay Type General Purpose Coil Type Non Latching Coil Current 150mA Coil Voltage Contact Form SPST-NO (1 Form A) Contact Rating (Current) Switching Voltage 250VAC - Max
Package - Series JC Relay Type General Purpose Coil Type Non Latching Coil Current 150mA Coil Voltage Contact Form SPST-NO (1 Form A) Contact Rating (Current) Switching Voltage 250VAC - Max
Package - Series JC Relay Type General Purpose Coil Type Non Latching Coil Current 150mA Coil Voltage 6VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 15A Switching Voltage 250VAC - Max
Series JC Relay Type General Purpose Coil Type Non Latching Coil Current 150mA Coil Voltage 6VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 15A Switching Voltage 250VAC - Max
Relay Type General Purpose  Coil Type Non Latching  Coil Current 150mA  Coil Voltage 6VDC  Contact Form SPST-NO (1 Form A)  Contact Rating (Current) 15A  Switching Voltage 250VAC - Max
Coil TypeNon LatchingCoil Current150mACoil Voltage6VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)15ASwitching Voltage250VAC - Max
Coil Current 150mA  Coil Voltage 6VDC  Contact Form SPST-NO (1 Form A)  Contact Rating (Current) 15A  Switching Voltage 250VAC - Max
Coil Voltage 6VDC  Contact Form SPST-NO (1 Form A)  Contact Rating (Current) 15A  Switching Voltage 250VAC - Max
Contact Form SPST-NO (1 Form A) Contact Rating (Current) 15A Switching Voltage 250VAC - Max
Contact Rating (Current) 15A Switching Voltage 250VAC - Max
Switching Voltage 250VAC - Max
Turn On Voltage (Max) 4.8 VDC
Turn Off Voltage (Min) 0.6 VDC
Operate Time 30ms
Release Time 10ms
Features -
Mounting Type Chassis Mount
Termination Style Quick Connect - 0.187" (4.7mm)
Report errors?

#### JC1AF-TM-DC6V-F Guarantees



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### JC1AF-TM-DC6V-F Payment Methods



















## JC1AF-TM-DC6V-F Shipping Methods













If you have any question about JC1AF-TM-DC6V-F, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com