

JRC16BP-14S

Request a Quote

JRC16BP-14S Information

	Part Number	JRC16BP-14S
www.interestor	Manufacturer	Hirose Electric Co Ltd
	Category	Connectors, Interconnects Circular Connectors
	Description	CONN PLUG 14 POS SOCKET SILVER
	Package	-
		For the pricing/inventory/lead time, please contact
		us
For Reference Only		Website: https://www.heisener.com
		E-mail: salesdept@heisener.com

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



JRC16BP-14S Specifications

Shell Material, FinishAluminum Alloy, Nickel PlatedContact FinishSilverFeatures-Voltage - Rated250VAC, 350VDCCurrent Rating5A		
CategoryConnectors, Interconnects Circular ConnectorsPackage-Package-SeriesJRConnector TypePlug, Female SocketsNumber of Positions14Shell Size - Insert16Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolderFastening TypeBayonet LockOrientationKeyedIngress Protection-Shell Material, FinishSilverFeatures-Voltage - RatedSOVAC, 350VDCFuren Rating5A	Manufacturer Part Number	JRC16BP-14S
Circular ConnectorsPackage-SeriesJRConnector TypePlug, Female SocketsNumber of Positions14Shell Size - Insert16Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolderFastening TypeBayonet LockOrientation-Shell Material, FinishAluminum Alloy, Nickel PlatedContact FinishSilverFeatures-Voltage - RatedSOVAC, 350VDCCurrent Rating5A	Manufacturer	Hirose Electric Co Ltd
Package-SeriesJRConnector TypePlug, Female SocketsNumber of Positions14Shell Size - Insert16Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolderFastening TypeBayonet LockOrientation-Number of PositionsSilverShell Material, FinishAluminum Alloy, Nickel PlatedContact FinishSilverVoltage - Rated50VAC, 350VDCCurrent Rating5A	Category	Connectors, Interconnects
SeriesJRConnector TypePlug, Female SocketsNumber of Positions14Shell Size - Insert16Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolderFastening TypeBayonet LockOrientation-Number of PositionsSilverShell Material, FinishSilverFeatures-Voltage - RatedSoVAC, 350VDCCurrent RatingSA		Circular Connectors
Connector TypePlug, Female SocketsNumber of Positions14Shell Size - Insert16Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolderFastening TypeBayonet LockOrientationKeyedIngress Protection-Shell Material, FinishSilverFeatures-Voltage - Rated250VAC, 350VDCCurrent Rating5A	Package	-
Number of Positions14Shell Size - Insert16Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolderFastening TypeBayonet LockOrientationKeyedIngress Protection-Shell Material, FinishAluminum Alloy, Nickel PlatedContact FinishSilverFeatures-Voltage - Rated250VAC, 350VDCCurrent Rating5A	Series	JR
Shell Size - Insert16Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolderFastening TypeBayonet LockOrientationKeyedIngress Protection-Shell Material, FinishAluminum Alloy, Nickel PlatedContact FinishSilverFeatures-Voltage - Rated250VAC, 350VDCCurrent Rating5A	Connector Type	Plug, Female Sockets
Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolderFastening TypeBayonet LockOrientationKeyedIngress Protection-Shell Material, FinishAluminum Alloy, Nickel PlatedContact FinishSilverFeatures-Voltage - Rated250VAC, 350VDCCurrent RatingSha	Number of Positions	14
Mounting TypeFree Hanging (In-Line)TerminationSolderFastening TypeBayonet LockOrientationKeyedIngress Protection-Shell Material, FinishAluminum Alloy, Nickel PlatedContact FinishSilverFeatures-Voltage - Rated250VAC, 350VDCCurrent RatingSA	Shell Size - Insert	16
TerminationSolderFastening TypeBayonet LockOrientationKeyedIngress Protection-Shell Material, FinishAluminum Alloy, Nickel PlatedContact FinishSilverFeatures-Voltage - Rated250VAC, 350VDCCurrent RatingSA	Shell Size, MIL	-
Fastening TypeBayonet LockOrientationKeyedIngress Protection-Shell Material, FinishAluminum Alloy, Nickel PlatedContact FinishSilverFeatures-Voltage - Rated250VAC, 350VDCCurrent Rating5A	Mounting Type	Free Hanging (In-Line)
OrientationKeyedIngress Protection-Shell Material, FinishAluminum Alloy, Nickel PlatedContact FinishSilverFeatures-Voltage - Rated250VAC, 350VDCCurrent Rating5A	Termination	Solder
Ingress Protection-Shell Material, FinishAluminum Alloy, Nickel PlatedContact FinishSilverFeatures-Voltage - Rated250VAC, 350VDCCurrent Rating5A	Fastening Type	Bayonet Lock
Shell Material, FinishAluminum Alloy, Nickel PlatedContact FinishSilverFeatures-Voltage - Rated250VAC, 350VDCCurrent Rating5A	Orientation	Keyed
Contact FinishSilverFeatures-Voltage - Rated250VAC, 350VDCCurrent Rating5A	Ingress Protection	-
Features-Voltage - Rated250VAC, 350VDCCurrent Rating5A	Shell Material, Finish	Aluminum Alloy, Nickel Plated
Voltage - Rated250VAC, 350VDCCurrent Rating5A	Contact Finish	Silver
Current Rating 5A	Features	-
-	Voltage - Rated	250VAC, 350VDC
	Current Rating	5A
Report errors?		Report errors?

JRC16BP-14S Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE EUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

JRC16BP-14S Payment Methods





If you have any question about JRC16BP-14S, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com