

JS1A-6V-F Information

Heisener.com

Part Number JS1A-6V-F

Manufacturer Panasonic Electric Works

Category Relays

Power Relays, Over 2 Amps

Description JS RELAY 1 FORM A 6V

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









JS1A-6V-F Specifications

Manufacturer Part Number Manufacturer Panasonic Electric Works Relays Power Relays, Over 2 Amps Package - Series Relay Type Coil Type Coil Current Coil Voltage Contact Form Contact Rating (Current) Switching Voltage Turn On Voltage (Max) Turn Off Voltage (Min) Operate Time Release Time Features Mounting Type - Termination Style Panasonic Electric Works Relays Power Relays P		
Category Relays Power Relays, Over 2 Amps Package - Series * Relay Type - Coil Type - Coil Current - Coil Voltage - Contact Form - Contact Rating (Current) - Switching Voltage - Turn On Voltage (Max) - Turn Off Voltage (Min) - Operate Time - Release Time - Features - Mounting Type - Termination Style -	Manufacturer Part Number	JS1A-6V-F
Package - Series * Relay Type - Coil Type - Coil Current - Coil Voltage - Contact Form - Contact Rating (Current) - Switching Voltage - Turn On Voltage (Max) - Turn Off Voltage (Min) - Coperate Time - Release Time - Features - Mounting Type - Termination Style - Termination Style - Termination Style - Peatures - Comer Relays, Over 2 Amps - - Comacl Relays, Over 2 Amps - * - Comacl Relays - - Comacl Relay	Manufacturer	Panasonic Electric Works
Package - Series * Relay Type - Coil Type - Coil Current - Coil Voltage - Contact Form - Contact Rating (Current) - Switching Voltage - Turn On Voltage (Max) - Turn Off Voltage (Min) - Operate Time - Release Time - Features - Mounting Type - Termination Style -	Category	Relays
Series * Relay Type - Coil Type - Coil Current - Coil Voltage - Contact Form - Contact Rating (Current) - Switching Voltage - Turn On Voltage (Max) - Turn Off Voltage (Min) - Operate Time - Release Time - Features - Mounting Type - Termination Style -		Power Relays, Over 2 Amps
Relay Type - Coil Type - Coil Current - Coil Voltage - Contact Form - Contact Rating (Current) - Switching Voltage - Turn On Voltage (Max) - Turn Off Voltage (Min) - Operate Time - Release Time - Release Time - Features - Mounting Type - Termination Style -	Package	-
Coil Type-Coil Current-Coil Voltage-Contact Form-Contact Rating (Current)-Switching Voltage-Turn On Voltage (Max)-Turn Off Voltage (Min)-Operate Time-Release Time-Features-Mounting Type-Termination Style-	Series	*
Coil Current-Coil Voltage-Contact Form-Contact Rating (Current)-Switching Voltage-Turn On Voltage (Max)-Turn Off Voltage (Min)-Operate Time-Release Time-Features-Mounting Type-Termination Style-	Relay Type	-
Coil Voltage - Contact Form - Contact Form - Contact Rating (Current) - Switching Voltage - Turn On Voltage (Max) - Turn Off Voltage (Min) - Coperate Time - Release Time - Features - Mounting Type - Common	Coil Type	-
Contact Form - Contact Rating (Current) - Switching Voltage - Turn On Voltage (Max) - Turn Off Voltage (Min) - Operate Time - Release Time - Features - Mounting Type - Termination Style -	Coil Current	-
Contact Rating (Current) Switching Voltage Turn On Voltage (Max) Turn Off Voltage (Min) Operate Time Release Time Features Mounting Type Termination Style - - - - - - - - - - - - -	Coil Voltage	-
Switching Voltage - Turn On Voltage (Max) - Turn Off Voltage (Min) - Operate Time - Release Time - Mounting Type - Mounting Type - Termination Style - Turn Off Voltage (Min) - Common C	Contact Form	-
Turn On Voltage (Max) Turn Off Voltage (Min) Operate Time Release Time Features Mounting Type Termination Style - - - - - - - - - - - - -	Contact Rating (Current)	-
Turn Off Voltage (Min) Operate Time - Release Time - Features - Mounting Type - Termination Style	Switching Voltage	-
Operate Time	Turn On Voltage (Max)	-
Release Time - Features - Mounting Type - Termination Style - Term	Turn Off Voltage (Min)	-
Features - Mounting Type - Termination Style -	Operate Time	-
Mounting Type - Termination Style -	Release Time	-
Termination Style -	Features	-
	Mounting Type	-
Report errors?	Termination Style	-
T		Report errors?

JS1A-6V-F Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

JS1A-6V-F Payment Methods



















JS1A-6V-F Shipping Methods













If you have any question about JS1A-6V-F, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com