

JV1APF-48V Information



For Reference Only

Part Number JV1APF-48V

Manufacturer Panasonic Electric Works

Category Relays

Power Relays, Over 2 Amps

Description RELAY GEN PURPOSE SPST 16A 48V

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









JV1APF-48V Specifications

Manufacturer Part NumberJV1APF-48VManufacturerPanasonic Electric WorksCategoryRelaysPower Relays, Over 2 AmpsPackage-SeriesJVRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current4.2mACoil Voltage48VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)16ASwitching Voltage125VAC - MaxTurn On Voltage (Max)38.4 VDCTurn Off Voltage (Min)2.4 VDC
Category Relays Power Relays, Over 2 Amps Package - Series JV Relay Type General Purpose Coil Type Non Latching Coil Current 4.2mA Coil Voltage 48VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 16A Switching Voltage 125VAC - Max Turn On Voltage (Max) 38.4 VDC
Package - Series JV Relay Type General Purpose Coil Type Non Latching Coil Current 4.2mA Coil Voltage 48VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 16A Switching Voltage 125VAC - Max Turn On Voltage (Max) 38.4 VDC
Package - Series JV Relay Type General Purpose Coil Type Non Latching Coil Current 4.2mA Coil Voltage 48VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 16A Switching Voltage 125VAC - Max Turn On Voltage (Max) 38.4 VDC
Series JV Relay Type General Purpose Coil Type Non Latching Coil Current 4.2mA Coil Voltage 48VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 16A Switching Voltage 125VAC - Max Turn On Voltage (Max) 38.4 VDC
Relay Type General Purpose Coil Type Non Latching Coil Current 4.2mA Coil Voltage 48VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 16A Switching Voltage 125VAC - Max Turn On Voltage (Max) 38.4 VDC
Coil TypeNon LatchingCoil Current4.2mACoil Voltage48VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)16ASwitching Voltage125VAC - MaxTurn On Voltage (Max)38.4 VDC
Coil Current 4.2mA Coil Voltage 48VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 16A Switching Voltage 125VAC - Max Turn On Voltage (Max) 38.4 VDC
Coil Voltage 48VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 16A Switching Voltage 125VAC - Max Turn On Voltage (Max) 38.4 VDC
Contact Form SPST-NO (1 Form A) Contact Rating (Current) 16A Switching Voltage 125VAC - Max Turn On Voltage (Max) 38.4 VDC
Contact Rating (Current) Switching Voltage 125VAC - Max Turn On Voltage (Max) 38.4 VDC
Switching Voltage 125VAC - Max Turn On Voltage (Max) 38.4 VDC
Turn On Voltage (Max) 38.4 VDC
-
Turn Off Voltage (Min) 2.4 VDC
Operate Time 10ms
Release Time 4ms
Features Sealed - Flux Protection
Mounting Type Through Hole
Termination Style PC Pin
Report errors?

JV1APF-48V Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

JV1APF-48V Payment Methods



















JV1APF-48V Shipping Methods













If you have any question about JV1APF-48V, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com