



JX10-0061NL Information

Heisener.com

Part Number JX10-0061NL

ManufacturerPulse Electronics NetworkCategoryConnectors, Interconnects

Modular Connectors - Jacks With Magnetics

Description CONN RJ45 1X1 100D 1:1 GG

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









JX10-0061NL Specifications

Manufacturer Part Number JX10-0061NL Manufacturer Pulse Electronics Network Category Connectors, Interconnects Modular Connectors - Jacks With Magnetics Package - Series - Connector Type RJ45 Number of Ports 1 Number of Rows 1 Applications 10/100 Base-TX Mounting Type Through Hole Orientation 90° Angle (Right) Termination Solder Height Above Board 0.550" (13.97mm) LED Color Green - Yellow Number of Cores per Jack 4 Shielding Shielded, EMI Finger Features Board Guide Tab Direction Up Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature -40°C ~ 85°C		
Category Connectors, Interconnects Package - Series - Connector Type RJ45 Number of Ports 1 Number of Rows 1 Applications 10/100 Base-TX Mounting Type Through Hole Orientation 90° Angle (Right) Termination Solder Height Above Board 0.550" (13.97mm) LED Color Green - Yellow Number of Cores per Jack 4 Shielding Shielded, EMI Finger Features Board Guide Tab Direction Up Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature -40°C ~ 85°C	Manufacturer Part Number	JX10-0061NL
Package - Series - Connector Type RJ45 Number of Ports 1 Number of Rows 1 Applications 10/100 Base-TX Mounting Type Through Hole Orientation 90° Angle (Right) Termination Solder Height Above Board 0.550" (13.97mm) LED Color Green - Yellow Number of Cores per Jack 4 Shielding Shielded, EMI Finger Features Board Guide Tab Direction Up Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature -40°C ~ 85°C	Manufacturer	Pulse Electronics Network
Package - Series - Connector Type RJ45 Number of Ports 1 Number of Rows 1 Applications 10/100 Base-TX Mounting Type Through Hole Orientation 90° Angle (Right) Termination Solder Height Above Board 0.550" (13.97mm) LED Color Green - Yellow Number of Cores per Jack 4 Shielding Shielded, EMI Finger Features Board Guide Tab Direction Up Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature -40°C ~ 85°C	Category	Connectors, Interconnects
Series - Connector Type RJ45 Number of Ports 1 Number of Rows 1 Applications 10/100 Base-TX Mounting Type Through Hole Orientation 90° Angle (Right) Termination Solder Height Above Board 0.550" (13.97mm) LED Color Green - Yellow Number of Cores per Jack 4 Shielding Shielded, EMI Finger Features Board Guide Tab Direction Up Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature -40°C ~ 85°C		Modular Connectors - Jacks With Magnetics
Connector TypeRJ45Number of Ports1Number of Rows1Applications10/100 Base-TXMounting TypeThrough HoleOrientation90° Angle (Right)TerminationSolderHeight Above Board0.550" (13.97mm)LED ColorGreen - YellowNumber of Cores per Jack4ShieldingShielded, EMI FingerFeaturesBoard GuideTab DirectionUpContact MaterialPhosphor BronzeContact FinishGoldOperating Temperature-40°C ~ 85°C	Package	-
Number of Ports 1 Number of Rows 1 Applications 10/100 Base-TX Mounting Type Through Hole Orientation 90° Angle (Right) Termination Solder Height Above Board 0.550" (13.97mm) LED Color Green - Yellow Number of Cores per Jack 4 Shielding Shielded, EMI Finger Features Board Guide Tab Direction Up Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature -40°C ~ 85°C	Series	-
Number of Rows1Applications10/100 Base-TXMounting TypeThrough HoleOrientation90° Angle (Right)TerminationSolderHeight Above Board0.550" (13.97mm)LED ColorGreen - YellowNumber of Cores per Jack4ShieldingShielded, EMI FingerFeaturesBoard GuideTab DirectionUpContact MaterialPhosphor BronzeContact FinishGoldOperating Temperature-40°C ~ 85°C	Connector Type	RJ45
Applications Mounting Type Through Hole Orientation 90° Angle (Right) Termination Solder Height Above Board 0.550" (13.97mm) LED Color Green - Yellow Number of Cores per Jack Shielding Shielded, EMI Finger Features Board Guide Tab Direction Up Contact Material Phosphor Bronze Contact Finish Operating Temperature	Number of Ports	1
Mounting Type Orientation 90° Angle (Right) Termination Solder Height Above Board LED Color Green - Yellow Number of Cores per Jack Shielding Shielded, EMI Finger Features Board Guide Tab Direction Up Contact Material Phosphor Bronze Contact Finish Operating Temperature Through Hole 190° Angle (Right) 190° Angle (Ri	Number of Rows	1
Orientation 90° Angle (Right) Termination Solder Height Above Board 0.550" (13.97mm) LED Color Green - Yellow Number of Cores per Jack 4 Shielding Shielded, EMI Finger Features Board Guide Tab Direction Up Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature -40°C ~ 85°C	Applications	10/100 Base-TX
Termination Solder Height Above Board 0.550" (13.97mm) LED Color Green - Yellow Number of Cores per Jack 4 Shielding Shielded, EMI Finger Features Board Guide Tab Direction Up Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature -40°C ~ 85°C	Mounting Type	Through Hole
Height Above Board LED Color Green - Yellow Number of Cores per Jack Shielding Shielded, EMI Finger Features Board Guide Tab Direction Up Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature 0.550" (13.97mm) 0.550" (13.97mm) 4 Core - Yellow 4 A A A A A A A A A A A A	Orientation	90° Angle (Right)
LED ColorGreen - YellowNumber of Cores per Jack4ShieldingShielded, EMI FingerFeaturesBoard GuideTab DirectionUpContact MaterialPhosphor BronzeContact FinishGoldOperating Temperature-40°C ~ 85°C	Termination	Solder
Number of Cores per Jack Shielding Shielded, EMI Finger Features Board Guide Tab Direction Up Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature 4 Contact Material Ave C ~ 85°C	Height Above Board	0.550" (13.97mm)
Shielding Shielded, EMI Finger Features Board Guide Tab Direction Up Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature -40°C ~ 85°C	LED Color	Green - Yellow
Features Board Guide Tab Direction Up Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature -40°C ~ 85°C	Number of Cores per Jack	4
Tab DirectionUpContact MaterialPhosphor BronzeContact FinishGoldOperating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$	Shielding	Shielded, EMI Finger
Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature -40°C ~ 85°C	Features	Board Guide
Contact Finish Gold Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$	Tab Direction	Up
Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$	Contact Material	Phosphor Bronze
	Contact Finish	Gold
Report errors?	Operating Temperature	-40°C ~ 85°C
		Report errors?

JX10-0061NL Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

JX10-0061NL Payment Methods





















JX10-0061NL Shipping Methods













If you have any question about JX10-0061NL, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com