



K5V2CL43G Information

Heisener.com

Part Number K5V2CL43G

Manufacturer C&K **Category** Switches

Tactile Switches

Description SWITCH TACTILE SPDT 0.1A 32V

Package -


For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com





Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









Manufacturer Part Number K5V2CL43G Manufacturer C&K Category Switches Package - Series K5V Circuit SPDT Switch Function On-Mom Contact Rating @ Voltage 0.1A @ 32VDC Actuator Type Translucent Mounting Type Surface Mount, Right Angle Actuator Height off PCB, Vertical - Actuator Length, Right Angle 12.40mm Actuator Orientation Side Actuated Termination Style Gull Wing Outline 9.45mm x 8.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 400gf Ingress Protection IP40 Features Tactile Feedback		
CategorySwitchesPackage-SeriesK5VCircuitSPDTSwitch FunctionOn-MomContact Rating @ Voltage0.1A @ 32VDCActuator TypeTranslucentMounting TypeSurface Mount, Right AngleActuator Height off PCB, Vertical-Actuator Length, Right Angle12.40mmActuator OrientationSide ActuatedTermination StyleGull WingOutline9.45mm x 8.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force400gfIngress ProtectionIP40FeaturesTactile Feedback	Manufacturer Part Number	K5V2CL43G
Package - Series K5V Circuit SPDT Switch Function On-Mom Contact Rating @ Voltage O.1A @ 32VDC Actuator Type Translucent Mounting Type Surface Mount, Right Angle Actuator Height off PCB, Vertical - 12.40mm Actuator Length, Right Angle 12.40mm Actuator Orientation Side Actuated Termination Style Gull Wing Outline 9.45mm x 8.00mm Illumination Type, Color - Illumination Type, Color Illumination Voltage (Nominal) - Operating Force 400gf Ingress Protection IP40 Features Tarning Style Feedback	Manufacturer	C&K
Package - Series K5V Circuit SPDT Switch Function On-Mom Contact Rating @ Voltage 0.1A @ 32VDC Actuator Type Translucent Mounting Type Surface Mount, Right Angle Actuator Height off PCB, Vertical - Actuator Length, Right Angle 12.40mm Actuator Orientation Side Actuated Termination Style Gull Wing Outline 9.45mm x 8.00mm Illumination Non-Illuminated Illumination Voltage (Nominal) - Operating Force 400gf Ingress Protection IP40 Features Tactile Feedback	Category	Switches
SeriesK5VCircuitSPDTSwitch FunctionOn-MomContact Rating @ Voltage0.1A @ 32VDCActuator TypeTranslucentMounting TypeSurface Mount, Right AngleActuator Height off PCB, Vertical-Actuator Length, Right Angle12.40mmActuator OrientationSide ActuatedTermination StyleGull WingOutline9.45mm x 8.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force400gfIngress ProtectionIP40FeaturesTactile Feedback		Tactile Switches
CircuitSPDTSwitch FunctionOn-MomContact Rating @ Voltage0.1A @ 32VDCActuator TypeTranslucentMounting TypeSurface Mount, Right AngleActuator Height off PCB, Vertical-Actuator Length, Right Angle12.40mmActuator OrientationSide ActuatedTermination StyleGull WingOutline9.45mm x 8.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force400gfIngress ProtectionIP40FeaturesTactile Feedback	Package	-
Switch Function On-Mom Contact Rating @ Voltage 0.1A @ 32VDC Actuator Type Translucent Mounting Type Surface Mount, Right Angle Actuator Height off PCB, Vertical - Actuator Length, Right Angle 12.40mm Actuator Orientation Side Actuated Termination Style Gull Wing Outline 9.45mm x 8.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 400gf Ingress Protection IP40 Features Translucent Translucent Translucent Translucent Surface Mount, Right Angle Cull Wing Features On-Mom Surface Mount, Right Angle Cull Wing Textured Turnslucent Surface Mount, Right Angle Turnslucent Surface Mount, Right Angle Turnslucent Surface Mount, Right Angle Turnslucent Turnslucent Turnslucent Turnslucent Turnslucent Turnslucent Textured Turnslucent Textured Turnslucent Turnslucent Textured Turnslucent Textured Turnslucent Turnslucent Textured Turnslucent Textured Turnslucent Turnslucent Textured Turnslucent Tur	Series	K5V
Contact Rating @ Voltage Actuator Type Translucent Mounting Type Surface Mount, Right Angle Actuator Height off PCB, Vertical Actuator Length, Right Angle 12.40mm Actuator Orientation Side Actuated Termination Style Gull Wing Outline 9.45mm x 8.00mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Operating Force 400gf Ingress Protection Ip40 Features Tactile Feedback	Circuit	SPDT
Actuator Type Mounting Type Surface Mount, Right Angle Actuator Height off PCB, Vertical Actuator Length, Right Angle 12.40mm Actuator Orientation Side Actuated Termination Style Gull Wing Outline 9.45mm x 8.00mm Illumination Illumination Type, Color Illumination Voltage (Nominal) Operating Force 400gf Ingress Protection Features Translucent Translucent Surface Mount, Right Angle - Surface Mount, Right Angle - Surface Mount, Right Angle - 400mm Side Actuated - 12.40mm Side Actuated - 11.40mg - 400gf Illumination Voltage (Nominal) - Tactile Feedback	Switch Function	On-Mom
Mounting TypeSurface Mount, Right AngleActuator Height off PCB, Vertical-Actuator Length, Right Angle12.40mmActuator OrientationSide ActuatedTermination StyleGull WingOutline9.45mm x 8.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force400gfIngress ProtectionIP40FeaturesTactile Feedback	Contact Rating @ Voltage	0.1A @ 32VDC
Actuator Height off PCB, Vertical Actuator Length, Right Angle 12.40mm Actuator Orientation Side Actuated Termination Style Gull Wing Outline 9.45mm x 8.00mm Illumination Non-Illuminated Illumination Type, Color	Actuator Type	Translucent
Actuator Length, Right Angle Actuator Orientation Side Actuated Termination Style Gull Wing Outline 9.45mm x 8.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) Operating Force 400gf Ingress Protection IP40 Features Tactile Feedback	Mounting Type	Surface Mount, Right Angle
Actuator Orientation Side Actuated Termination Style Gull Wing Outline 9.45mm x 8.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) Operating Force 400gf Ingress Protection IP40 Features Tactile Feedback	Actuator Height off PCB, Vertical	-
Termination Style Outline 9.45mm x 8.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) Operating Force 400gf Ingress Protection IP40 Features Tactile Feedback	Actuator Length, Right Angle	12.40mm
Outline 9.45mm x 8.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 400gf Ingress Protection IP40 Features Tactile Feedback	Actuator Orientation	Side Actuated
IlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force400gfIngress ProtectionIP40FeaturesTactile Feedback	Termination Style	Gull Wing
Illumination Type, Color-Illumination Voltage (Nominal)-Operating Force400gfIngress ProtectionIP40FeaturesTactile Feedback	Outline	9.45mm x 8.00mm
Illumination Voltage (Nominal)-Operating Force400gfIngress ProtectionIP40FeaturesTactile Feedback	Illumination	Non-Illuminated
Operating Force400gfIngress ProtectionIP40FeaturesTactile Feedback	Illumination Type, Color	-
Ingress Protection IP40 Features Tactile Feedback	Illumination Voltage (Nominal)	-
Features Tactile Feedback	Operating Force	400gf
	Ingress Protection	IP40
Report errors?	Features	Tactile Feedback
		Report errors?

K5V2CL43G Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

K5V2CL43G Payment Methods



















K5V2CL43G Shipping Methods













If you have any question about K5V2CL43G, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com