

KRPA-14AG-6 Information



For Reference Only

Part Number KRPA-14AG-6

Manufacturer TE Connectivity Potter & Brumfield Relays

Category Relays

Power Relays, Over 2 Amps

Description RELAY GEN PURPOSE 3PDT 10A 6V

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









KRPA-14AG-6 Specifications

Manufacturer Part Number KRPA-14AG-6 Manufacturer TE Connectivity Potter & Brumfield Relays Category Relays Package - Series KRPA Relay Type General Purpose Coil Type Non Latching Coil Current 335mA Coil Voltage 6VAC Contact Form 3PDT (3 Form C) Contact Rating (Current) 10A Switching Voltage 240VAC - Max Turn On Voltage (Max) 5.1 VAC Turn Off Voltage (Min) - Operate Time - Release Time - Features Insulation - Class B		
CategoryRelaysPower Relays, Over 2 AmpsPackage-SeriesKRPARelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current335mACoil Voltage6VACContact Form3PDT (3 Form C)Contact Rating (Current)10ASwitching Voltage240VAC - MaxTurn On Voltage (Max)5.1 VACTurn Off Voltage (Min)-Operate Time-Release Time-	Manufacturer Part Number	KRPA-14AG-6
Package - Series KRPA Relay Type General Purpose Coil Type Non Latching Coil Current 335mA Coil Voltage 6VAC Contact Form 3PDT (3 Form C) Contact Rating (Current) 10A Switching Voltage 240VAC - Max Turn On Voltage (Max) 5.1 VAC Turn Off Voltage (Min) - Operate Time - Release Time -	Manufacturer	TE Connectivity Potter & Brumfield Relays
Package - KRPA Relay Type General Purpose Coil Type Non Latching Coil Current 335mA Coil Voltage 6VAC Contact Form 3PDT (3 Form C) Contact Rating (Current) 10A Switching Voltage 240VAC - Max Turn On Voltage (Max) 5.1 VAC Turn Off Voltage (Min) - Operate Time - Release Time -	Category	Relays
SeriesKRPARelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current335mACoil Voltage6VACContact Form3PDT (3 Form C)Contact Rating (Current)10ASwitching Voltage240VAC - MaxTurn On Voltage (Max)5.1 VACTurn Off Voltage (Min)-Operate Time-Release Time-		Power Relays, Over 2 Amps
Relay Type General Purpose Coil Type Non Latching Coil Current 335mA Coil Voltage 6VAC Contact Form 3PDT (3 Form C) Contact Rating (Current) 10A Switching Voltage 240VAC - Max Turn On Voltage (Max) 5.1 VAC Turn Off Voltage (Min) - Operate Time - Release Time -	Package	-
Coil Type Non Latching Coil Current 335mA Coil Voltage 6VAC Contact Form 3PDT (3 Form C) Contact Rating (Current) 10A Switching Voltage 240VAC - Max Turn On Voltage (Max) 5.1 VAC Turn Off Voltage (Min) - Operate Time - Release Time -	Series	KRPA
Coil Current 335mA Coil Voltage 6VAC Contact Form 3PDT (3 Form C) Contact Rating (Current) 10A Switching Voltage 240VAC - Max Turn On Voltage (Max) 5.1 VAC Turn Off Voltage (Min) - Operate Time - Release Time -	Relay Type	General Purpose
Coil Voltage 6VAC Contact Form 3PDT (3 Form C) Contact Rating (Current) 10A Switching Voltage 240VAC - Max Turn On Voltage (Max) 5.1 VAC Turn Off Voltage (Min) - Operate Time Release Time	Coil Type	Non Latching
Contact Form 3PDT (3 Form C) Contact Rating (Current) 10A Switching Voltage 240VAC - Max Turn On Voltage (Max) 5.1 VAC Turn Off Voltage (Min) - Operate Time - Release Time -	Coil Current	335mA
Contact Rating (Current) Switching Voltage 240VAC - Max Turn On Voltage (Max) 5.1 VAC Turn Off Voltage (Min) Operate Time - Release Time -	Coil Voltage	6VAC
Switching Voltage 240VAC - Max Turn On Voltage (Max) 5.1 VAC Turn Off Voltage (Min) - Operate Time - Release Time -	Contact Form	3PDT (3 Form C)
Turn On Voltage (Max) Turn Off Voltage (Min) Operate Time Release Time - - - - - - - - - - - - -	Contact Rating (Current)	10A
Turn Off Voltage (Min) Operate Time - Release Time -	Switching Voltage	240VAC - Max
Operate Time - Release Time	Turn On Voltage (Max)	5.1 VAC
Release Time -	Turn Off Voltage (Min)	-
	Operate Time	-
Features Insulation - Class B	Release Time	-
	Features	Insulation - Class B
Mounting Type Socketable	Mounting Type	Socketable
Termination Style Plug In, 11 Pin (Octal)	Termination Style	Plug In, 11 Pin (Octal)
Report errors?		Report errors?

KRPA-14AG-6 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

KRPA-14AG-6 Payment Methods



















KRPA-14AG-6 Shipping Methods













If you have any question about KRPA-14AG-6, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com