



KSC422G 70SH LFS Information



For Reference Only

Part Number KSC422G 70SH LFS

Manufacturer C&K **Category** Switches

Tactile Switches

Description SWITCH TACTILE SPST-NO 0.05A 32V

Package

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









KSC422G 70SH LFS Specifications

Manufacturer Part Number Manufacturer C&K Category Switches Tactile Switches Package - Series KSC Circuit SPST-NO Switch Function Contact Rating @ Voltage Actuator Type Mounting Type Surface Mount Actuator Height off PCB, Vertical Actuator Length, Right Angle Actuator Orientation Top Actuated Termination Style Outline 6.20mm x 6.20mm Illumination Illumination Illumination Type, Color Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Features Pacent agree 2		
CategorySwitchesPackage-SeriesKSCCircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage0.05A @ 32VDCActuator TypeStandardMounting TypeSurface MountActuator Height off PCB, Vertical5.20mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StyleGull WingOutline6.20mm x 6.20mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force170gfIngress Protection1P67 - Dust Tight, WaterproofFeatures-	Manufacturer Part Number	KSC422G 70SH LFS
Package - Series KSC Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 32VDC Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical 5.20mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Gull Wing Outline 6.20mm x 6.20mm Illumination Type, Color Illumination Type, Color Illumination Voltage (Nominal) - Operating Force 170gf Ingress Protection IP67 - Dust Tight, Waterproof Features - SPST-NO SPST	Manufacturer	C&K
Package - Series KSC Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 32VDC Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical 5.20mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Gull Wing Outline 6.20mm x 6.20mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 170gf Ingress Protection IP67 - Dust Tight, Waterproof Features -	Category	Switches
Series KSC Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 32VDC Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical 5.20mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Gull Wing Outline 6.20mm x 6.20mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 170gf Ingress Protection IP67 - Dust Tight, Waterproof Features -		Tactile Switches
CircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage0.05A @ 32VDCActuator TypeStandardMounting TypeSurface MountActuator Height off PCB, Vertical5.20mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StyleGull WingOutline6.20mm x 6.20mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force170gfIngress ProtectionIP67 - Dust Tight, WaterproofFeatures-	Package	-
Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 32VDC Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical 5.20mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Gull Wing Outline 6.20mm x 6.20mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 170gf Ingress Protection IP67 - Dust Tight, Waterproof Features -	Series	KSC
Contact Rating @ Voltage Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Gull Wing Outline 6.20mm x 6.20mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Features 0.05A @ 32VDC Standard S	Circuit	SPST-NO
Actuator Type Surface Mount Actuator Height off PCB, Vertical 5.20mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Gull Wing Outline 6.20mm x 6.20mm Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 170gf Ingress Protection IP67 - Dust Tight, Waterproof Features - Surface Mount Surface Mount Surface Mount 5.20mm Top Actuated - Non-Illuminated 170gf	Switch Function	Off-Mom
Mounting Type Actuator Height off PCB, Vertical Actuator Length, Right Angle Actuator Orientation Top Actuated Termination Style Gull Wing Outline 6.20mm x 6.20mm Illumination Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Features Surface Mount Surface Mount 5.20mm Non-Illumination Top Actuated Gull Wing G.20mm x 6.20mm Ingress Potection Illuminated Illuminated Illuminated Illumination Voltage (Nominal) - Ipef - Dust Tight, Waterproof Features	Contact Rating @ Voltage	0.05A @ 32VDC
Actuator Height off PCB, Vertical Actuator Length, Right Angle - Common Top Actuated Termination Style Outline Gull Wing Outline 6.20mm x 6.20mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Operating Force 170gf Ingress Protection Features 5.20mm Top Actuated - Color Top Actuated Sull Wing 6.20mm x 6.20mm 1.00mm x 6.	Actuator Type	Standard
Actuator Length, Right Angle Actuator Orientation Top Actuated Termination Style Gull Wing Outline 6.20mm x 6.20mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Features	Mounting Type	Surface Mount
Actuator Orientation Top Actuated Termination Style Gull Wing Outline 6.20mm x 6.20mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 170gf Ingress Protection IP67 - Dust Tight, Waterproof Features -	Actuator Height off PCB, Vertical	5.20mm
Termination Style Outline 6.20mm x 6.20mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Features Gull Wing 6.20mm x 6.20mm Non-Illuminated - Ingress Protection Features	Actuator Length, Right Angle	-
Outline6.20mm x 6.20mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force170gfIngress ProtectionIP67 - Dust Tight, WaterproofFeatures-	Actuator Orientation	Top Actuated
IlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force170gfIngress ProtectionIP67 - Dust Tight, WaterproofFeatures-	Termination Style	Gull Wing
Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 170gf Ingress Protection IP67 - Dust Tight, Waterproof Features -	Outline	6.20mm x 6.20mm
Illumination Voltage (Nominal)-Operating Force170gfIngress ProtectionIP67 - Dust Tight, WaterproofFeatures-	Illumination	Non-Illuminated
Operating Force170gfIngress ProtectionIP67 - Dust Tight, WaterproofFeatures-	Illumination Type, Color	-
Ingress Protection IP67 - Dust Tight, Waterproof Features -	Illumination Voltage (Nominal)	-
Features -	Operating Force	170gf
	Ingress Protection	IP67 - Dust Tight, Waterproof
Donost orrors?	Features	-
Report errors?		Report errors?

KSC422G 70SH LFS Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

KSC422G 70SH LFS Payment Methods



















KSC422G 70SH LFS Shipping Methods













If you have any question about KSC422G 70SH LFS, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com