

KT11P2SA1M35LFG

KT11P2SA1M35LFG Information



For Reference Only

Part Number KT11P2SA1M35LFG

Manufacturer C&K

Category Switches
Tactile Switches

Description SWITCH TACTILE SPST-NO 1VA 32V

Package

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









KT11P2SA1M35LFG Specifications

Manufacturer Part Number KT11P2SA1M35LFG Manufacturer C&K Category Switches Package - Series KT Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 1VA @ 32VAC/DC Actuator Type Standard Mounting Type Surface Mount, Right Angle Actuator Height off PCB, Vertical - Actuator Length, Right Angle - Actuator Orientation Side Actuated Termination Style Gull Wing Outline 6.30mm x 6.30mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 300gf		
CategorySwitchesPackage-SeriesKTCircuitSPST-NOSwitch FunctionOff-MomContact Rating @ VoltageIVA @ 32VAC/DCActuator TypeStandardMounting TypeSurface Mount, Right AngleActuator Height off PCB, Vertical-Actuator OrientationSide ActuatedTermination StyleGull WingOutline6.30mm x 6.30mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-	Manufacturer Part Number	KT11P2SA1M35LFG
Package - Series KT Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 1VA @ 32VAC/DC Actuator Type Standard Mounting Type Surface Mount, Right Angle Actuator Height off PCB, Vertical - Actuator Unenthin Style Gull Wing Outline G.30mm x 6.30mm Illumination Type, Color Illumination Voltage (Nominal) Tactile Switches Tactile Switches Tactile Switches THE SWITCHES SURFACE ACTUAL SWITCHES SURFACE ACTUAL SURFACE ACTUAL SWITCHES SURFACE ACTUAL SURFACE ACTUAL SWITCHES SURFACE ACTUAL SURFACE ACTUAL SWITCHES ACTUAL SURFACE ACTUAL SWITCHES SURFACE ACTUAL SURFACE ACTU	Manufacturer	C&K
Package - Series KT Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 1VA @ 32VAC/DC Actuator Type Standard Mounting Type Surface Mount, Right Angle Actuator Height off PCB, Vertical - Actuator Length, Right Angle - Actuator Orientation Side Actuated Termination Style Gull Wing Outline 6.30mm x 6.30mm Illumination Type, Color Illumination Voltage (Nominal) -	Category	Switches
SeriesKTCircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage1VA @ 32VAC/DCActuator TypeStandardMounting TypeSurface Mount, Right AngleActuator Height off PCB, Vertical-Actuator Length, Right Angle-Actuator OrientationSide ActuatedTermination StyleGull WingOutline6.30mm x 6.30mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-		Tactile Switches
Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 1VA @ 32VAC/DC Actuator Type Standard Mounting Type Surface Mount, Right Angle Actuator Height off PCB, Vertical - Actuator Length, Right Angle - Actuator Orientation Side Actuated Termination Style Gull Wing Outline 6.30mm x 6.30mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) -	Package	-
Switch Function Off-Mom Contact Rating @ Voltage 1VA @ 32VAC/DC Actuator Type Standard Mounting Type Surface Mount, Right Angle Actuator Height off PCB, Vertical - Actuator Length, Right Angle - Actuator Orientation Side Actuated Termination Style Gull Wing Outline 6.30mm x 6.30mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) -	Series	KT
Contact Rating @ Voltage 1VA @ 32VAC/DC Actuator Type Standard Mounting Type Surface Mount, Right Angle Actuator Height off PCB, Vertical - Actuator Length, Right Angle - Actuator Orientation Side Actuated Termination Style Gull Wing Outline 6.30mm x 6.30mm Illumination Type, Color - Illumination Voltage (Nominal) -	Circuit	SPST-NO
Actuator Type Standard Mounting Type Surface Mount, Right Angle Actuator Height off PCB, Vertical Actuator Length, Right Angle Actuator Orientation Side Actuated Termination Style Gull Wing Outline 6.30mm x 6.30mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Standard Surface Mount, Right Angle - Surface Mount, Right Angle - Non-Illumination Side Actuated - Side Actuated - Surface Mount, Right Angle - - Illumination Voltage (Nominal)	Switch Function	Off-Mom
Mounting TypeSurface Mount, Right AngleActuator Height off PCB, Vertical-Actuator Length, Right Angle-Actuator OrientationSide ActuatedTermination StyleGull WingOutline6.30mm x 6.30mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-	Contact Rating @ Voltage	1VA @ 32VAC/DC
Actuator Height off PCB, Vertical Actuator Length, Right Angle Actuator Orientation Side Actuated Termination Style Gull Wing Outline 6.30mm x 6.30mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal)	Actuator Type	Standard
Actuator Length, Right Angle Actuator Orientation Side Actuated Termination Style Gull Wing Outline 6.30mm x 6.30mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) -	Mounting Type	Surface Mount, Right Angle
Actuator Orientation Side Actuated Termination Style Gull Wing Outline 6.30mm x 6.30mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) -	Actuator Height off PCB, Vertical	-
Termination Style Outline 6.30mm x 6.30mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) -	Actuator Length, Right Angle	-
Outline 6.30mm x 6.30mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) -	Actuator Orientation	Side Actuated
IlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-	Termination Style	Gull Wing
Illumination Type, Color - Illumination Voltage (Nominal) -	Outline	6.30mm x 6.30mm
Illumination Voltage (Nominal) -	Illumination	Non-Illuminated
- 1	Illumination Type, Color	-
Operating Force 300gf	Illumination Voltage (Nominal)	-
	Operating Force	300gf
Ingress Protection IP57 - Dust Protected, Waterproof	Ingress Protection	IP57 - Dust Protected, Waterproof
Features Sealed	Features	Sealed
Report errors?		Report errors?

KT11P2SA1M35LFG Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

KT11P2SA1M35LFG Payment Methods



















KT11P2SA1M35LFG Shipping Methods













If you have any question about KT11P2SA1M35LFG, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com