

## KTR25JZPJ334

#### **KTR25JZPJ334** Information





Request a Quote

#### **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



### **KTR25JZPJ334** Specifications

Manufacturer Part NumberKTR25JZPJ334ManufacturerRohm SemiconductorCategoryResistorsChip Resistor - Surface MountPackage1210 (3225 Metric)SeriesKTRResistance330 kOhmsTolerance±5%Power (Watts)0.333W, 1/3WCompositionThick FilmFeaturesAutomotive AEC-Q200, High VoltagePore ating Temperature Coefficient±200ppm°COperating Temperature1210 (3225 Metric)Supplier Device Package1210 (3225 Metric)Size / Dimension0.126° L x 0.098" W (3.20mm x 2.50mm)Height - Seated (Max)0.026" (0.65mm)Number of Terminations2		
CategoryResistorsChip Resistor - Surface MountPackage1210 (3225 Metric)SeriesKTRResistance330 kOhmsTolerance±5%Power (Watts)0.333W, 1/3WCompositionThick FilmFeaturesAutomotive AEC-Q200, High VoltageTemperature Coefficient±200pm/°COperating Temperature55°C ~ 155°CPackage / Case1210 (3225 Metric)Supplier Device Package0.126° L x 0.098° W (3.20mm x 2.50mm)Height - Seated (Max)0.26° (0.65mm)Number of Terminations2	Manufacturer Part Number	KTR25JZPJ334
Chip Resistor - Surface MountPackage1210 (3225 Metric)SeriesKTRResistance330 kOhmsTolerance±5%Power (Watts)0.333W, 1/3WCompositionThick FilmFeaturesAutomotive AEC-Q200, High VoltageTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 155°CPackage / Case1210 (3225 Metric)Supplier Device Package1210Size / Dimension0.126" L x 0.098" W (3.20mm x 2.50mm)Height - Seated (Max)0.26" (0.65mm)Number of Terminations2	Manufacturer	Rohm Semiconductor
Package1210 (3225 Metric)SeriesKTRResistance330 kOhmsTolerance±5%Power (Watts)0.333W, 1/3WCompositionThick FilmFeaturesAutomotive AEC-Q200, High VoltageTemperature Coefficient±200pm/°COperating Temperature-55°C ~ 155°CPackage / Case1210 (3225 Metric)Supplier Device Package0.126" L x 0.098" W (3.20mm x 2.50mm)Height - Seated (Max)0.26" (0.65mm)Number of Terminations2	Category	Resistors
SeriesKTRResistance330 kOhmsTolerance±5%Power (Watts)0.333W, 1/3WCompositionThick FilmFeaturesAutomotive AEC-Q200, High VoltageTemperature Coefficient±200pm/°COperating Temperature-55°C ~ 155°CPackage / Case1210 (3225 Metric)Supplier Device Package0.126" L x 0.098" W (3.20mm x 2.50mm)Height - Seated (Max)0.026" (0.65mm)Number of Terminations2		Chip Resistor - Surface Mount
Resistance330 kOhmsTolerance±5%Power (Watts)0.333W, 1/3WCompositionThick FilmFeaturesAutomotive AEC-Q200, High VoltageTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 155°CPackage / Case1210 (3225 Metric)Supplier Device Package0.126" L x 0.098" W (3.20mm x 2.50mm)Height - Seated (Max)0.026" (0.65mm)Number of Terminations2	Package	1210 (3225 Metric)
Tolerance±5%Power (Watts)0.33W, 1/3WCompositionThick FilmFeaturesAutomotive AEC-Q200, High VoltageTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 155°CPackage / Case1210 (3225 Metric)Supplier Device Package0.126" L x 0.098" W (3.20mm x 2.50mm)Height - Seated (Max)0.026" (0.65mm)Number of Terminations2	Series	KTR
Power (Watts)0.333W, 1/3WCompositionThick FilmFeaturesAutomotive AEC-Q200, High VoltageTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 155°CPackage / Case1210 (3225 Metric)Supplier Device Package1210Size / Dimension0.126" L x 0.098" W (3.20mm x 2.50mm)Height - Seated (Max)0.026" (0.65mm)Number of Terminations2	Resistance	330 kOhms
CompositionThick FilmFeaturesAutomotive AEC-Q200, High VoltageTemperature Coefficient±200pm/°COperating Temperature-55°C ~ 155°CPackage / Case1210 (3225 Metric)Supplier Device Package1210Size / Dimension0.126" L x 0.098" W (3.20mm x 2.50mm)Height - Seated (Max)0.026" (0.65mm)Number of Terminations2	Tolerance	±5%
FeaturesAutomotive AEC-Q200, High VoltageTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 155°CPackage / Case1210 (3225 Metric)Supplier Device Package1210Size / Dimension0.126" L x 0.098" W (3.20mm x 2.50mm)Height - Seated (Max)0.026" (0.65mm)Number of Terminations2	Power (Watts)	0.333W, 1/3W
Temperature Coefficient $\pm 200 \text{pm/°C}$ Operating Temperature $-55^\circ$ °C ~ $155^\circ$ °CPackage / Case1210 (3225 Metric)Supplier Device Package1210Size / Dimension0.126" L x 0.098" W (3.20mm x 2.50mm)Height - Seated (Max)0.026" (0.65mm)Number of Terminations2	Composition	Thick Film
Operating Temperature -55°C ~ 155°C   Package / Case 1210 (3225 Metric)   Supplier Device Package 1210   Size / Dimension 0.126" L x 0.098" W (3.20mm x 2.50mm)   Height - Seated (Max) 0.026" (0.65mm)   Number of Terminations 2	Features	Automotive AEC-Q200, High Voltage
Package / Case1210 (3225 Metric)Supplier Device Package1210Size / Dimension0.126" L x 0.098" W (3.20mm x 2.50mm)Height - Seated (Max)0.026" (0.65mm)Number of Terminations2	Temperature Coefficient	±200ppm/°C
Supplier Device Package 1210   Size / Dimension 0.126" L x 0.098" W (3.20mm x 2.50mm)   Height - Seated (Max) 0.026" (0.65mm)   Number of Terminations 2	Operating Temperature	-55°C ~ 155°C
Size / Dimension 0.126" L x 0.098" W (3.20mm x 2.50mm)   Height - Seated (Max) 0.026" (0.65mm)   Number of Terminations 2	Package / Case	1210 (3225 Metric)
Height - Seated (Max)0.026" (0.65mm)Number of Terminations2	Supplier Device Package	1210
Number of Terminations 2	Size / Dimension	0.126" L x 0.098" W (3.20mm x 2.50mm)
	Height - Seated (Max)	0.026" (0.65mm)
	Number of Terminations	2
Failure Rate -	Failure Rate	-
Report errors?		Report errors?

#### **KTR25JZPJ334** Guarantees



Quality Guarantees

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

# SERVICE EUARANTEE

#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

#### **KTR25JZPJ334** Payment Methods





If you have any question about KTR25JZPJ334, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com