

KTR25JZPJ751

KTR25JZPJ751 Information





Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



KTR25JZPJ751 Specifications

Manufacturer Part NumberKTR25JZPJ751ManufacturerRohm SemiconductorCategoryResistorsChip Resistor - Surface MountPackage1210 (3225 Metric)SeriesKTRResistance750 OhmsTolerance±5%Power (Watts)0.333W, 1/3WCompositionThick FilmFeaturesAutomotive AEC-Q200, High VoltageTemperature Coefficient±200ppm/°COperating Temperature.55°C ~ 155°CPackage / Case1210 (3225 Metric)Supplier Device Package1210Size / Dimension0.126" L x 0.098" W (3.20mm x 2.50mm)Height - Seated (Max)0.026" (0.65mm)Number of Terminations2		
CategoryResistorsChip Resistor - Surface MountPackage1210 (3225 Metric)SeriesKTRResistance750 OhmsTolerance±5%Power (Watts)0.333W, 1/3WCompositionThick FilmFeaturesAutomotive AEC-Q200, High VoltageTemperature Coefficient±200pm/°COperating Temperature55°C ~ 155°CPackage / Case1210 (3225 Metric)Supplier Device Package0.126° L x 0.098° W (3.20mm x 2.50mm)Height - Seated (Max)0.26° (0.65mm)Number of Terminations2	Manufacturer Part Number	KTR25JZPJ751
Chip Resistor - Surface MountPackage1210 (3225 Metric)SeriesKTRResistance750 OhmsTolerance±5%Power (Watts)0.333W, 1/3WCompositionThick FilmFeaturesAutomotive AEC-Q200, High VoltageTemperature Coefficient±200ppm/°COperating Temperature55°C ~ 155°CPackage / Case1210 (3225 Metric)Supplier Device Package1210Size / Dimension0.126" L x 0.098" W (3.20mm x 2.50mm)Height - Seated (Max)0.26" (0.65mm)Number of Terminations2	Manufacturer	Rohm Semiconductor
Package1210 (3225 Metric)SeriesKTRResistance750 OhmsTolerance±5%Power (Watts)0.333W, 1/3WCompositionThick FilmFeaturesAutomotive AEC-Q200, High VoltageTemperature Coefficient±200pm/°COperating Temperature1210 (3225 Metric)Package / Case1210 (3225 Metric)Supplier Device Package1210Size / Dimension0.126" L x 0.098" W (3.20mm x 2.50mm)Height - Seated (Max)2	Category	Resistors
SeriesKTRResistance750 OhmsTolerance±5%Power (Watts)0.333W, 1/3WCompositionThick FilmFeaturesAutomotive AEC-Q200, High VoltageTemperature Coefficient±200pm/°COperating Temperature-55°C ~ 155°CPackage / Case1210 (3225 Metric)Supplier Device Package0.126" L x 0.098" W (3.20mm x 2.50mm)Height - Seated (Max)0.026" (0.65mm)Number of Terminations2		Chip Resistor - Surface Mount
Resistance750 OhmsTolerance±5%Power (Watts)0.333W, 1/3WCompositionThick FilmFeaturesAutomotive AEC-Q200, High VoltageTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 155°CPackage / Case1210 (3225 Metric)Supplier Device Package0.126" L x 0.098" W (3.20mm x 2.50mm)Height - Seated (Max)0.026" (0.65mm)Number of Terminations2	Package	1210 (3225 Metric)
Tolerance ±5% Power (Watts) 0.333W, 1/3W Composition Thick Film Features Automotive AEC-Q200, High Voltage Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Package / Case 1210 (3225 Metric) Supplier Device Package 1210 Size / Dimension 0.126" L x 0.098" W (3.20mm x 2.50mm) Height - Seated (Max) 0.026" (0.65mm) Number of Terminations 2	Series	KTR
Power (Watts)0.333W, 1/3WCompositionThick FilmFeaturesAutomotive AEC-Q200, High VoltageTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 155°CPackage / Case1210 (3225 Metric)Supplier Device Package1210Size / Dimension0.126" L x 0.098" W (3.20mm x 2.50mm)Height - Seated (Max)0.026" (0.65mm)Number of Terminations2	Resistance	750 Ohms
CompositionThick FilmFeaturesAutomotive AEC-Q200, High VoltageTemperature Coefficient±200pm/°COperating Temperature-55°C ~ 155°CPackage / Case1210 (3225 Metric)Supplier Device Package1210Size / Dimension0.126" L x 0.098" W (3.20mm x 2.50mm)Height - Seated (Max)0.026" (0.65mm)Number of Terminations2	Tolerance	±5%
FeaturesAutomotive AEC-Q200, High VoltageTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 155°CPackage / Case1210 (3225 Metric)Supplier Device Package1210Size / Dimension0.126" L x 0.098" W (3.20mm x 2.50mm)Height - Seated (Max)0.026" (0.65mm)Number of Terminations2	Power (Watts)	0.333W, 1/3W
Temperature Coefficient $\pm 200 \text{pm/°C}$ Operating Temperature -55° °C ~ 155° °CPackage / Case1210 (3225 Metric)Supplier Device Package1210Size / Dimension0.126" L x 0.098" W (3.20mm x 2.50mm)Height - Seated (Max)0.026" (0.65mm)Number of Terminations2	Composition	Thick Film
Operating Temperature -55°C ~ 155°C Package / Case 1210 (3225 Metric) Supplier Device Package 1210 Size / Dimension 0.126" L x 0.098" W (3.20mm x 2.50mm) Height - Seated (Max) 0.026" (0.65mm) Number of Terminations 2	Features	Automotive AEC-Q200, High Voltage
Package / Case1210 (3225 Metric)Supplier Device Package1210Size / Dimension0.126" L x 0.098" W (3.20mm x 2.50mm)Height - Seated (Max)0.026" (0.65mm)Number of Terminations2	Temperature Coefficient	±200ppm/°C
Supplier Device Package 1210 Size / Dimension 0.126" L x 0.098" W (3.20mm x 2.50mm) Height - Seated (Max) 0.026" (0.65mm) Number of Terminations 2	Operating Temperature	-55°C ~ 155°C
Size / Dimension 0.126" L x 0.098" W (3.20mm x 2.50mm) Height - Seated (Max) 0.026" (0.65mm) Number of Terminations 2	Package / Case	1210 (3225 Metric)
Height - Seated (Max)0.026" (0.65mm)Number of Terminations2	Supplier Device Package	1210
Number of Terminations 2	Size / Dimension	0.126" L x 0.098" W (3.20mm x 2.50mm)
	Height - Seated (Max)	0.026" (0.65mm)
Failure Rate	Number of Terminations	2
	Failure Rate	-
Report errors?		Report errors?

KTR25JZPJ751 Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

KTR25JZPJ751 Payment Methods



KTR25JZPJ751 Shipping Methods



If you have any question about KTR25JZPJ751, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com