

# **LA70Q1254 Information**

Heisener.com

Part NumberLA70Q1254ManufacturerLittelfuse Inc.CategoryCircuit Protection

Electrical, Specialty Fuses

**Description** FUSE CRTRDGE 125A 700VAC/650VDC

Package Cylindrical, Blade Terminal (Bolt)

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

### **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## **LA70Q1254 Specifications**

Manufacturer Part NumberLA70Q1254ManufacturerLittelfuse Inc.CategoryCircuit ProtectionBectrical, Specialty FusesPackageCylindrical, Blade Terminal (Bolt)SeriesLA70QFuse TypeCartridgeCurrent Rating125AVoltage Rating - AC700VVoltage Rating - DC650VResponse Time-ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsUROperating Temperature-Breaking Capacity @ Rated Voltage100kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension1.500" Dia x 2.843" L (38.10mm x 72.20mm)		
Category  Circuit Protection  Electrical, Specialty Fuses  Package  Cylindrical, Blade Terminal (Bolt)  Series  LA70Q  Fuse Type  Cartridge  Current Rating  125A  Voltage Rating - AC  Voltage Rating - DC  650V  Response Time  - Applications  Electrical, Industrial  Features  - Class  - Approvals  UR  Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type  Bolt Mount  Package / Case  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  Circuit Protection  Electrical, Specialty Fuses  Electrical, Industrial  Features  - Class  - Class  - Class  - Class  - Class  - Cylindrical, Blade Terminal (Bolt)	Manufacturer Part Number	LA70Q1254
Beckrical, Specialty Fuses Cylindrical, Blade Terminal (Bolt) Series LA70Q Fuse Type Cartridge Current Rating 125A Voltage Rating - AC Voltage Rating - DC 650V Response Time - Applications Electrical, Industrial Features - Class - Approvals UR Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension  Electrical, Blade Terminal (Bolt) Size / Dimension  Electrical, Blade Terminal (Bolt) Size / Dimension	Manufacturer	Littelfuse Inc.
Package Cylindrical, Blade Terminal (Bolt)  Series LA70Q  Fuse Type Cartridge  Current Rating 125A  Voltage Rating - AC 700V  Voltage Rating - DC 650V  Response Time - Rating Electrical, Industrial  Features - Class - Approvals UR  Operating Temperature - Breaking Capacity @ Rated Voltage 100kA  Mounting Type Bolt Mount  Package / Case Cylindrical, Blade Terminal (Bolt)  Size / Dimension 1.500" Dia x 2.843" L (38.10mm x 72.20mm)	Category	Circuit Protection
Series LA70Q Fuse Type Cartridge Current Rating 125A Voltage Rating - AC 700V Voltage Rating - DC 650V Response Time - Applications Electrical, Industrial Features - Class - Approvals UR Operating Temperature - Breaking Capacity @ Rated Voltage 100kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.500" Dia x 2.843" L (38.10mm x 72.20mm)		Electrical, Specialty Fuses
Fuse Type Current Rating 125A Voltage Rating - AC 700V Voltage Rating - DC 650V Response Time - Applications Electrical, Industrial Features - Class - Approvals UR Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension  Cartridge Cartridge 125A 100V 100V 100V 100V 100V 100V 100V 100	Package	Cylindrical, Blade Terminal (Bolt)
Current Rating Voltage Rating - AC 700V Voltage Rating - DC 650V Response Time - Applications Electrical, Industrial Features - Class - Approvals UR Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension  125A 700V  100V  100	Series	LA70Q
Voltage Rating - AC  Voltage Rating - DC  650V  Response Time  Applications  Electrical, Industrial  Features  - Class  - Approvals  UR  Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type  Bolt Mount  Package / Case  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  700V  650V  65	Fuse Type	Cartridge
Voltage Rating - DC  Response Time  Applications  Electrical, Industrial  Features  - Class  - Approvals  UR  Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type  Bolt Mount  Package / Case  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  650V	Current Rating	125A
Response Time Applications Electrical, Industrial Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension - Class - Class CuR	Voltage Rating - AC	700V
Applications Electrical, Industrial  Features - Class - Approvals UR  Operating Temperature - Breaking Capacity @ Rated Voltage 100kA  Mounting Type Bolt Mount  Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.500" Dia x 2.843" L (38.10mm x 72.20mm)	Voltage Rating - DC	650V
Features - Class - Approvals UR Operating Temperature - Breaking Capacity @ Rated Voltage 100kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.500" Dia x 2.843" L (38.10mm x 72.20mm)	Response Time	-
Class - Approvals UR Operating Temperature - Breaking Capacity @ Rated Voltage 100kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.500" Dia x 2.843" L (38.10mm x 72.20mm)	Applications	Electrical, Industrial
Approvals  Operating Temperature  - Breaking Capacity @ Rated Voltage  Mounting Type  Bolt Mount  Package / Case  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  UR  - CHACLES OF TEMPERATURE  - Bolt Mount  Bolt Mount  1.500" Dia x 2.843" L (38.10mm x 72.20mm)	Features	-
Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type  Bolt Mount  Package / Case  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  1.500" Dia x 2.843" L (38.10mm x 72.20mm)	Class	-
Breaking Capacity @ Rated Voltage 100kA  Mounting Type Bolt Mount  Package / Case Cylindrical, Blade Terminal (Bolt)  Size / Dimension 1.500" Dia x 2.843" L (38.10mm x 72.20mm)	Approvals	UR
Mounting Type  Bolt Mount  Package / Case  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  1.500" Dia x 2.843" L (38.10mm x 72.20mm)	Operating Temperature	-
Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.500" Dia x 2.843" L (38.10mm x 72.20mm)	Breaking Capacity @ Rated Voltage	100kA
Size / Dimension 1.500" Dia x 2.843" L (38.10mm x 72.20mm)	Mounting Type	Bolt Mount
, and the second	Package / Case	Cylindrical, Blade Terminal (Bolt)
Report errors?	Size / Dimension	1.500" Dia x 2.843" L (38.10mm x 72.20mm)
		Report errors?

### **LA70Q1254 Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## **LA70Q1254 Payment Methods**



















### **LA70Q1254 Shipping Methods**













If you have any question about LA70Q1254, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com