

LA70Q904 Information

Heisener.com

Part Number LA70Q904

Manufacturer Littelfuse Inc.

Category Circuit Protection

Electrical, Specialty Fuses

Description FUSE CARTRIDGE 90A 700VAC/650VDC

Package Cylindrical, Blade Terminal (Bolt)

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









LA70Q904 Specifications

Manufacturer Part Number LA70Q904 Manufacturer Littelfuse Inc. Category Circuit Protection Electrical, Specialty Fuses Package Cylindrical, Blade Terminal (Bolt) Series LA70Q Fuse Type Cartridge Current Rating 90A Voltage Rating - AC 700V Voltage Rating - DC 650V Response Time - Applications Electrical, Industrial Features - Class - Approvals UR Operating Temperature - Breaking Capacity @ Rated Voltage 100kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.220" Dia x 2.874" L (31.00mm x 73.00mm) Report errors?		
CategoryCircuit Protection Electrical, Specialty FusesPackageCylindrical, Blade Terminal (Bolt)SeriesLA70QFuse TypeCartridgeCurrent Rating90AVoltage Rating - AC700VVoltage Rating - DC650VResponse Time-ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsUROperating Temperature-Breaking Capacity @ Rated Voltage100kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension1.220" Dia x 2.874" L (31.00mm x 73.00mm)	Manufacturer Part Number	LA70Q904
Electrical, Specialty Fuses Package Cylindrical, Blade Terminal (Bolt) Series LA70Q Fuse Type Cartridge Current Rating 90A Voltage Rating - AC Voltage Rating - DC 650V Response Time - Applications Electrical, Industrial Features - Class - Approvals UR Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension Electrical, Industrial Features - Class - Cylindrical, Blade Terminal (Bolt) Size / Dimension	Manufacturer	Littelfuse Inc.
PackageCylindrical, Blade Terminal (Bolt)SeriesLA70QFuse TypeCartridgeCurrent Rating90AVoltage Rating - AC700VVoltage Rating - DC650VResponse Time-ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsUROperating Temperature-Breaking Capacity @ Rated Voltage100kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension1.220" Dia x 2.874" L (31.00mm x 73.00mm)	Category	Circuit Protection
SeriesLA70QFuse TypeCartridgeCurrent Rating90AVoltage Rating - AC700VVoltage Rating - DC650VResponse Time-ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsUROperating Temperature-Breaking Capacity @ Rated Voltage100kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension1.220" Dia x 2.874" L (31.00mm x 73.00mm)		Electrical, Specialty Fuses
Fuse Type Current Rating 90A Voltage Rating - AC 700V Voltage Rating - DC 650V Response Time - Applications Electrical, Industrial Features - Class - Approvals UR Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension Cartridge Cartridge 90A Cartridge 90A 00V 00V 050V 050V 050V 050V 050V 0650V 065	Package	Cylindrical, Blade Terminal (Bolt)
Current Rating 90A Voltage Rating - AC 700V Voltage Rating - DC 650V Response Time - Capacity @ Rated Voltage UR Operating Temperature 100kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 100kA	Series	LA70Q
Voltage Rating - AC Voltage Rating - DC 650V Response Time - Applications Electrical, Industrial Features - Class - Approvals UR Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 700V 700V 700V 700V 850V 650V 650V 650V 650V 650V 650V 650V 650V 650V 6650V 66	Fuse Type	Cartridge
Voltage Rating - DC Response Time - Applications Electrical, Industrial Features - Class - Approvals UR Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 650V 65	Current Rating	90A
Response Time Applications Electrical, Industrial Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension - Class - Clas	Voltage Rating - AC	700V
Applications Electrical, Industrial Features - Class - Approvals UR Operating Temperature - Breaking Capacity @ Rated Voltage 100kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.220" Dia x 2.874" L (31.00mm x 73.00mm)	Voltage Rating - DC	650V
Features - Class - Approvals UR Operating Temperature - Breaking Capacity @ Rated Voltage 100kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.220" Dia x 2.874" L (31.00mm x 73.00mm)	Response Time	-
Class - UR Approvals UR Operating Temperature - Breaking Capacity @ Rated Voltage 100kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.220" Dia x 2.874" L (31.00mm x 73.00mm)	Applications	Electrical, Industrial
Approvals Operating Temperature - Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension UR - Culture - Culture - Culture - Cylindrical, Blade Terminal (Bolt) 1.220" Dia x 2.874" L (31.00mm x 73.00mm)	Features	-
Operating Temperature Breaking Capacity @ Rated Voltage 100kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.220" Dia x 2.874" L (31.00mm x 73.00mm)	Class	-
Breaking Capacity @ Rated Voltage 100kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.220" Dia x 2.874" L (31.00mm x 73.00mm)	Approvals	UR
Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.220" Dia x 2.874" L (31.00mm x 73.00mm)	Operating Temperature	-
Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.220" Dia x 2.874" L (31.00mm x 73.00mm)	Breaking Capacity @ Rated Voltage	100kA
Size / Dimension 1.220" Dia x 2.874" L (31.00mm x 73.00mm)	Mounting Type	Bolt Mount
	Package / Case	Cylindrical, Blade Terminal (Bolt)
Report errors?	Size / Dimension	1.220" Dia x 2.874" L (31.00mm x 73.00mm)
		Report errors?

LA70Q904 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

LA70Q904 Payment Methods





















LA70Q904 Shipping Methods













If you have any question about LA70Q904, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com