



### **LDA150W-18-RY Information**

Heisener.com

Part Number LDA150W-18-RY Manufacturer Cosel USA, Inc.

Category Power Supplies - External/Internal (Off-Board)

AC DC Converters

**Description** AC/DC PS (OPEN FRAME)

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## **LDA150W-18-RY Specifications**

Manufacturer Part Number  Manufacturer  Cosel USA, Inc.  Power Supplies - External/Internal (Off-Board)  AC DC Converters  Package  Series  * Type  Number of Outputs  Voltage - Input  Voltage - Output 1  Voltage - Output 2  Voltage - Output 3  Voltage - Output 4  Current - Output (Max)  Power (Watts)  Applications  Voltage - Isolation  Efficiency  Operating Temperature  Features  Mounting Type  Size / Dimension  Power (Supplies - External/Internal (Off-Board)  AC DC Converters  *  *  AC DC		
Category         Power Supplies - External/Internal (Off-Board)           AC DC Converters           Package         -           Series         *           Type         -           Number of Outputs         -           Voltage - Input         -           Voltage - Output 1         -           Voltage - Output 2         -           Voltage - Output 3         -           Voltage - Output 4         -           Current - Output (Max)         -           Power (Watts)         -           Applications         -           Voltage - Isolation         -           Efficiency         -           Operating Temperature         -           Features         -           Mounting Type         -	Manufacturer Part Number	LDA150W-18-RY
Package         -           Series         *           Type         -           Number of Outputs         -           Voltage - Input         -           Voltage - Output 1         -           Voltage - Output 2         -           Voltage - Output 3         -           Voltage - Output 4         -           Current - Output (Max)         -           Power (Watts)         -           Applications         -           Voltage - Isolation         -           Efficiency         -           Operating Temperature         -           Features         -           Mounting Type         -	Manufacturer	Cosel USA, Inc.
Package         -           Series         *           Type         -           Number of Outputs         -           Voltage - Input         -           Voltage - Output 1         -           Voltage - Output 2         -           Voltage - Output 3         -           Voltage - Output 4         -           Current - Output (Max)         -           Power (Watts)         -           Applications         -           Voltage - Isolation         -           Efficiency         -           Operating Temperature         -           Features         -           Mounting Type         -	Category	Power Supplies - External/Internal (Off-Board)
Series         *           Type         -           Number of Outputs         -           Voltage - Input         -           Voltage - Output 1         -           Voltage - Output 2         -           Voltage - Output 3         -           Voltage - Output 4         -           Current - Output (Max)         -           Power (Watts)         -           Applications         -           Voltage - Isolation         -           Efficiency         -           Operating Temperature         -           Features         -           Mounting Type         -		AC DC Converters
Type - Number of Outputs - Surface - Input - Surface - Input - Surface - Output 1 - Surface - Output 2 - Surface - Output 3 - Surface - Output 4 - Surface - Output (Max) - Surface - Output (Max) - Surface - Output (Max) - Surface - Surf	Package	-
Number of Outputs  Voltage - Input  Voltage - Output 1  Voltage - Output 2  Voltage - Output 3  Voltage - Output 4  Current - Output (Max)  Power (Watts)  Applications  Voltage - Isolation  Efficiency  Operating Temperature  Features  Mounting Type	Series	*
Voltage - Input  Voltage - Output 1  Voltage - Output 2  Voltage - Output 3  Voltage - Output 4  Current - Output (Max)  Power (Watts)  Applications  Voltage - Isolation  Efficiency  Operating Temperature  Features  Mounting Type  -  -  -  Voltage - Input  -  -  Mounting Type  -  -  Voltage - Input  -  -  -  -  -  -  -  Mounting Type  -  -  -  -  -  -  -  -  -  -  -  -  -	Type	-
Voltage - Output 2	Number of Outputs	-
Voltage - Output 2  Voltage - Output 3  Voltage - Output 4  Current - Output (Max)  Power (Watts)  Applications  Voltage - Isolation  Efficiency  Operating Temperature  Features  Mounting Type  -  Voltage - Output (Max)  -  -  Mounting Type  -  Current - Output (Max)  -  -  Mounting Type  -  Current - Output (Max)  -  Mounting Type  -  Current - Output (Max)  -  Current - Output (Max)  -  Current - Output (Max)  -  Mounting Type  -  Current - Output (Max)  -  Current - Output (Max)  -  Mounting Type  -  Current - Output (Max)  -  Current	Voltage - Input	-
Voltage - Output 4	Voltage - Output 1	-
Voltage - Output 4 - Current - Output (Max) - Power (Watts) - Applications - Voltage - Isolation - Efficiency - Operating Temperature - Features - Mounting Type -	Voltage - Output 2	-
Current - Output (Max) - Power (Watts) - Applications - Voltage - Isolation - Efficiency - Operating Temperature - Features - Mounting Type -	Voltage - Output 3	-
Power (Watts) - Applications - Voltage - Isolation - Efficiency - Operating Temperature - Features - Mounting Type -	Voltage - Output 4	-
Applications - Voltage - Isolation - Efficiency - Operating Temperature - Features - Mounting Type -	Current - Output (Max)	-
Voltage - Isolation-Efficiency-Operating Temperature-Features-Mounting Type-	Power (Watts)	-
Efficiency - Operating Temperature - Features - Mounting Type -	Applications	-
Operating Temperature - Features - Mounting Type -	Voltage - Isolation	-
Features - Mounting Type -	Efficiency	-
Mounting Type -	Operating Temperature	-
	Features	-
Size / Dimension	Mounting Type	-
Size / Dimension -	Size / Dimension	-
Report errors?		Report errors?

#### LDA150W-18-RY Guarantees



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### LDA150W-18-RY Payment Methods



















### LDA150W-18-RY Shipping Methods













If you have any question about LDA150W-18-RY, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com