



Heisener.com

LED20W-57-C0350-PD Information

Part Number LED20W-57-C0350-PD Manufacturer Thomas Research Products

Category Power Supplies - External/Internal (Off-Board)

LED Drivers

Description LED POWER SUPPLY

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









LED20W-57-C0350-PD Specifications

Manufacturer Part Number LED20W-57-C0350-PD Manufacturer Thomas Research Products Category Power Supplies - External/Internal (Off-Board) LED Drivers Package - Series LED-20W Type Constant Current Topology AC DC Converter Number of Outputs 1 Voltage - Input (Min) 90VAC Voltage - Input (Max) 305VAC Voltage - Output 19 ~ 57 V Current - Output (Max) 350mA Power (Watts) 20W Voltage - Isolation - Dimming Analog Features OCP, OVP, SCP Ratings IP66, NEMA 4 Operating Temperature - Efficiency 84% Termination Style Wire Leads Size / Dimension 3.74" L x 1.61" W x 0.98" H (95.0mm x 41.0mm x 24.9mm)			
Category Power Supplies - External/Internal (Off-Board) LED Drivers Package - Series LED-20W Type Constant Current Topology AC DC Converter Number of Outputs 1 Voltage - Input (Min) 90VAC Voltage - Input (Max) 305VAC Voltage - Output 19 ~ 57 V Current - Output (Max) 350mA Power (Watts) 20W Voltage - Isolation - Dimming Analog Features OCP, OVP, SCP Ratings IP66, NEMA 4 Operating Temperature - Efficiency 84% Termination Style Wire Leads Size / Dimension 3.74" L x 1.61" W x 0.98" H (95.0mm x 41.0mm x 24.9mm)	Manufacturer Part Number	LED20W-57-C0350-PD	
Package - Series LED-20W Type Constant Current Topology AC DC Converter Number of Outputs 1 Voltage - Input (Min) 90VAC Voltage - Input (Max) 305VAC Voltage - Output 19 ~ 57 V Current - Output (Max) 350mA Power (Watts) 20W Voltage - Isolation - Dimming Analog Features OCP, OVP, SCP Ratings IP66, NEMA 4 Operating Temperature - Efficiency 84% Termination Style Wire Leads Size / Dimension 3.74" L x 1.61" W x 0.98" H (95.0mm x 41.0mm x 24.9mm)	Manufacturer	Thomas Research Products	
Package - Series LED-20W Type Constant Current Topology AC DC Converter Number of Outputs 1 Voltage - Input (Min) 90V AC Voltage - Input (Max) 305V AC Voltage - Output 19 ~ 57 V Current - Output (Max) 350m A Power (Watts) 20W Voltage - Isolation - Dimming Analog Features OCP, OVP, SCP Ratings IP66, NEMA 4 Operating Temperature - Efficiency 84% Termination Style Wire Leads Size / Dimension 3.74" L x 1.61" W x 0.98" H (95.0mm x 41.0mm x 24.9mm)	Category	Power Supplies - External/Internal (Off-Board)	
Series LED-20W Type Constant Current Topology AC DC Converter Number of Outputs 1 Voltage - Input (Min) 90VAC Voltage - Input (Max) 305VAC Voltage - Output 19 ~ 57 V Current - Output (Max) 350mA Power (Watts) 20W Voltage - Isolation - Dimming Analog Features OCP, OVP, SCP Ratings IP66, NEMA 4 Operating Temperature - Efficiency 84% Termination Style Wire Leads Size / Dimension 3.74" L x 1.61" W x 0.98" H (95.0mm x 41.0mm x 24.9mm)		LED Drivers	
Type Constant Current Topology AC DC Converter Number of Outputs 1 Voltage - Input (Min) 90VAC Voltage - Input (Max) 305VAC Voltage - Output 19 ~ 57 V Current - Output (Max) 350mA Power (Watts) 20W Voltage - Isolation - Dimming Analog Features OCP, OVP, SCP Ratings IP66, NEMA 4 Operating Temperature - Efficiency 84% Termination Style Wire Leads Size / Dimension 3.74" L x 1.61" W x 0.98" H (95.0mm x 41.0mm x 24.9mm)	Package	-	
Topology AC DC Converter Number of Outputs 1 Voltage - Input (Min) 90VAC Voltage - Input (Max) 305VAC Voltage - Output 19 ~ 57 V Current - Output (Max) 350mA Power (Watts) 20W Voltage - Isolation - Dimming Analog Features OCP, OVP, SCP Ratings IP66, NEMA 4 Operating Temperature - Efficiency 84% Termination Style Wire Leads Size / Dimension 3.74" L x 1.61" W x 0.98" H (95.0mm x 41.0mm x 24.9mm)	Series	LED-20W	
Number of Outputs 1 Voltage - Input (Min) 90VAC Voltage - Input (Max) 305VAC Voltage - Output 19 ~ 57 V Current - Output (Max) 350mA Power (Watts) 20W Voltage - Isolation - Dimming Analog Features OCP, OVP, SCP Ratings IP66, NEMA 4 Operating Temperature - Efficiency 84% Termination Style Wire Leads Size / Dimension 3.74" L x 1.61" W x 0.98" H (95.0mm x 41.0mm x 24.9mm)	Туре	Constant Current	
Voltage - Input (Min)90VACVoltage - Input (Max)305VACVoltage - Output19 ~ 57 VCurrent - Output (Max)350mAPower (Watts)20WVoltage - Isolation-DimmingAnalogFeaturesOCP, OVP, SCPRatingsIP66, NEMA 4Operating Temperature-Efficiency84%Termination StyleWire LeadsSize / Dimension3.74" L x 1.61" W x 0.98" H (95.0mm x 41.0mm x 24.9mm)	Topology	AC DC Converter	
Voltage - Input (Max)305VACVoltage - Output19 ~ 57 VCurrent - Output (Max)350mAPower (Watts)20WVoltage - Isolation-DimmingAnalogFeaturesOCP, OVP, SCPRatingsIP66, NEMA 4Operating Temperature-Efficiency84%Termination StyleWire LeadsSize / Dimension3.74" L x 1.61" W x 0.98" H (95.0mm x 41.0mm x 24.9mm)	Number of Outputs	1	
Voltage - Output (Max) 350mA Power (Watts) 20W Voltage - Isolation - Dimming Analog Features OCP, OVP, SCP Ratings IP66, NEMA 4 Operating Temperature - Efficiency 84% Termination Style Wire Leads Size / Dimension 3.74" L x 1.61" W x 0.98" H (95.0mm x 41.0mm x 24.9mm)	Voltage - Input (Min)	90VAC	
Current - Output (Max) Power (Watts) 20W Voltage - Isolation - Dimming Analog Features OCP, OVP, SCP Ratings IP66, NEMA 4 Operating Temperature - Efficiency 84% Termination Style Size / Dimension 3.74" L x 1.61" W x 0.98" H (95.0mm x 41.0mm x 24.9mm)	Voltage - Input (Max)	305VAC	
Power (Watts) 20W Voltage - Isolation - Dimming Analog Features OCP, OVP, SCP Ratings IP66, NEMA 4 Operating Temperature - Efficiency 84% Termination Style Size / Dimension 20W Analog Analog Analog Analog Beatures OCP, OVP, SCP IP66, NEMA 4 IP66,	Voltage - Output	19 ~ 57 V	
Voltage - Isolation Dimming Analog Features OCP, OVP, SCP Ratings IP66, NEMA 4 Operating Temperature	Current - Output (Max)	350mA	
Dimming Analog Features OCP, OVP, SCP Ratings IP66, NEMA 4 Operating Temperature - Efficiency 84% Termination Style Wire Leads Size / Dimension 3.74" L x 1.61" W x 0.98" H (95.0mm x 41.0mm x 24.9mm)	Power (Watts)	20W	
Features OCP, OVP, SCP Ratings IP66, NEMA 4 Operating Temperature - Efficiency 84% Termination Style Wire Leads Size / Dimension 3.74" L x 1.61" W x 0.98" H (95.0mm x 41.0mm x 24.9mm)	Voltage - Isolation	-	
Ratings IP66, NEMA 4 Operating Temperature - Efficiency 84% Termination Style Wire Leads Size / Dimension 3.74" L x 1.61" W x 0.98" H (95.0mm x 41.0mm x 24.9mm)	Dimming	Analog	
Operating Temperature - Efficiency 84% Termination Style Wire Leads Size / Dimension 3.74" L x 1.61" W x 0.98" H (95.0mm x 41.0mm x 24.9mm)	Features	OCP, OVP, SCP	
Efficiency 84% Termination Style Wire Leads Size / Dimension 3.74" L x 1.61" W x 0.98" H (95.0mm x 41.0mm x 24.9mm)	Ratings	IP66, NEMA 4	
Termination Style Wire Leads Size / Dimension 3.74" L x 1.61" W x 0.98" H (95.0mm x 41.0mm x 24.9mm)	Operating Temperature	-	
Size / Dimension 3.74" L x 1.61" W x 0.98" H (95.0mm x 41.0mm x 24.9mm)	Efficiency	84%	
	Termination Style	Wire Leads	
Report errors?	Size / Dimension	3.74" L x 1.61" W x 0.98" H (95.0mm x 41.0mm x 24.9mm)	
			Report errors?

LED20W-57-C0350-PD Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

LED20W-57-C0350-PD Payment Methods



















LED20W-57-C0350-PD Shipping Methods













If you have any question about LED20W-57-C0350-PD, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com