



LL3301BF065QJ Information



For Reference Only

Part Number LL3301BF065QJ

Manufacturer E-Switch
Category Switches

Tactile Switches

Description SWITCH TACTILE SPST-NO 0.05A 12V

Package

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









LL3301BF065QJ Specifications

Manufacturer Part Number LL3301BF065QI Manufacturer E-Switch Category Switches Package - Series LL3301 Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical 9.50mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style J Lead Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 65gf Ingress Protection - Features -		
CategorySwitchesPackage-SeriesLL3301CircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage0.05A @ 12VDCActuator TypeStandardMounting TypeSurface MountActuator Height off PCB, Vertical9.50mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StyleJ LeadOutline6.00mm x 6.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force65gfIngress Protection-	Manufacturer Part Number	LL3301BF065QJ
Package Series LL3301 Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical Actuator Length, Right Angle Actuator Orientation Top Actuated Termination Style Outline G.00mm x 6.00mm Illumination Illumination Type, Color Illumination Voltage (Nominal) Operating Force G5gf Ingress Protection LL3301 SPST-NO SPST-NO Off-Mom Opf-Amom SPST-NO SPS	Manufacturer	E-Switch
Package - Series LL3301 Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical 9.50mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style J Lead Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 65gf Ingress Protection -	Category	Switches
Series LL3301 Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical 9.50mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style J Lead Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 65gf Ingress Protection -		Tactile Switches
CircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage0.05A @ 12VDCActuator TypeStandardMounting TypeSurface MountActuator Height off PCB, Vertical9.50mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StyleJ LeadOutline6.00mm x 6.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force65gfIngress Protection-	Package	-
Switch FunctionOff-MomContact Rating @ Voltage0.05A @ 12VDCActuator TypeStandardMounting TypeSurface MountActuator Height off PCB, Vertical9.50mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StyleJ LeadOutline6.00mm x 6.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force65gfIngress Protection-	Series	LL3301
Contact Rating @ Voltage Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical Actuator Length, Right Angle Actuator Orientation Top Actuated Termination Style J Lead Outline 6.00mm x 6.00mm Illumination Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection 0.05A @ 12VDC Standard 0.05A @ 12VDC Standard 0.00mm Surface Mount 9.50mm 6.00mm Non-Illuminated - 6.00mm x 6.00mm - 6.00mm x 6.00mm Non-Illuminated - 65gf Ingress Protection -	Circuit	SPST-NO
Actuator Type Surface Mount Actuator Height off PCB, Vertical 9.50mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style J Lead Outline 6.00mm x 6.00mm Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 65gf Ingress Protection	Switch Function	Off-Mom
Mounting Type Actuator Height off PCB, Vertical Actuator Length, Right Angle Actuator Orientation Top Actuated Termination Style J Lead Outline 6.00mm x 6.00mm Illumination Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Surface Mount 9.50mm Comm Top Actuated Top Actuated Top Actuated Top Actuated Top Actuated Top Actuated	Contact Rating @ Voltage	0.05A @ 12VDC
Actuator Height off PCB, Vertical 9.50mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style J Lead Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 65gf Ingress Protection	Actuator Type	Standard
Actuator Length, Right Angle Actuator Orientation Top Actuated Termination Style J Lead Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) Operating Force Ingress Protection - - - - - - - - - - - - -	Mounting Type	Surface Mount
Actuator Orientation Top Actuated Termination Style J Lead Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 65gf Ingress Protection -	Actuator Height off PCB, Vertical	9.50mm
Termination Style J Lead Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 65gf Ingress Protection -	Actuator Length, Right Angle	-
Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 65gf Ingress Protection -	Actuator Orientation	Top Actuated
IlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force65gfIngress Protection-	Termination Style	J Lead
Illumination Type, Color-Illumination Voltage (Nominal)-Operating Force65gfIngress Protection-	Outline	6.00mm x 6.00mm
Illumination Voltage (Nominal) - Operating Force 65gf Ingress Protection -	Illumination	Non-Illuminated
Operating Force 65gf Ingress Protection -	Illumination Type, Color	-
Ingress Protection -	Illumination Voltage (Nominal)	-
	Operating Force	65gf
Features -	Ingress Protection	-
	Features	-
Report errors?		Report errors?

LL3301BF065QJ Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

LL3301BF065QJ Payment Methods



















LL3301BF065QJ Shipping Methods













If you have any question about LL3301BF065QJ, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com