



LM324MX Information

west and bener.com

For Reference Only

Part Number LM324MX

Manufacturer ON Semiconductor
Category Integrated Circuits (ICs)

Linear - Amplifiers - Instrumentation, OP Amps,

Buffer Amps

Description IC OPAMP GP 14SOIC

Package 14-SOIC (0.154", 3.90mm Width)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









LM324MX Specifications

Manufacturer Part Number LM324MX Manufacturer ON Semiconductor Category Integrated Circuits (ICs) Linear - Amplifiers - Instrumentation, OP Amps, Buffer Amps Package 14-SOIC (0.154", 3.90mm Width) Series - Amplifier Type General Purpose Number of Circuits 4 Output Type - Slew Rate - Gain Bandwidth Product - -3db Bandwidth - Current - Input Bias 40nA Voltage - Input Offset 1.5mV Current - Supply ImA Current - Output / Channel 40mA Voltage - Supply, Single/Dual (±) 3 V ~ 32 V, ±1.5 V ~ 16 V Operating Temperature 0°C ~ 70°C Mounting Type Surface Mount Package / Case 14-SOIC (0.154", 3.90mm Width) Supplier Device Package 14-SOIC (0.154", 3.90mm Width)		
Category Integrated Circuits (ICs) Linear - Amplifiers - Instrumentation, OP Amps, Buffer Amps Package 14-SOIC (0.154", 3.90mm Width) Series - Amplifier Type General Purpose Number of Circuits 4 Output Type - Slew Rate - Gain Bandwidth Product - -3db Bandwidth - Current - Input Bias 40nA Voltage - Input Offset 1.5mV Current - Supply 1mA Current - Output / Channel 40mA Voltage - Supply, Single/Dual (±) 3 V ~ 32 V, ±1.5 V ~ 16 V Operating Temperature 0°C ~ 70°C Mounting Type Surface Mount Package / Case 14-SOIC (0.154", 3.90mm Width) Supplier Device Package 14-SOP	Manufacturer Part Number	LM324MX
Linear - Amplifiers - Instrumentation, OP Amps, Buffer AmpsPackage14-SOIC (0.154", 3.90mm Width)Series-Amplifier TypeGeneral PurposeNumber of Circuits4Output Type-Slew Rate-Gain Bandwidth Product3db Bandwidth-Current - Input Bias40nAVoltage - Input Offset1.5mVCurrent - SupplyImACurrent - Output / Channel40mAVoltage - Supply, Single/Dual (±)3 V ~ 32 V, ±1.5 V ~ 16 VOperating Temperature0°C ~ 70°CMounting TypeSurface MountPackage / Case14-SOIC (0.154", 3.90mm Width)Supplier Device Package14-SOP	Manufacturer	ON Semiconductor
Package 14-SOIC (0.154", 3.90mm Width) Series - Amplifier Type General Purpose Number of Circuits 4 Output Type - Slew Rate - Gain Bandwidth Product - -3db Bandwidth - Current - Input Bias 40nA Voltage - Input Offset 1.5mV Current - Supply ImA Current - Output / Channel 40mA Voltage - Supply, Single/Dual (±) 3 V ~ 32 V, ±1.5 V ~ 16 V Operating Temperature 0°C ~ 70°C Mounting Type Surface Mount Package / Case 14-SOIC (0.154", 3.90mm Width) Supplier Device Package 14-SOP	Category	Integrated Circuits (ICs)
Series - Amplifier Type General Purpose Number of Circuits 4 Output Type - Slew Rate - Gain Bandwidth Product - -3db Bandwidth - Current - Input Bias 40nA Voltage - Input Offset 1.5mV Current - Supply 1mA Current - Output / Channel 40mA Voltage - Supply, Single/Dual (±) 3 V ~ 32 V, ±1.5 V ~ 16 V Operating Temperature 0°C ~ 70°C Mounting Type Surface Mount Package / Case 14-SOIC (0.154", 3.90mm Width) Supplier Device Package 14-SOP		Linear - Amplifiers - Instrumentation, OP Amps, Buffer Amps
Amplifier Type Number of Circuits 4 Output Type - Slew Rate - Gain Bandwidth Product -3db Bandwidth - Current - Input Bias Voltage - Input Offset Current - Supply ImA Current - Output / Channel Voltage - Supply, Single/Dual (±) Operating Temperature Mounting Type Surface Mount Package / Case 14-SOIC (0.154", 3.90mm Width) Supplier Device Package	Package	14-SOIC (0.154", 3.90mm Width)
Number of Circuits Output Type - Slew Rate - Gain Bandwidth Product3db Bandwidth - Current - Input Bias Voltage - Input Offset 1.5mV Current - Supply ImA Current - Output / Channel Voltage - Supply, Single/Dual (±) Operating Temperature 0°C ~ 70°C Mounting Type Surface Mount Package / Case 14-SOIC (0.154", 3.90mm Width) Supplier Device Package	Series	-
Output Type Slew Rate - Gain Bandwidth Product -3db Bandwidth - Current - Input Bias Voltage - Input Offset 1.5mV Current - Supply 1mA Current - Output / Channel Voltage - Supply, Single/Dual (±) Operating Temperature 0°C ~ 70°C Mounting Type Surface Mount Package / Case 14-SOIC (0.154", 3.90mm Width) Supplier Device Package	Amplifier Type	General Purpose
Slew Rate Gain Bandwidth Product -3db Bandwidth - Current - Input Bias Voltage - Input Offset 1.5mV Current - Supply 1mA Current - Output / Channel Voltage - Supply, Single/Dual (±) 3 V ~ 32 V, ±1.5 V ~ 16 V Operating Temperature 0°C ~ 70°C Mounting Type Surface Mount Package / Case 14-SOIC (0.154", 3.90mm Width) Supplier Device Package 14-SOP	Number of Circuits	4
Gain Bandwidth Product -3db Bandwidth - Current - Input Bias 40nA Voltage - Input Offset 1.5mV Current - Supply 1mA Current - Output / Channel 40mA Voltage - Supply, Single/Dual (±) 3 V ~ 32 V, ±1.5 V ~ 16 V Operating Temperature 0°C ~ 70°C Mounting Type Surface Mount Package / Case 14-SOIC (0.154", 3.90mm Width) Supplier Device Package 14-SOP	Output Type	-
-3db Bandwidth Current - Input Bias 40nA Voltage - Input Offset 1.5mV Current - Supply 1mA Current - Output / Channel Voltage - Supply, Single/Dual (±) Operating Temperature 0°C ~ 70°C Mounting Type Surface Mount Package / Case 14-SOIC (0.154", 3.90mm Width) Supplier Device Package	Slew Rate	-
Current - Input Bias 40nA Voltage - Input Offset 1.5mV Current - Supply 1mA Current - Output / Channel 40mA Voltage - Supply, Single/Dual (±) 3 V ~ 32 V, ±1.5 V ~ 16 V Operating Temperature 0°C ~ 70°C Mounting Type Surface Mount Package / Case 14-SOIC (0.154", 3.90mm Width) Supplier Device Package 14-SOP	Gain Bandwidth Product	-
Voltage - Input Offset Current - Supply ImA Current - Output / Channel Voltage - Supply, Single/Dual (±) Operating Temperature Mounting Type Surface Mount Package / Case 14-SOIC (0.154", 3.90mm Width) Supplier Device Package	-3db Bandwidth	-
Current - Supply Current - Output / Channel Voltage - Supply, Single/Dual (±) Operating Temperature O°C ~ 70°C Mounting Type Surface Mount Package / Case 14-SOIC (0.154", 3.90mm Width) Supplier Device Package	Current - Input Bias	40nA
Current - Output / Channel 40mA Voltage - Supply, Single/Dual (±) 3 V ~ 32 V, ±1.5 V ~ 16 V Operating Temperature 0°C ~ 70°C Mounting Type Surface Mount Package / Case 14-SOIC (0.154", 3.90mm Width) Supplier Device Package 14-SOP	Voltage - Input Offset	1.5mV
Voltage - Supply, Single/Dual (\pm) 3 V ~ 32 V, \pm 1.5 V ~ 16 V Operating Temperature 0°C ~ 70°C Mounting Type Surface Mount Package / Case 14-SOIC (0.154", 3.90mm Width) Supplier Device Package 14-SOP	Current - Supply	1mA
Operating Temperature $0^{\circ}\text{C} \sim 70^{\circ}\text{C}$ Mounting TypeSurface MountPackage / Case 14-SOIC (0.154", 3.90mm Width)Supplier Device Package 14-SOP	Current - Output / Channel	40mA
Mounting Type Surface Mount Package / Case 14-SOIC (0.154", 3.90mm Width) Supplier Device Package 14-SOP	Voltage - Supply, Single/Dual (±)	3 V ~ 32 V, ±1.5 V ~ 16 V
Package / Case 14-SOIC (0.154", 3.90mm Width) Supplier Device Package 14-SOP	Operating Temperature	0°C ~ 70°C
Supplier Device Package 14-SOP	Mounting Type	Surface Mount
	Package / Case	14-SOIC (0.154", 3.90mm Width)
Report errors?	Supplier Device Package	14-SOP
		Report errors?

LM324MX Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

LM324MX Payment Methods





















LM324MX Shipping Methods













If you have any question about LM324MX, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com