

## LM5106MMX/NOPB

#### LM5106MMX/NOPB Information



Part Number LM5106MMX/NOPB

Manufacturer Texas Instruments

Category Integrated Circuits (ICs)
PMIC - Gate Drivers

**Description**IC DVR HALF-BRIDGE HV 10-MSOP**Package**10-TFSOP, 10-MSOP (0.118", 3.00mm Width)

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## LM5106MMX/NOPB Specifications

Manufacturer Part Number  Manufacturer  Category  Integrated Circuits (ICs)  PMIC - Gate Drivers  Package  10-TFSOP, 10-MSOP (0.118", 3.00mm Width)  Series  - Driven Configuration  Half-Bridge  Channel Type  Synchronous  Number of Drivers  2  Gate Type  N-Channel MOSFET  Voltage - Supply  Logic Voltage - VIL, VIH  0.8V, 2.2V  Current - Peak Output (Source, Sink)  Input Type  Non-Inverting  High Side Voltage - Max (Bootstrap)  118V  Rise / Fall Time (Typ)  Operating Temperature  40°C ~ 125°C (TJ)  Mounting Type  Surface Mount  Package / Case  10-TFSOP, 10-MSOP (0.118", 3.00mm Width)  Supplier Device Package  Report errors?		
Category  Integrated Circuits (ICs)  PMIC - Gate Drivers  Package  10-TFSOP, 10-MSOP (0.118", 3.00mm Width)  Series  - Driven Configuration  Half-Bridge  Channel Type  Synchronous  Number of Drivers  2  Gate Type  N-Channel MOSFET  Voltage - Supply  8 V ~ 14 V  Logic Voltage - VIL, VIH  0.8V, 2.2V  Current - Peak Output (Source, Sink)  Input Type  Non-Inverting  High Side Voltage - Max (Bootstrap)  118V  Rise / Fall Time (Typ)  Operating Temperature  -40°C ~ 125°C (TJ)  Mounting Type  Surface Mount  Package / Case  10-TFSOP, 10-MSOP (0.118", 3.00mm Width)  Supplier Device Package	Manufacturer Part Number	LM5106MMX/NOPB
Package 10-TFSOP, 10-MSOP (0.118", 3.00mm Width)  Series - Driven Configuration Half-Bridge Channel Type Synchronous  Number of Drivers 2 Gate Type N-Channel MOSFET  Voltage - Supply 8 V ~ 14 V  Logic Voltage - VIL, VIH 0.8V, 2.2V  Current - Peak Output (Source, Sink) 1.2A, 1.8A  Input Type Non-Inverting  High Side Voltage - Max (Bootstrap) 118V  Rise / Fall Time (Typ) 15ns, 10ns  Operating Temperature -40°C ~ 125°C (TJ)  Mounting Type Surface Mount  Package / Case 10-TFSOP, 10-MSOP (0.118", 3.00mm Width)  Supplier Device Package 10-VSSOP	Manufacturer	Texas Instruments
Package 10-TFSOP, 10-MSOP (0.118", 3.00mm Width)  Series -  Driven Configuration Half-Bridge  Channel Type Synchronous  Number of Drivers 2  Gate Type N-Channel MOSFET  Voltage - Supply 8 V ~ 14 V  Logic Voltage - VIL, VIH 0.8V, 2.2V  Current - Peak Output (Source, Sink) 1.2A, 1.8A  Input Type Non-Inverting  High Side Voltage - Max (Bootstrap) 118V  Rise / Fall Time (Typ) 15ns, 10ns  Operating Temperature -40°C ~ 125°C (TJ)  Mounting Type Surface Mount  Package / Case 10-TFSOP, 10-MSOP (0.118", 3.00mm Width)  Supplier Device Package 10-VSSOP	Category	Integrated Circuits (ICs)
Series - Driven Configuration Half-Bridge Channel Type Synchronous Number of Drivers 2 Gate Type N-Channel MOSFET Voltage - Supply 8 V ~ 14 V Logic Voltage - VIL, VIH 0.8V, 2.2V Current - Peak Output (Source, Sink) 1.2A, 1.8A Input Type Non-Inverting High Side Voltage - Max (Bootstrap) 118V Rise / Fall Time (Typ) 15ns, 10ns Operating Temperature -40°C ~ 125°C (TJ) Mounting Type Surface Mount Package / Case 10-TFSOP, 10-MSOP (0.118", 3.00mm Width) Supplier Device Package 10-VSSOP		PMIC - Gate Drivers
Driven Configuration Channel Type Synchronous Number of Drivers 2 Gate Type N-Channel MOSFET Voltage - Supply 8 V ~ 14 V Logic Voltage - VIL, VIH 0.8V, 2.2V Current - Peak Output (Source, Sink) 1.2A, 1.8A Input Type Non-Inverting High Side Voltage - Max (Bootstrap) Rise / Fall Time (Typ) 15ns, 10ns Operating Temperature -40°C ~ 125°C (TJ) Mounting Type Surface Mount Package / Case 10-TFSOP, 10-MSOP (0.118", 3.00mm Width) Supplier Device Package	Package	10-TFSOP, 10-MSOP (0.118", 3.00mm Width)
Channel Type  Number of Drivers  2  Gate Type  N-Channel MOSFET  Voltage - Supply  8 V ~ 14 V  Logic Voltage - VIL, VIH  0.8V, 2.2V  Current - Peak Output (Source, Sink)  1.2A, 1.8A  Input Type  Non-Inverting  High Side Voltage - Max (Bootstrap)  118V  Rise / Fall Time (Typ)  15ns, 10ns  Operating Temperature  -40°C ~ 125°C (TJ)  Mounting Type  Surface Mount  Package / Case  10-TFSOP, 10-MSOP (0.118", 3.00mm Width)  Supplier Device Package	Series	-
Number of Drivers  Gate Type  N-Channel MOSFET  Voltage - Supply  8 V ~ 14 V  Logic Voltage - VIL, VIH  0.8V, 2.2V  Current - Peak Output (Source, Sink)  1.2A, 1.8A  Input Type  Non-Inverting  High Side Voltage - Max (Bootstrap)  118V  Rise / Fall Time (Typ)  15ns, 10ns  Operating Temperature  -40°C ~ 125°C (TJ)  Mounting Type  Surface Mount  Package / Case  10-TFSOP, 10-MSOP (0.118", 3.00mm Width)  Supplier Device Package  10-VSSOP	Driven Configuration	Half-Bridge
Gate TypeN-Channel MOSFETVoltage - Supply8 V ~ 14 VLogic Voltage - VIL, VIH0.8V, 2.2VCurrent - Peak Output (Source, Sink)1.2A, 1.8AInput TypeNon-InvertingHigh Side Voltage - Max (Bootstrap)118VRise / Fall Time (Typ)15ns, 10nsOperating Temperature-40°C ~ 125°C (TJ)Mounting TypeSurface MountPackage / Case10-TFSOP, 10-MSOP (0.118", 3.00mm Width)Supplier Device Package10-VSSOP	Channel Type	Synchronous
Voltage - Supply  8 V ~ 14 V  Logic Voltage - VIL, VIH  0.8V, 2.2V  Current - Peak Output (Source, Sink)  1.2A, 1.8A  Input Type  Non-Inverting  High Side Voltage - Max (Bootstrap)  Rise / Fall Time (Typ)  15ns, 10ns  Operating Temperature  -40°C ~ 125°C (TJ)  Mounting Type  Surface Mount  Package / Case  10-TFSOP, 10-MSOP (0.118", 3.00mm Width)  Supplier Device Package	Number of Drivers	2
Logic Voltage - VIL, VIH  Current - Peak Output (Source, Sink)  Input Type  Non-Inverting  High Side Voltage - Max (Bootstrap)  Rise / Fall Time (Typ)  Operating Temperature  -40°C ~ 125°C (TJ)  Mounting Type  Surface Mount  Package / Case  10-TFSOP, 10-MSOP (0.118", 3.00mm Width)  Supplier Device Package	Gate Type	N-Channel MOSFET
Current - Peak Output (Source, Sink)  Input Type  Non-Inverting  High Side Voltage - Max (Bootstrap)  Rise / Fall Time (Typ)  Operating Temperature  -40°C ~ 125°C (TJ)  Mounting Type  Surface Mount  Package / Case  10-TFSOP, 10-MSOP (0.118", 3.00mm Width)  Supplier Device Package	Voltage - Supply	8 V ~ 14 V
Input Type Non-Inverting High Side Voltage - Max (Bootstrap) 118V Rise / Fall Time (Typ) 15ns, 10ns Operating Temperature -40°C ~ 125°C (TJ) Mounting Type Surface Mount Package / Case 10-TFSOP, 10-MSOP (0.118", 3.00mm Width) Supplier Device Package 10-VSSOP	Logic Voltage - VIL, VIH	0.8V, 2.2V
High Side Voltage - Max (Bootstrap)  Rise / Fall Time (Typ)  15ns, 10ns  Operating Temperature  -40°C ~ 125°C (TJ)  Mounting Type  Surface Mount  Package / Case  10-TFSOP, 10-MSOP (0.118", 3.00mm Width)  Supplier Device Package	Current - Peak Output (Source, Sink)	1.2A, 1.8A
Rise / Fall Time (Typ)  Operating Temperature  -40°C ~ 125°C (TJ)  Mounting Type  Surface Mount  Package / Case  10-TFSOP, 10-MSOP (0.118", 3.00mm Width)  Supplier Device Package  10-VSSOP	Input Type	Non-Inverting
Operating Temperature  -40°C ~ 125°C (TJ)  Mounting Type  Surface Mount  Package / Case  10-TFSOP, 10-MSOP (0.118", 3.00mm Width)  Supplier Device Package  10-VSSOP	High Side Voltage - Max (Bootstrap)	118V
Mounting Type Surface Mount  Package / Case 10-TFSOP, 10-MSOP (0.118", 3.00mm Width)  Supplier Device Package 10-VSSOP	Rise / Fall Time (Typ)	15ns, 10ns
Package / Case 10-TFSOP, 10-MSOP (0.118", 3.00mm Width) Supplier Device Package 10-VSSOP	Operating Temperature	-40°C ~ 125°C (TJ)
Supplier Device Package 10-VSSOP	Mounting Type	Surface Mount
	Package / Case	10-TFSOP, 10-MSOP (0.118", 3.00mm Width)
Report errors?	Supplier Device Package	10-VSSOP
•		Report errors?

#### LM5106MMX/NOPB Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### LM5106MMX/NOPB Payment Methods





















# LM5106MMX/NOPB Shipping Methods













If you have any question about LM5106MMX/NOPB, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com