



LNJ816C83RA Information

For Reference Only

Part Number LNJ816C83RA

Manufacturer Panasonic Electronic Components

Category Optoelectronics

LED Indication - Discrete

Description LED ORANGE 1206 SMD

Package 1206 (3216 Metric)

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









LNJ816C83RA Specifications

Manufacturer Part Number LNJ816C83RA Manufacturer Panasonic Electronic Components Category Optoelectronics LED Indication - Discrete Package 1206 (3216 Metric) Series - Color Orange Configuration - Lens Color - Lens Transparency - Millicandela Rating 48mcd Lens Style/Size Round with Flat Top, 1.70mm Voltage - Forward (Vf) (Typ) 2.03V Current - Test 10mA Viewing Angle - Wavelength - Dominant - Wavelength - Peak 630nm Features - Package / Case 1206 (3216 Metric) Supplier Device Package Microlens Type Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.10mm Report errors?	•	
Category Optoelectronics LED Indication - Discrete Package 1206 (3216 Metric) Series - Color Orange Configuration - Lens Color - Lens Transparency - Millicandela Rating 48mcd Lens Style/Size Round with Flat Top, 1.70mm Voltage - Forward (Vf) (Typ) 2.03V Current - Test 10mA Viewing Angle - Mounting Type Surface Mount Wavelength - Dominant - Wavelength - Peak 630nm Features - Package / Case 1206 (3216 Metric) Supplier Device Package Microlens Type Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.10mm	Manufacturer Part Number	LNJ816C83RA
Package 1206 (3216 Metric) Series - Color Orange Configuration - Lens Color - Lens Transparency - Millicandela Rating 48mcd Lens Style/Size Round with Flat Top, 1.70mm Voltage - Forward (Vf) (Typ) 2.03V Current - Test 10mA Viewing Angle - Mounting Type Surface Mount Wavelength - Dominant - Wavelength - Peak 630nm Features - Package / Case 1206 (3216 Metric) Supplier Device Package Microlens Type Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.10mm	Manufacturer	Panasonic Electronic Components
Package 1206 (3216 Metric) Series - Color Orange Configuration - Lens Color - Lens Transparency - Millicandela Rating 48mcd Lens Style/Size Round with Flat Top, 1.70mm Voltage - Forward (Vf) (Typ) 2.03V Current - Test 10mA Viewing Angle - Wavelength - Dominant - Wavelength - Peak 630nm Features - Package / Case 1206 (3216 Metric) Supplier Device Package Microlens Type Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.10mm	Category	Optoelectronics
Series - Color Orange Configuration - Lens Color - Lens Transparency - Millicandela Rating 48mcd Lens Style/Size Round with Flat Top, 1.70mm Voltage - Forward (Vf) (Typ) 2.03V Current - Test 10mA Viewing Angle - Mounting Type Surface Mount Wavelength - Dominant - Wavelength - Peak 630nm Features - Package / Case 1206 (3216 Metric) Supplier Device Package Microlens Type Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.10mm		LED Indication - Discrete
Color Orange Configuration - Lens Color - Lens Transparency - Millicandela Rating 48mcd Lens Style/Size Round with Flat Top, 1.70mm Voltage - Forward (Vf) (Typ) 2.03V Current - Test 10mA Viewing Angle - Mounting Type Surface Mount Wavelength - Dominant - Wavelength - Peak 630nm Features - Package / Case 1206 (3216 Metric) Supplier Device Package Microlens Type Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.10mm	Package	1206 (3216 Metric)
Configuration - Lens Color - Lens Transparency - Millicandela Rating 48mcd Lens Style/Size Round with Flat Top, 1.70mm Voltage - Forward (Vf) (Typ) 2.03V Current - Test 10mA Viewing Angle - Mounting Type Surface Mount Wavelength - Dominant - Wavelength - Peak 630nm Features - Package / Case 1206 (3216 Metric) Supplier Device Package Microlens Type Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.10mm	Series	-
Lens Color-Lens Transparency-Millicandela Rating48mcdLens Style/SizeRound with Flat Top, 1.70mmVoltage - Forward (Vf) (Typ)2.03VCurrent - Test10mAViewing Angle-Mounting TypeSurface MountWavelength - Dominant-Wavelength - Peak630nmFeatures-Package / Case1206 (3216 Metric)Supplier Device PackageMicrolens TypeSize / Dimension3.20mm L x 1.60mm WHeight (Max)1.10mm	Color	Orange
Lens Transparency-Millicandela Rating48mcdLens Style/SizeRound with Flat Top, 1.70mmVoltage - Forward (Vf) (Typ)2.03VCurrent - Test10mAViewing Angle-Mounting TypeSurface MountWavelength - Dominant-Wavelength - Peak630nmFeatures-Package / Case1206 (3216 Metric)Supplier Device PackageMicrolens TypeSize / Dimension3.20mm L x 1.60mm WHeight (Max)1.10mm	Configuration	-
Millicandela Rating48mcdLens Style/SizeRound with Flat Top, 1.70mmVoltage - Forward (Vf) (Typ)2.03VCurrent - Test10mAViewing Angle-Mounting TypeSurface MountWavelength - Dominant-Wavelength - Peak630nmFeatures-Package / Case1206 (3216 Metric)Supplier Device PackageMicrolens TypeSize / Dimension3.20mm L x 1.60mm WHeight (Max)1.10mm	Lens Color	-
Lens Style/SizeRound with Flat Top, 1.70mmVoltage - Forward (Vf) (Typ)2.03 VCurrent - Test10mAViewing Angle-Mounting TypeSurface MountWavelength - Dominant-Wavelength - Peak630nmFeatures-Package / Case1206 (3216 Metric)Supplier Device PackageMicrolens TypeSize / Dimension3.20mm L x 1.60mm WHeight (Max)1.10mm	Lens Transparency	-
Voltage - Forward (Vf) (Typ) Current - Test 10mA Viewing Angle - Mounting Type Surface Mount Wavelength - Dominant - Wavelength - Peak 630nm Features - Package / Case 1206 (3216 Metric) Supplier Device Package Microlens Type Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.10mm	Millicandela Rating	48mcd
Current - Test 10mA Viewing Angle - Mounting Type Surface Mount Wavelength - Dominant - Wavelength - Peak 630nm Features - Package / Case 1206 (3216 Metric) Supplier Device Package Microlens Type Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.10mm	Lens Style/Size	Round with Flat Top, 1.70mm
Viewing Angle-Mounting TypeSurface MountWavelength - Dominant-Wavelength - Peak630nmFeatures-Package / Case1206 (3216 Metric)Supplier Device PackageMicrolens TypeSize / Dimension3.20mm L x 1.60mm WHeight (Max)1.10mm	Voltage - Forward (Vf) (Typ)	2.03V
Mounting TypeSurface MountWavelength - Dominant-Wavelength - Peak630nmFeatures-Package / Case1206 (3216 Metric)Supplier Device PackageMicrolens TypeSize / Dimension3.20mm L x 1.60mm WHeight (Max)1.10mm	Current - Test	10mA
Wavelength - Dominant Wavelength - Peak 630nm Features - Package / Case 1206 (3216 Metric) Supplier Device Package Microlens Type Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.10mm	Viewing Angle	-
Wavelength - Peak 630nm Features - Package / Case 1206 (3216 Metric) Supplier Device Package Microlens Type Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.10mm	Mounting Type	Surface Mount
Features - Package / Case 1206 (3216 Metric) Supplier Device Package Microlens Type Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.10mm	Wavelength - Dominant	-
Package / Case 1206 (3216 Metric) Supplier Device Package Microlens Type Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.10mm	Wavelength - Peak	630nm
Supplier Device Package Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.10mm	Features	-
Size / Dimension3.20mm L x 1.60mm WHeight (Max)1.10mm	Package / Case	1206 (3216 Metric)
Height (Max) 1.10mm	Supplier Device Package	Microlens Type
	Size / Dimension	3.20mm L x 1.60mm W
Report errors?	Height (Max)	1.10mm
		Report errors?

LNJ816C83RA Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

LNJ816C83RA Payment Methods



















LNJ816C83RA Shipping Methods













If you have any question about LNJ816C83RA, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com