

LNJ8L6C18RA

LNJ8L6C18RA Information

www.heisener.com	 LNJ8L6C18RA Panasonic Electronic Components Optoelectronics LED Indication - Discrete LED RED 6SMD 6-SMD, J-Lead For the pricing/inventory/lead time, please contact us	
For Reference Only	Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote



Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



LNJ8L6C18RA Specifications

ManufacturerPanasonic Electronic ComponentsCategoryOptoelectronicsEED Indication - DiscretePackage6-SMD, J-LeadStries-ColorRedConfiguration-Lens Color-Lens Straparency-Millicandela Rating7600mcdVoltage - Forward (Vf) (Typ)2,45VCurrent - Test140mAViewing Angle-Wavelength - Peak623nmFeatures-Package / Case533Size / Dimension5333Height (Max)1,95mm		
Category Optoelectronics LED Indication - Discrete Package 6-SMD, J-Lead Package - Series - Color Red Configuration - Lens Color - Lens Transparency - Millicandela Rating 7600mcd Voltage - Forward (Vf) (Typ) 2.45V Current - Test 140mA Viewing Angle - Wavelength - Dominant 614nm Wavelength - Peak 623nm Features - Package / Case 6-SMD, J-Lead Supplier Device Package 533 Size / Dimension 1.95mm	Manufacturer Part Number	LNJ8L6C18RA
LED Indication - DiscretePackage6-SMD, J-LeadSeries-ColorRedConfiguration-Lens Color-Lens Transparency-Millicandela Rating7600mcdLens Style/SizeRound with Flat Top, 2.60mmVoltage - Forward (Vf) (Typ)2.45VCurrent - Test140mAViewing Angle-Wavelength - Dominant614nmWavelength - Peak623nmFeatures-Package / Case5533Size / Dimension3.50mm Lx 3.30mm WHeight (Max)1.95mm	Manufacturer	Panasonic Electronic Components
Package6-SMD, J-LeadSeries-ColorRedConfiguration-Lens Color-Lens Transparency-Millicandela Rating7600mcdVoltage - Forward (Vf) (Typ)2,45VCurrent - Test140mANounting Type5urface MountWavelength - Pominant614nmWavelength - Peak623nmFeatures-Package / Case6.SMD, J-LeadSupplier Device Package3533Size / Dimension1.95mm	Category	Optoelectronics
Series-ColorRedConfiguration-Lens Color-Lens Transparency-Millicandela Rating7600mcdLens Style/SizeRound with Flat Top, 2.60mmVoltage - Forward (Vf) (Typ)2.45VCurrent - Test140mAViewing Angle-Wavelength - Dominant614nmWavelength - Peak623nmFeatures-Package / Case6-SMD, J-LeadSupplier Device Package3533Size / Dimension1.95mm		LED Indication - Discrete
ColorRedConfiguration-Lens Color-Lens Transparency-Millicandela Rating7600mcdLens Style/SizeRound with Flat Top, 2.60mmVoltage - Forward (Vf) (Typ)2.45VCurrent - Test140mAViewing Angle-Munting TypeSurface MountWavelength - Dominant614nmWavelength - Peak623nmFeatures-Supplier Device Package3533Size / Dimension3.50mm L x 3.30mm WHeight (Max)1.95mm	Package	6-SMD, J-Lead
Configuration-Lens Color-Lens Transparency-Millicandela Rating7600mcdLens Style/SizeRound with Flat Top, 2.60mmVoltage - Forward (Vf) (Typ)2.45VCurrent - Test140mAViewing Angle-Mounting TypeSurface MountWavelength - Dominant614nmWavelength - Peak623nmFeatures-Package / Case6-SMD, J-LeadSupplier Device Package3533Size / Dimension1.95mm	Series	-
Lens Color-Lens Transparency-Millicandela Rating7600mcdLens Style/SizeRound with Flat Top, 2.60mmVoltage - Forward (Vf) (Typ)2.45VCurrent - Test140mAViewing Angle-Wounting TypeSurface MountWavelength - Dominant614nmWavelength - Peak623nmFeatures-Package / Case6-SMD, J-LeadSupplier Device Package3533Size / Dimension1.95mm	Color	Red
Lens Transparency-Millicandela Rating7600mcdLens Style/SizeRound with Flat Top, 2.60mmVoltage - Forward (Vf) (Typ)2.45VCurrent - Test140mAViewing Angle-Wavelength - Dominant614nmWavelength - Peak623nmFeatures-Package / Case6-SMDJ -LeadSupplier Device Package3533Size / Dimension1.95mm	Configuration	-
Millicandela Rating7600mcdLens Style/SizeRound with Flat Top, 2.60mmVoltage - Forward (Vf) (Typ)2.45VCurrent - Test140mAViewing Angle-Mounting TypeSurface MountWavelength - Dominant614nmWavelength - Peak623nmFeatures-Package / Case6-SMD, J-LeadSupplier Device Package3533Size / Dimension1.95mm	Lens Color	-
Lens Style/Size Round with Flat Top, 2.60mm Voltage - Forward (Vf) (Typ) 2.45V Current - Test 140mA Viewing Angle - Mounting Type Surface Mount Wavelength - Dominant 614nm Wavelength - Peak 623nm Features - Package / Case 6-SMD, J-Lead Supplier Device Package 3533 Size / Dimension 1.95mm	Lens Transparency	-
Voltage - Forward (Vf) (Typ)2.45VCurrent - Test140mAViewing Angle-Mounting TypeSurface MountWavelength - Dominant614nmWavelength - Peak623nmFeatures-Package / Case6-SMD, J-LeadSupplier Device Package3533Size / Dimension1.95mm L x 3.30mm W	Millicandela Rating	7600mcd
Current - Test140mAViewing Angle-Mounting TypeSurface MountWavelength - Dominant614nmWavelength - Peak623nmFeatures-Package / Case6-SMDD, J-LeadSupplier Device Package3533Size / Dimension3.50mm L x 3.30mm WHeight (Max)1.95mm	Lens Style/Size	Round with Flat Top, 2.60mm
Viewing Angle-Mounting TypeSurface MountWavelength - Dominant614nmWavelength - Peak623nmFeatures-Package / Case6-SMD, J-LeadSupplier Device Package3533Size / Dimension3.50mm L x 3.30mm WHeight (Max)1.95mm	Voltage - Forward (Vf) (Typ)	2.45V
Mounting TypeSurface MountWavelength - Dominant614nmWavelength - Peak623nmFeatures-Package / Case6-SMD, J-LeadSupplier Device Package3533Size / Dimension3.50mm L x 3.30mm WHeight (Max)1.95mm	Current - Test	140mA
Wavelength - Dominant614nmWavelength - Peak623nmFeatures-Package / Case6-SMD, J-LeadSupplier Device Package3533Size / Dimension3.50mm L x 3.30mm WHeight (Max)1.95mm	Viewing Angle	-
Wavelength - Peak623nmFeatures-Package / Case6-SMD, J-LeadSupplier Device Package3533Size / Dimension3.50mm L x 3.30mm WHeight (Max)1.95mm	Mounting Type	Surface Mount
Features-Package / Case6-SMD, J-LeadSupplier Device Package3533Size / Dimension3.50mm L x 3.30mm WHeight (Max)1.95mm	Wavelength - Dominant	614nm
Package / Case6-SMD, J-LeadSupplier Device Package3533Size / Dimension3.50mm L x 3.30mm WHeight (Max)1.95mm	Wavelength - Peak	623nm
Supplier Device Package3533Size / Dimension3.50mm L x 3.30mm WHeight (Max)1.95mm	Features	-
Size / Dimension3.50mm L x 3.30mm WHeight (Max)1.95mm	Package / Case	6-SMD, J-Lead
Height (Max) 1.95mm	Supplier Device Package	3533
	Size / Dimension	3.50mm L x 3.30mm W
Report errors?	Height (Max)	1.95mm
		Report errors?

LNJ8L6C18RA Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE EUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

LNJ8L6C18RA Payment Methods



LNJ8L6C18RA Shipping Methods



If you have any question about LNJ8L6C18RA, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com