



LNK6404D-TL Information



For Reference Only

Part Number LNK6404D-TL

Manufacturer Power Integrations

Category Integrated Circuits (ICs)

PMIC - AC DC Converters, Offline Switchers

Description IC SWITCHER CV/CC 3.5W 8SOIC **Package** 8-SOIC (0.154", 3.90mm Width) 7 leads

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









LNK6404D-TL Specifications

Manufacturer Part Number LNK6404D-TL Manufacturer Power Integrations Category Integrated Circuits (ICs) PMIC - AC DC Converters, Offline Switchers Package 8-SOIC (0.154", 3.90mm Width) 7 leads Series LinkSwitch?-3 Output Isolation Isolated Internal Switch(s) Yes Voltage - Breakdown 725V Topology Flyback Voltage - Start Up - Voltage - Supply (Vcc/Vdd) - Prequency - Switching Up to 85kHz Power (Watts) 4.1W Fault Protection Current Limiting, Open Loop, Over Temperature, Short Circuit Control Features - Operating Temperature -40°C ~ 150°C (TJ) Package / Case 8-SOIC (0.154", 3.90mm Width) 7 leads Supplier Device Package 8-SO Mounting Type Surface Mount	•	
Category Integrated Circuits (ICs) PMIC - AC DC Converters, Offline Switchers Package 8-SOIC (0.154", 3.90mm Width) 7 leads Series LinkSwitch?-3 Output Isolation Isolated Internal Switch(s) Yes Voltage - Breakdown 725V Topology Flyback Voltage - Start Up - Voltage - Supply (Vcc/Vdd) - Duty Cycle 55% Frequency - Switching Up to 85kHz Power (Watts) 4.1W Fault Protection Current Limiting, Open Loop, Over Temperature, Short Circuit Control Features - Operating Temperature -40°C ~ 150°C (TJ) Package / Case 8-SOIC (0.154", 3.90mm Width) 7 leads Supplier Device Package 8-SO Mounting Type Surface Mount	Manufacturer Part Number	LNK6404D-TL
Package 8-SOIC (0.154", 3.90mm Width) 7 leads Series LinkSwitch?-3 Output Isolation Isolated Internal Switch(s) Yes Voltage - Breakdown 725V Topology Flyback Voltage - Start Up - Voltage - Supply (Vcc/Vdd) - Duty Cycle 55% Frequency - Switching Up to 85kHz Power (Watts) 4.1W Fault Protection Current Limiting, Open Loop, Over Temperature, Short Circuit Control Features - 40°C ~ 150°C (TJ) Package / Case 8-SOIC (0.154", 3.90mm Width) 7 leads Supplier Device Package 8-SO Mounting Type Surface Mount	Manufacturer	Power Integrations
Package8-SOIC (0.154", 3.90mm Width) 7 leadsSeriesLinkSwitch?-3Output IsolationIsolatedInternal Switch(s)YesVoltage - Breakdown725VTopologyFlybackVoltage - Start Up-Voltage - Supply (Vcc/Vdd)-Duty Cycle55%Frequency - SwitchingUp to 85kHzPower (Watts)4.1WFault ProtectionCurrent Limiting, Open Loop, Over Temperature, Short CircuitControl Features-Operating Temperature-40°C ~ 150°C (TJ)Package / Case8-SOIC (0.154", 3.90mm Width) 7 leadsSupplier Device Package8-SOMounting TypeSurface Mount	Category	Integrated Circuits (ICs)
SeriesLinkSwitch?-3Output IsolationIsolatedInternal Switch(s)YesVoltage - Breakdown725VTopologyFlybackVoltage - Start Up-Voltage - Supply (Vcc/Vdd)-Duty Cycle55%Frequency - SwitchingUp to 85kHzPower (Watts)4.1WFault ProtectionCurrent Limiting, Open Loop, Over Temperature, Short CircuitControl Features-Operating Temperature-40°C ~ 150°C (TJ)Package / Case8-SOIC (0.154", 3.90mm Width) 7 leadsSupplier Device Package8-SOMounting TypeSurface Mount		PMIC - AC DC Converters, Offline Switchers
Output Isolation Isolated Internal Switch(s) Yes Voltage - Breakdown 725V Topology Flyback Voltage - Start Up - Voltage - Supply (Vcc/Vdd) - Duty Cycle 55% Frequency - Switching Up to 85kHz Power (Watts) 4.1W Fault Protection Current Limiting, Open Loop, Over Temperature, Short Circuit Control Features - Operating Temperature -40°C ~ 150°C (TJ) Package / Case 8-SOIC (0.154", 3.90mm Width) 7 leads Supplier Device Package Mount	Package	8-SOIC (0.154", 3.90mm Width) 7 leads
Internal Switch(s) Ves Voltage - Breakdown 725V Topology Flyback Voltage - Start Up - Voltage - Supply (Vcc/Vdd) Duty Cycle 55% Frequency - Switching Up to 85kHz Power (Watts) Fault Protection Current Limiting, Open Loop, Over Temperature, Short Circuit Control Features Operating Temperature -40°C ~ 150°C (TJ) Package / Case 8-SOIC (0.154", 3.90mm Width) 7 leads Supplier Device Package Mounting Type Surface Mount	Series	LinkSwitch?-3
Voltage - Breakdown725VTopologyFlybackVoltage - Start Up-Voltage - Supply (Vcc/Vdd)-Duty Cycle55%Frequency - SwitchingUp to 85kHzPower (Watts)4.1WFault ProtectionCurrent Limiting, Open Loop, Over Temperature, Short CircuitControl Features-Operating Temperature-40°C ~ 150°C (TJ)Package / Case8-SOIC (0.154", 3.90mm Width) 7 leadsSupplier Device Package8-SOMounting TypeSurface Mount	Output Isolation	Isolated
Topology Flyback Voltage - Start Up Voltage - Supply (Vcc/Vdd) Duty Cycle Frequency - Switching Up to 85kHz Power (Watts) Fault Protection Current Limiting, Open Loop, Over Temperature, Short Circuit Control Features Operating Temperature -40°C ~ 150°C (TJ) Package / Case 8-SOIC (0.154", 3.90mm Width) 7 leads Supplier Device Package Mounting Type Surface Mount	Internal Switch(s)	Yes
Voltage - Start Up Voltage - Supply (Vcc/Vdd) Duty Cycle 55% Frequency - Switching Up to 85kHz Power (Watts) 4.1W Fault Protection Current Limiting, Open Loop, Over Temperature, Short Circuit Control Features Operating Temperature -40°C ~ 150°C (TJ) Package / Case 8-SOIC (0.154", 3.90mm Width) 7 leads Supplier Device Package Mounting Type Surface Mount	Voltage - Breakdown	725V
Voltage - Supply (Vcc/Vdd) Duty Cycle 55% Frequency - Switching Up to 85kHz Power (Watts) 4.1W Fault Protection Current Limiting, Open Loop, Over Temperature, Short Circuit Control Features - Operating Temperature -40°C ~ 150°C (TJ) Package / Case 8-SOIC (0.154", 3.90mm Width) 7 leads Supplier Device Package Mounting Type Surface Mount	Topology	Flyback
Duty Cycle 55% Frequency - Switching Up to 85kHz Power (Watts) 4.1W Fault Protection Current Limiting, Open Loop, Over Temperature, Short Circuit Control Features -40°C ~ 150°C (TJ) Package / Case 8-SOIC (0.154", 3.90mm Width) 7 leads Supplier Device Package 8-SO Mounting Type Surface Mount	Voltage - Start Up	-
Frequency - Switching Power (Watts) 4.1W Fault Protection Current Limiting, Open Loop, Over Temperature, Short Circuit Control Features - Operating Temperature -40°C ~ 150°C (TJ) Package / Case 8-SOIC (0.154", 3.90mm Width) 7 leads Supplier Device Package 8-SO Mounting Type Surface Mount	Voltage - Supply (Vcc/Vdd)	-
Power (Watts) 4.1W Fault Protection Current Limiting, Open Loop, Over Temperature, Short Circuit Control Features Operating Temperature -40°C ~ 150°C (TJ) Package / Case 8-SOIC (0.154", 3.90mm Width) 7 leads Supplier Device Package 8-SO Mounting Type Surface Mount	Duty Cycle	55%
Fault Protection Current Limiting, Open Loop, Over Temperature, Short Circuit Control Features -40°C ~ 150°C (TJ) Package / Case 8-SOIC (0.154", 3.90mm Width) 7 leads Supplier Device Package 8-SO Mounting Type Surface Mount	Frequency - Switching	Up to 85kHz
Control Features Operating Temperature -40°C ~ 150°C (TJ) Package / Case 8-SOIC (0.154", 3.90mm Width) 7 leads Supplier Device Package 8-SO Mounting Type Surface Mount	Power (Watts)	4.1W
Operating Temperature -40°C ~ 150°C (TJ) Package / Case 8-SOIC (0.154", 3.90mm Width) 7 leads Supplier Device Package 8-SO Mounting Type Surface Mount	Fault Protection	Current Limiting, Open Loop, Over Temperature, Short Circuit
Package / Case 8-SOIC (0.154", 3.90mm Width) 7 leads Supplier Device Package 8-SO Mounting Type Surface Mount	Control Features	-
Supplier Device Package 8-SO Mounting Type Surface Mount	Operating Temperature	-40°C ~ 150°C (TJ)
Mounting Type Surface Mount	Package / Case	8-SOIC (0.154", 3.90mm Width) 7 leads
	Supplier Device Package	8-SO
Report errors?	Mounting Type	Surface Mount
		Report errors?

LNK6404D-TL Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

LNK6404D-TL Payment Methods





















LNK6404D-TL Shipping Methods













If you have any question about LNK6404D-TL, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com