

**LQW2UAS33NG00L Information**


For Reference Only

**Part Number** [LQW2UAS33NG00L](#)  
**Manufacturer** Murata  
**Category** Inductors, Coils, Chokes  
[Fixed Inductors](#)  
**Description** FIXED IND 33NH 1A 140 MOHM SMD  
**Package** 1008 (2520 Metric)  
 For the pricing/inventory/lead time, please contact us  
 Website: <https://www.heisener.com>  
 E-mail: [salesdept@heisener.com](mailto:salesdept@heisener.com)



Request a Quote

**Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.


**LQW2UAS33NG00L Specifications**

Manufacturer Part Number	<a href="#">LQW2UAS33NG00L</a>
Manufacturer	Murata
Category	Inductors, Coils, Chokes <a href="#">Fixed Inductors</a>
Package	1008 (2520 Metric)
Series	LQW2
Type	Wirewound
Material - Core	-
Inductance	33nH
Tolerance	±2%
Current Rating	1A
Current - Saturation	-
Shielding	Unshielded
DC Resistance (DCR)	140 mOhm Max
Q @ Freq	60 @ 350MHz
Frequency - Self Resonant	1.6GHz
Ratings	-
Operating Temperature	-55°C ~ 125°C
Frequency - Test	50MHz
Features	-
Mounting Type	Surface Mount
Package / Case	1008 (2520 Metric)
Supplier Device Package	1008 (2520 Metric)
Size / Dimension	0.103" L x 0.096" W (2.62mm x 2.45mm)

Height - Seated (Max)

0.080" (2.03mm)

[Report errors?](#)

## LQW2UAS33NG00L Guarantees



### Quality Guarantees

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



### Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## LQW2UAS33NG00L Payment Methods



## LQW2UAS33NG00L Shipping Methods



If you have any question about LQW2UAS33NG00L, please do not hesitate to contact us!

Website: <https://www.heisener.com>

E-mail: [salesdept@heisener.com](mailto:salesdept@heisener.com)