

LTC2232CUK#TRPBF

LTC2232CUK#TRPBF Information

	www.tasisener.com	 LTC2232CUK#TRPBF Linear Technology Integrated Circuits (ICs) Data Acquisition - Analog to Digital Converters (ADC) IC ADC 10BIT 105MSPS SAMPL 48QFN 48-WFQFN Exposed Pad	
	For Reference Only	For the pricing/inventory/lead time, please contact us	
		Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



LTC2232CUK#TRPBF Specifications

CategoryIntegrated Circuits (ICs) Data Acquisition - Analog to Digital Converters (ADC)Package48-WFQFN Exposed PadSeries-Number of Bits10Sampling Rate (Per Second)105MNumber of Inputs1Input TypeDifferential, Single EndedData InterfaceParallelConfigurationS/H-ADCRatio - S/H:ADC1:1Number of A/D Converters1Reference TypeExternal, InternalVoltage - Supply, Analog3.1 V ~ 3.5 VVoltage - Supply, Digital-Peratures-Operating Temperature0°C ~ 70°C		
CategoryIntegrated Circuis (ICs)Data Acquisition - Analog to Digital Converters (ADC)Package48-WFQFN Exposed PadSeries-Number of Bits10Sampling Rate (Per Second)105MNumber of Inputs1Input TypeDifferential, Single EndedData InterfaceParallelConfigurationS/H-ADCRatio - S/H:ADC1Number of A/D Converters1Reference TypeExternal, InternalVoltage - Supply, Analog3.1 V ~ 3.5 VVoltage - Supply, Digital-Peatures-Operating Temperature0°C ~ 70°CPackage / Case48-QFN (7x7)Mounting Type-	Manufacturer Part Number	LTC2232CUK#TRPBF
Index Acquisition - Analog to Digital Converters (ADC)Package48-WFQFN Exposed PadSeries-Number of Bits10Sampling Rate (Per Second)105MNumber of Inputs1Input TypeDifferential, Single EndedData InterfaceParallelConfigurationS/H-ADCRatio - S/H: ADC1Number of A/D Converters1ArchitecturePielneidVoltage - Supply, Analog3.1 V ~ 3.5 VVoltage - Supply, Digital-Pertures-Operating Temperature-Operating Temperature8-WFQFN Exposed PadAckage / Case48-WFQFN Exposed PadAupting Type-Aupting Type <td>Manufacturer</td> <td>Linear Technology</td>	Manufacturer	Linear Technology
Package48-WFQFN Exposed PadSeries-Number of Bits10Sampling Rate (Per Second)105MNumber of Inputs1Input TypeDifferential, Single EndedData InterfaceParallelConfigurationS/H-ADCRatio - S/H:ADC1:1Number of A/D Converters1Reference TypeExternal, InternalVoltage - Supply, Analog3.1 V ~ 3.5 VVoltage - Supply, Digital3.1 V ~ 3.5 VFeatures-Operating Temperature0°C ~ 70°CPackage / Case48-WFQFN Exposed PadSupplier Device Package48-QFN (7x7)Mounting Type-	Category	Integrated Circuits (ICs)
Series-Number of Bits10Sampling Rate (Per Second)105MNumber of Inputs1Input TypeDifferential, Single EndedData InterfaceParallelConfigurationS/H-ADCRatio - S/H:ADC1:1Number of A/D Converters1ArchitecturePipelinedReference TypeExternal, InternalVoltage - Supply, Digital3.1 V ~ 3.5 VYoltage - Supply, Digital9°C ~ 70°CPackage / Case48-WFQFN Exposed PadSupplier Device Package48-QFN (7x7)Mounting Type-		Data Acquisition - Analog to Digital Converters (ADC)
Number of Bits10Sampling Rate (Per Second)105MNumber of Inputs1Input TypeDifferential, Single EndedData InterfaceParallelConfigurationS/H-ADCRatio - S/H: ADC1.1Number of A/D Converters1ArchitecturePipelinedReference TypeExternal, InternalVoltage - Supply, Digital3.1 V ~ 3.5 VYoltage - Supply, Digital0°C ~ 70°CPerkage / Case48-WFQFN Exposed PadSupplier Device Package48-QFN (7x7)Mounting Type-	Package	48-WFQFN Exposed Pad
Sampling Rate (Per Second)105MNumber of Inputs1Input TypeDifferential, Single EndedData InterfaceParallelConfigurationS/H-ADCRatio - S/H:ADC1Number of A/D Converters1ArchitecturePipelinedReference TypeExternal, InternalVoltage - Supply, Analog3.1 V ~ 3.5 VVoltage - Supply, Digital-Peatures-Package / Case48-WFQFN Exposed PadSupplier Device Package48-QFN (7x7)Mounting Type-	Series	-
Number of Inputs1Input TypeDifferential, Single EndedData InterfaceParallelConfigurationS/H-ADCRatio - S/H:ADC1:1Number of A/D Converters1ArchitecturePipelinedReference TypeExternal, InternalVoltage - Supply, Digital3.1 V ~ 3.5 VVoltage - Supply, Digital3.1 V ~ 3.5 VFeatures-Operating Temperature0°C ~ 70°CPackage / Case48-WFQFN Exposed PadSupplier Device Package-Mounting Type-	Number of Bits	10
Input TypeDifferential, Single EndedInput TypeDifferential, Single EndedData InterfaceParallelConfigurationS/H-ADCRatio - S/H:ADC1:1Number of A/D Converters1ArchitecturePipelinedReference TypeExternal, InternalVoltage - Supply, Analog3.1 V ~ 3.5 VVoltage - Supply, Digital-Operating Temperature0°C ~ 70°CPackage / Case48-WFQFN Exposed PadSupplier Device Package48-QFN (7x7)Mounting Type-	Sampling Rate (Per Second)	105M
Data InterfaceParallelConfigurationS/H-ADCRatio - S/H:ADC1:1Number of A/D Converters1ArchitecturePipelinedReference TypeExternal, InternalVoltage - Supply, Analog3.1 V ~ 3.5 VVoltage - Supply, Digital3.1 V ~ 3.5 VFeatures-Operating Temperature0°C ~ 70°CPackage / Case48-WFQFN Exposed PadSupplier Device Package-Mounting Type-	Number of Inputs	1
ConfigurationS/H-ADCRatio - S/H:ADC1:1Number of A/D Converters1ArchitecturePipelinedReference TypeExternal, InternalVoltage - Supply, Analog3.1 V ~ 3.5 VVoltage - Supply, Digital3.1 V ~ 3.5 VPeatures-Operating Temperature0°C ~ 70°CPackage / Case48-WFQFN Exposed PadSupplier Device Package-Mounting Type-	Input Type	Differential, Single Ended
Ratio - S/H:ADC1:1Number of A/D Converters1ArchitecturePipelinedArchitectureExternal, InternalKeference Type5.1 V ~ 3.5 VVoltage - Supply, Digital3.1 V ~ 3.5 VYoltage - Supply, Digital-Operating Temperature0°C ~ 70°CPackage / Case48-WFQFN Exposed PadSupplier Device Package-Mounting Type-	Data Interface	Parallel
Number of A/D Converters1ArchitecturePipelinedReference TypeExternal, InternalVoltage - Supply, Analog3.1 V ~ 3.5 VVoltage - Supply, Digital3.1 V ~ 3.5 VFeatures-Operating Temperature0°C ~ 70°CPackage / Case48-WFQFN Exposed PadSupplier Device Package48-QFN (7x7)Mounting Type-	Configuration	S/H-ADC
ArchitecturePipelinedReference TypeExternal, InternalVoltage - Supply, Analog3.1 V ~ 3.5 VVoltage - Supply, Digital3.1 V ~ 3.5 VFeatures-Operating Temperature0°C ~ 70°CPackage / Case48-WFQFN Exposed PadSupplier Device Package48-QFN (7x7)Mounting Type-	Ratio - S/H:ADC	1:1
Reference TypeExternal, InternalVoltage - Supply, Analog $3.1 V ~ 3.5 V$ Voltage - Supply, Digital $3.1 V ~ 3.5 V$ Features-Operating Temperature $0^{\circ}C ~ 70^{\circ}C$ Package / Case48-WFQFN Exposed PadSupplier Device Package48-QFN (7x7)Mounting Type-	Number of A/D Converters	1
Voltage - Supply, Analog $3.1 V \sim 3.5 V$ Voltage - Supply, Digital $3.1 V \sim 3.5 V$ Features-Operating Temperature $0^{\circ}C \sim 70^{\circ}C$ Package / Case48-WFQFN Exposed PadSupplier Device Package48-QFN (7x7)Mounting Type-	Architecture	Pipelined
Voltage - Supply, Digital3.1 V ~ 3.5 VFeatures-Operating Temperature0°C ~ 70°CPackage / Case48-WFQFN Exposed PadSupplier Device Package48-QFN (7x7)Mounting Type-	Reference Type	External, Internal
Features-Operating Temperature0°C ~ 70°CPackage / Case48-WFQFN Exposed PadSupplier Device Package48-QFN (7x7)Mounting Type-	Voltage - Supply, Analog	3.1 V ~ 3.5 V
Operating Temperature0°C ~ 70°CPackage / Case48-WFQFN Exposed PadSupplier Device Package48-QFN (7x7)Mounting Type-	Voltage - Supply, Digital	3.1 V ~ 3.5 V
Package / Case48-WFQFN Exposed PadSupplier Device Package48-QFN (7x7)Mounting Type-	Features	-
Supplier Device Package48-QFN (7x7)Mounting Type-	Operating Temperature	0° C ~ 70° C
Mounting Type -	Package / Case	48-WFQFN Exposed Pad
	Supplier Device Package	48-QFN (7x7)
Report errors?	Mounting Type	-
		Report errors?

LTC2232CUK#TRPBF Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE BUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

S MoneyGram Alipay VISA

DISCOVER

LTC2232CUK#TRPBF Payment Methods



LTC2232CUK#TRPBF Shipping Methods



If you have any question about LTC2232CUK#TRPBF, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com

 \mathbf{N}