

LTC2870IFE#PBF

LTC2870IFE#PBF Information



Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



LTC2870IFE#PBF Specifications

AnufacturerLinear TechnologyCategoryIntegrated Circuits (ICs)Interface - Drivers, Receivers, TransceiversVackage28-TSSOP (0.173", 4.40mm Width) Exposed PadVackage-'ypeTransceiver'ypeMultiprotocolMuber of Drivers/Receivers2/2OuplexFullSeceiver Hysteresis130mVOutage - Supply3 V ~ 5.5 VOperating Temperature-40°C ~ 85°CAounting TypeSurface MountVackage / Case28-TSSOP (0.173", 4.40mm Width) Exposed PadSupplier Device Package28-TSSOP (0.173", 4.40mm Width) Exposed Pad			
CategoryIntegrated Circuits (ICs)Integrated Circuits (ICs)Interface - Drivers, Receivers, TransceiversPackage28-TSSOP (0.173", 4.40mm Width) Exposed Paderies-YpeTransceiverYopeTransceiverProtocolMultiprotocolNumber of Drivers/Receivers2/2DuplexFullReceiver Hysteresis130mVData Rate20MbpsVoltage - Supply3 V ~ 5.5 VOperating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / Case28-TSSOP (0.173", 4.40mm Width) Exposed PadSupplier Device Package28-TSSOP-EP	Manufacturer Part Number	LTC2870IFE#PBF	
Interface - Drivers, Receivers, TransceiversPackage28-TSSOP (0.173", 4.40mm Width) Exposed PadVeries-VypeTransceiverVypeMultiprotocolMunber of Drivers/Receivers2/2DuplexFullReceiver Hysteresis130mVData Rate20MbpsVoltage - Supply3 V ~ 5.5 VOperating Temperature-40°C ~ 85°CAuunting TypeSurface MountVackage / Case28-TSSOP (0.173", 4.40mm Width) Exposed PadVapplier Device Package28-TSSOP -EP	Manufacturer	Linear Technology	
Package 28-TSSOP (0.173", 4.40mm Width) Exposed Pad Beries - Sype Transceiver Ypp O Transceiver Protocol Multiprotocol Number of Drivers/Receivers 2/2 Duplex Full Receiver Hysteresis 130mV Data Rate 20Mbps Operating Temperature 40°C ~ 85°C Aunting Type Surface Mount Package / Case 28-TSSOP (0.173", 4.40mm Width) Exposed Pad	Category	Integrated Circuits (ICs)	
deries-YpeTransceiverYpeMultiprotocolYotocolMultiprotocolYumber of Drivers/Receivers2/2Yumber of Drivers/Receivers130mVReceiver Hysteresis130mVYotage - Supply3 V ~ 5.5 VYotage - Supply3 V ~ 5.5 VYounting TypeSurface MountYackage / Case28-TSSOP (0.173", 4.40mm Width) Exposed PadYupplier Device Package28-TSSOP-EP		Interface - Drivers, Receivers, Transceivers	
ProtocolTransceiverProtocolMultiprotocolAumber of Drivers/Receivers2/2DuplexFullReceiver Hysteresis130mVData Rate20MbpsVoltage - Supply3 V ~ 5.5 VOperating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / Case28-TSSOP (0.173", 4.40mm Width) Exposed PadSurplier Device Package28-TSSOP-EP	Package	28-TSSOP (0.173", 4.40mm Width) Exposed Pad	
ProtocolMultiprotocolAumber of Drivers/Receivers2/2DuplexFullReceiver Hysteresis130mVData Rate20MbpsOttage - Supply3 V ~ 5.5 VOperating Temperature-40°C ~ 85°CAounting TypeSurface MountPackage / Case28-TSSOP (0.173", 4.40mm Width) Exposed PadAupplier Device Package28-TSSOP-EP	Series	-	
Jumber of Drivers/Receivers2/2DuplexFullReceiver Hysteresis130mVData Rate20MbpsVoltage - Supply3 V ~ 5.5 VOperating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / Case28-TSSOP (0.173", 4.40mm Width) Exposed PadSupplier Device Package28-TSSOP-EP	Туре	Transceiver	
DuplexFullReceiver Hysteresis130mVData Rate20MbpsOltage - Supply3 V ~ 5.5 VOperating Temperature-40°C ~ 85°CAounting TypeSurface MountPackage / Case28-TSSOP (0.173", 4.40mm Width) Exposed PadSupplier Device Package28-TSSOP-EP	Protocol	Multiprotocol	
Receiver Hysteresis130mVData Rate20MbpsVoltage - Supply3 V ~ 5.5 VOperating Temperature-40°C ~ 85°CAounting TypeSurface MountPackage / Case28-TSSOP (0.173", 4.40mm Width) Exposed PadSupplier Device Package28-TSSOP-EP	Number of Drivers/Receivers	2/2	
Data Rate20MbpsVoltage - Supply3 V ~ 5.5 VOperating Temperature-40°C ~ 85°CVounting TypeSurface MountPackage / Case28-TSSOP (0.173", 4.40mm Width) Exposed PadSupplier Device Package28-TSSOP-EP	Duplex	Full	
Voltage - Supply3 V ~ 5.5 VOperating Temperature-40°C ~ 85°CAounting TypeSurface MountPackage / Case28-TSSOP (0.173", 4.40mm Width) Exposed PadSupplier Device Package28-TSSOP-EP	Receiver Hysteresis	130mV	
Deperating Temperature-40°C ~ 85°CAounting TypeSurface MountPackage / Case28-TSSOP (0.173", 4.40mm Width) Exposed PadSupplier Device Package28-TSSOP-EP	Data Rate	20Mbps	
A conting TypeSurface MountPackage / Case28-TSSOP (0.173", 4.40mm Width) Exposed PadPupplier Device Package28-TSSOP-EP	Voltage - Supply	3 V ~ 5.5 V	
Package / Case28-TSSOP (0.173", 4.40mm Width) Exposed PadSupplier Device Package28-TSSOP-EP	Operating Temperature	-40°C ~ 85°C	
Supplier Device Package 28-TSSOP-EP	Mounting Type	Surface Mount	
	Package / Case	28-TSSOP (0.173", 4.40mm Width) Exposed Pad	
Report errors?	Supplier Device Package	28-TSSOP-EP	
Report chois.			Report errors?

LTC2870IFE#PBF Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE EUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

LTC2870IFE#PBF Payment Methods





If you have any question about LTC2870IFE#PBF, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com