



### **LY1I4 AC24 Information**

Heisener.com

Part Number LY1I4 AC24

Manufacturer Omron Automation and Safety

Category Relays

Power Relays, Over 2 Amps

**Description** RELAY GEN PURPOSE SPDT 15A 24V

**Package** 

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## **LY1I4 AC24 Specifications**

Manufacturer Part NumberLY114 AC24ManufacturerOmron Automation and SafetyCategoryRelaysPackage-SeriesLYRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current46mACoil Voltage24VACContact FormSPDT (1 Form C)Contact Rating (Current)15ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)19.2 VACTurn Off Voltage (Min)7.2 VACOperate Time25msRelease Time25msFeaturesTest ButtonMounting TypeSocketableTermination StylePlug In		
CategoryRelaysPower Relays, Over 2 AmpsPackage-SeriesLYRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current46mACoil Voltage24VACContact FormSPDT (1 Form C)Contact Rating (Current)15ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)19.2 VACTurn Off Voltage (Min)7.2 VACOperate Time25msRelease Time25msFeaturesTest ButtonMounting TypeSocketableTermination StylePlug In	Manufacturer Part Number	LY1I4 AC24
Package-SeriesLYRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current46mACoil Voltage24VACContact FormSPDT (1 Form C)Contact Rating (Current)15ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)19.2 VACTurn Off Voltage (Min)7.2 VACOperate Time25msRelease Time25msFeaturesTest ButtonMounting TypeSocketableTermination StylePlug In	Manufacturer	Omron Automation and Safety
Package         -           Series         LY           Relay Type         General Purpose           Coil Type         Non Latching           Coil Current         46mA           Coil Voltage         24VAC           Contact Form         SPDT (1 Form C)           Contact Rating (Current)         15A           Switching Voltage         250VAC, 125VDC - Max           Turn On Voltage (Max)         19.2 VAC           Turn Off Voltage (Min)         7.2 VAC           Operate Time         25ms           Release Time         25ms           Features         Test Button           Mounting Type         Socketable           Termination Style         Plug In	Category	Relays
SeriesLYRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current46mACoil Voltage24VACContact FormSPDT (1 Form C)Contact Rating (Current)15ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)19.2 VACTurn Off Voltage (Min)7.2 VACOperate Time25msRelease Time25msFeaturesTest ButtonMounting TypeSocketableTermination StylePlug In		Power Relays, Over 2 Amps
Relay Type General Purpose Coil Type Non Latching Coil Current 46mA Coil Voltage 24VAC Contact Form SPDT (1 Form C) Contact Rating (Current) 15A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 19.2 VAC Turn Off Voltage (Min) 7.2 VAC Operate Time 25ms Release Time 25ms Release Time 25ms Features Test Button Mounting Type Socketable Termination Style Plug In	Package	-
Coil TypeNon LatchingCoil Current46mACoil Voltage24VACContact FormSPDT (1 Form C)Contact Rating (Current)15ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)19.2 VACTurn Off Voltage (Min)7.2 VACOperate Time25msRelease Time25msFeaturesTest ButtonMounting TypeSocketableTermination StylePlug In	Series	LY
Coil Current 46mA Coil Voltage 24VAC Contact Form SPDT (1 Form C) Contact Rating (Current) 15A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 19.2 VAC Turn Off Voltage (Min) 7.2 VAC Operate Time 25ms Release Time 25ms Features Test Button Mounting Type Socketable Termination Style Plug In	Relay Type	General Purpose
Coil Voltage 24VAC Contact Form SPDT (1 Form C) Contact Rating (Current) 15A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 19.2 VAC Turn Off Voltage (Min) 7.2 VAC Operate Time 25ms Release Time 25ms Features Test Button Mounting Type Socketable Termination Style Plug In	Coil Type	Non Latching
Contact Form SPDT (1 Form C)  Contact Rating (Current) 15A  Switching Voltage 250VAC, 125VDC - Max  Turn On Voltage (Max) 19.2 VAC  Turn Off Voltage (Min) 7.2 VAC  Operate Time 25ms  Release Time 25ms  Release Time Test Button  Mounting Type Socketable  Termination Style Plug In	Coil Current	46mA
Contact Rating (Current)  Switching Voltage  250VAC, 125VDC - Max  Turn On Voltage (Max)  19.2 VAC  Turn Off Voltage (Min)  7.2 VAC  Operate Time  25ms  Release Time  25ms  Features  Test Button  Mounting Type  Socketable  Termination Style	Coil Voltage	24VAC
Switching Voltage 250VAC, 125VDC - Max  Turn On Voltage (Max) 19.2 VAC  Turn Off Voltage (Min) 7.2 VAC  Operate Time 25ms  Release Time 25ms  Features Test Button  Mounting Type Socketable  Termination Style Plug In	Contact Form	SPDT (1 Form C)
Turn On Voltage (Max)  19.2 VAC  Turn Off Voltage (Min)  7.2 VAC  Operate Time  25ms  Release Time  25ms  Features  Test Button  Mounting Type  Socketable  Termination Style  Plug In	Contact Rating (Current)	15A
Turn Off Voltage (Min) 7.2 VAC Operate Time 25ms Release Time 25ms Features Test Button Mounting Type Socketable Termination Style Plug In	Switching Voltage	250VAC, 125VDC - Max
Operate Time 25ms Release Time 25ms Features Test Button Mounting Type Socketable Termination Style Plug In	Turn On Voltage (Max)	19.2 VAC
Release Time 25ms Features Test Button Mounting Type Socketable Termination Style Plug In	Turn Off Voltage (Min)	7.2 VAC
Features Test Button  Mounting Type Socketable  Termination Style Plug In	Operate Time	25ms
Mounting Type Socketable Termination Style Plug In	Release Time	25ms
Termination Style Plug In	Features	Test Button
	Mounting Type	Socketable
Report errors?	Termination Style	Plug In
		Report errors?

### **LY1I4 AC24 Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

# **LY1I4 AC24 Payment Methods**



















### LY1I4 AC24 Shipping Methods













If you have any question about LY1I4 AC24, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com