



### LY2-0-DC100/110 Information



For Reference Only

Part Number LY2-0-DC100/110

Manufacturer Omron Automation and Safety

Category Relays

Power Relays, Over 2 Amps

**Description** RELAY GEN PURPOSE DPDT 10A 110V

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## LY2-0-DC100/110 Specifications

Manufacturer Part Number     LY2-0-DC100/110       Manufacturer     Omron Automation and Safety       Category     Relays       Power Relays, Over 2 Amps       Package     -       Series     LY       Relay Type     General Purpose       Coil Type     Non Latching       Coil Current     10mA       Coil Voltage     110VDC       Contact Form     DPDT (2 Form C)       Contact Rating (Current)     10A       Switching Voltage     250VAC, 125VDC - Max       Turn On Voltage (Max)     88 VDC       Turn Off Voltage (Min)     11 VDC       Operate Time     25ms       Release Time     25ms       Features     -       Mounting Type     Through Hole       Termination Style     PC Pin		
Category Relays Power Relays, Over 2 Amps Package Power Relays, Over 2 Amps  LY Relay Type General Purpose Coil Type Non Latching Coil Current 10mA Coil Voltage 110VDC Contact Form DPDT (2 Form C) Contact Rating (Current) 10A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 88 VDC Turn Off Voltage (Min) 11 VDC Operate Time 25ms Release Time 25ms Features - Mounting Type Through Hole Termination Style Peases Peases Peases Prover 2 Amps Power Relays, Over 2 Amps Peases 14  LY  Sens Sens Features Power Relays, Over 2 Amps Power Relays Power Powe	Manufacturer Part Number	LY2-0-DC100/110
Package-SeriesLYRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current10mACoil Voltage110VDCContact FormDPDT (2 Form C)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)88 VDCTurn Off Voltage (Min)11 VDCOperate Time25msRelease Time25msFeatures-Mounting TypeThrough HoleTermination StylePC Pin	Manufacturer	Omron Automation and Safety
Package-SeriesLYRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current10mACoil Voltage110VDCContact FormDPDT (2 Form C)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)88 VDCTurn Off Voltage (Min)11 VDCOperate Time25msRelease Time25msFeatures-Mounting TypeThrough HoleTermination StylePC Pin	Category	Relays
SeriesLYRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current10mACoil Voltage110VDCContact FormDPDT (2 Form C)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)88 VDCTurn Off Voltage (Min)11 VDCOperate Time25msRelease Time25msFeatures-Mounting TypeThrough HoleTermination StylePC Pin		Power Relays, Over 2 Amps
Relay Type General Purpose Coil Type Non Latching Coil Current 10mA Coil Voltage 110VDC Contact Form DPDT (2 Form C) Contact Rating (Current) 10A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 88 VDC Turn Off Voltage (Min) 11 VDC Operate Time 25ms Release Time 25ms Release Time 25ms Features - Mounting Type Through Hole Termination Style PC Pin	Package	-
Coil TypeNon LatchingCoil Current10mACoil Voltage110VDCContact FormDPDT (2 Form C)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)88 VDCTurn Off Voltage (Min)11 VDCOperate Time25msRelease Time25msFeatures-Mounting TypeThrough HoleTermination StylePC Pin	Series	LY
Coil Current10mACoil Voltage110VDCContact FormDPDT (2 Form C)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)88 VDCTurn Off Voltage (Min)11 VDCOperate Time25msRelease Time25msFeatures-Mounting TypeThrough HoleTermination StylePC Pin	Relay Type	General Purpose
Coil Voltage 110VDC Contact Form DPDT (2 Form C) Contact Rating (Current) 10A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 88 VDC Turn Off Voltage (Min) 11 VDC Operate Time 25ms Release Time 25ms Release Time	Coil Type	Non Latching
Contact Form DPDT (2 Form C)  Contact Rating (Current)  Switching Voltage  250VAC, 125VDC - Max  Turn On Voltage (Max)  88 VDC  Turn Off Voltage (Min)  11 VDC  Operate Time  25ms  Release Time  25ms  Release Time  7-  Mounting Type  Through Hole  Termination Style  DPDT (2 Form C)  10A  250VAC, 125VDC - Max  88 VDC  11 VDC  25ms  PC Pin	Coil Current	10mA
Contact Rating (Current)  Switching Voltage  250VAC, 125VDC - Max  Turn On Voltage (Max)  88 VDC  Turn Off Voltage (Min)  11 VDC  Operate Time  25ms  Release Time  25ms  Features  -  Mounting Type  Through Hole  Termination Style	Coil Voltage	110VDC
Switching Voltage 250VAC, 125VDC - Max  Turn On Voltage (Max) 88 VDC  Turn Off Voltage (Min) 11 VDC  Operate Time 25ms  Release Time 25ms  Features -  Mounting Type Through Hole  Termination Style PC Pin	Contact Form	DPDT (2 Form C)
Turn On Voltage (Max)  Turn Off Voltage (Min)  Operate Time  25ms  Release Time  25ms  Features  -  Mounting Type  Through Hole  Termination Style  88 VDC  11 VDC  25ms  -  Through Hole  PC Pin	Contact Rating (Current)	10A
Turn Off Voltage (Min)  Operate Time  25ms  Release Time  25ms  Features  - Mounting Type  Through Hole  Termination Style  11 VDC  25ms  Through Hole  PC Pin	Switching Voltage	250VAC, 125VDC - Max
Operate Time 25ms  Release Time 25ms  Features -  Mounting Type Through Hole  Termination Style PC Pin	Turn On Voltage (Max)	88 VDC
Release Time 25ms  Features - Mounting Type Through Hole Termination Style PC Pin	Turn Off Voltage (Min)	11 VDC
Features - Mounting Type Through Hole Termination Style PC Pin	Operate Time	25ms
Mounting Type Through Hole Termination Style PC Pin	Release Time	25ms
Termination Style PC Pin	Features	-
	Mounting Type	Through Hole
Report errors?	Termination Style	PC Pin
		Report errors?

#### LY2-0-DC100/110 Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## LY2-0-DC100/110 Payment Methods



















# LY2-0-DC100/110 Shipping Methods













If you have any question about LY2-0-DC100/110, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com