



LY2F-FD AC110/120 Information

Heisener.com

Part Number LY2F-FD AC110/120

Manufacturer Omron Automation and Safety

Category Relays

Power Relays, Over 2 Amps

Description RELAY GEN PURPOSE DPDT 10A 120V

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









LY2F-FD AC110/120 Specifications

| Manufacturer LY2F-FD AC110/120 Manufacturer Omron Automation and Safety Category Relays Power Relays, Over 2 Amps Package - Series LY Relay Type General Purpose Coil Type Non Latching Coil Current 9.2mA Coil Voltage 120VAC Contact Form DPDT (2 Form C) Contact Rating (Current) 10A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 96 VAC Turn Off Voltage (Min) 36 VAC Operate Time 25ms Release Time 25ms Features - Mounting Type Chassis Mount Termination Style Plug In | | |
|---|--------------------------|-----------------------------|
| Category Relays Power Relays, Over 2 Amps Package - Series LY Relay Type General Purpose Coil Type Non Latching Coil Current 9.2mA Coil Voltage 120VAC Contact Form DPDT (2 Form C) Contact Rating (Current) 10A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 7urn Off Voltage (Min) 36 VAC Operate Time 25ms Release Time 25ms Features - Mounting Type Chassis Mount Termination Style Plug In | Manufacturer Part Number | LY2F-FD AC110/120 |
| Package-SeriesLYRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current9.2mACoil Voltage120VACContact FormDPDT (2 Form C)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)96 VACTurn Off Voltage (Min)36 VACOperate Time25msRelease Time25msFeatures-Mounting TypeChassis MountTermination StylePlug In | Manufacturer | Omron Automation and Safety |
| Package - Series LY Relay Type General Purpose Coil Type Non Latching Coil Current 9.2mA Coil Voltage 120VAC Contact Form DPDT (2 Form C) Contact Rating (Current) 10A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 96 VAC Turn Off Voltage (Min) 36 VAC Operate Time 25ms Release Time 25ms Features - Mounting Type Chassis Mount Termination Style Plug In | Category | Relays |
| SeriesLYRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current9.2mACoil Voltage120VACContact FormDPDT (2 Form C)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)96 VACTurn Off Voltage (Min)36 VACOperate Time25msRelease Time25msFeatures-Mounting TypeChassis MountTermination StylePlug In | | Power Relays, Over 2 Amps |
| Relay Type General Purpose Coil Type Non Latching Coil Current 9.2mA Coil Voltage 120VAC Contact Form DPDT (2 Form C) Contact Rating (Current) 10A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 96 VAC Turn Off Voltage (Min) 36 VAC Operate Time 25ms Release Time 25ms Release Time 25ms Features - Mounting Type Chassis Mount Termination Style Plug In | Package | - |
| Coil TypeNon LatchingCoil Current9.2mACoil Voltage120VACContact FormDPDT (2 Form C)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)96 VACTurn Off Voltage (Min)36 VACOperate Time25msRelease Time25msFeatures-Mounting TypeChassis MountTermination StylePlug In | Series | LY |
| Coil Current9.2mACoil Voltage120VACContact FormDPDT (2 Form C)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)96 VACTurn Off Voltage (Min)36 VACOperate Time25msRelease Time25msFeatures-Mounting TypeChassis MountTermination StylePlug In | Relay Type | General Purpose |
| Coil Voltage120VACContact FormDPDT (2 Form C)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)96 VACTurn Off Voltage (Min)36 VACOperate Time25msRelease Time25msFeatures-Mounting TypeChassis MountTermination StylePlug In | Coil Type | Non Latching |
| Contact Form DPDT (2 Form C) Contact Rating (Current) 10A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 96 VAC Turn Off Voltage (Min) 36 VAC Operate Time 25ms Release Time 25ms Release Time 25ms Features - Chassis Mount Termination Style Plug In | Coil Current | 9.2mA |
| Contact Rating (Current) Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 96 VAC Turn Off Voltage (Min) 36 VAC Operate Time 25ms Release Time 25ms Features - Mounting Type Chassis Mount Termination Style | Coil Voltage | 120VAC |
| Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 96 VAC Turn Off Voltage (Min) 36 VAC Operate Time 25ms Release Time 25ms Features - Mounting Type Chassis Mount Termination Style Plug In | Contact Form | DPDT (2 Form C) |
| Turn On Voltage (Max) 7 Turn Off Voltage (Min) 96 VAC Operate Time 25 ms Release Time 25 ms Features - Mounting Type Chassis Mount Termination Style Plug In | Contact Rating (Current) | 10A |
| Turn Off Voltage (Min) Operate Time 25ms Release Time 25ms Features - Mounting Type Chassis Mount Termination Style Plug In | Switching Voltage | 250VAC, 125VDC - Max |
| Operate Time 25ms Release Time 25ms Features - Mounting Type Chassis Mount Termination Style Plug In | Turn On Voltage (Max) | 96 VAC |
| Release Time 25ms Features - Mounting Type Chassis Mount Termination Style Plug In | Turn Off Voltage (Min) | 36 VAC |
| Features - Chassis Mount Termination Style Plug In | Operate Time | 25ms |
| Mounting Type Chassis Mount Termination Style Plug In | Release Time | 25ms |
| Termination Style Plug In | Features | - |
| | Mounting Type | Chassis Mount |
| Report errors? | Termination Style | Plug In |
| | | Report errors? |

LY2F-FD AC110/120 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

LY2F-FD AC110/120 Payment Methods





















LY2F-FD AC110/120 Shipping Methods













If you have any question about LY2F-FD AC110/120, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com