



LY2I4N AC220/240 Information

Heisener.com

Part Number LY2I4N AC220/240

Manufacturer Omron Automation and Safety

Category Relays

Power Relays, Over 2 Amps

Description RELAY GEN PURPOSE DPDT 10A 240V

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









LY2I4N AC220/240 Specifications

| Manufacturer Part Number LY214N AC220/240 Manufacturer Omron Automation and Safety Category Relays Power Relays, Over 2 Amps Package - Series LY Relay Type General Purpose Coil Type Non Latching Coil Current 4.6mA Coil Voltage 240VAC Contact Form DPDT (2 Form C) Contact Rating (Current) 10A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 192 VAC Turn Off Voltage (Min) 72 VAC Operate Time 25ms Release Time 25ms Features LED Indicator, Test Button Mounting Type Socketable Termination Style Plug In | | |
|---|--------------------------|-----------------------------|
| Category Relays Power Relays, Over 2 Amps Package | Manufacturer Part Number | LY2I4N AC220/240 |
| Package-SeriesLYRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current4.6mACoil Voltage240VACContact FormDPDT (2 Form C)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)192 VACTurn Off Voltage (Min)72 VACOperate Time25msRelease Time25msFeaturesLED Indicator, Test ButtonMounting TypeSocketableTermination StylePlug In | Manufacturer | Omron Automation and Safety |
| Package-SeriesLYRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current4.6mACoil Voltage240VACContact FormDPDT (2 Form C)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)192 VACTurn Off Voltage (Min)72 VACOperate Time25msRelease Time25msFeaturesLED Indicator, Test ButtonMounting TypeSocketableTermination StylePlug In | Category | Relays |
| SeriesLYRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current4.6mACoil Voltage240VACContact FormDPDT (2 Form C)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)192 VACTurn Off Voltage (Min)72 VACOperate Time25msRelease Time25msFeaturesLED Indicator, Test ButtonMounting TypeSocketableTermination StylePlug In | | Power Relays, Over 2 Amps |
| Relay Type General Purpose Coil Type Non Latching Coil Current 4.6mA Coil Voltage 240VAC Contact Form DPDT (2 Form C) Contact Rating (Current) 10A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 192 VAC Turn Off Voltage (Min) 72 VAC Operate Time 25ms Release Time 25ms Release Time 25ms Features LED Indicator, Test Button Mounting Type Socketable Termination Style Plug In | Package | - |
| Coil TypeNon LatchingCoil Current4.6mACoil Voltage240VACContact FormDPDT (2 Form C)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)192 VACTurn Off Voltage (Min)72 VACOperate Time25msRelease Time25msFeaturesLED Indicator, Test ButtonMounting TypeSocketableTermination StylePlug In | Series | LY |
| Coil Current Coil Voltage 240VAC Contact Form DPDT (2 Form C) Contact Rating (Current) 10A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 192 VAC Turn Off Voltage (Min) 72 VAC Operate Time 25ms Release Time 25ms Features LED Indicator, Test Button Mounting Type Socketable Termination Style | Relay Type | General Purpose |
| Coil Voltage 240VAC Contact Form DPDT (2 Form C) Contact Rating (Current) 10A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 192 VAC Turn Off Voltage (Min) 72 VAC Operate Time 25ms Release Time 25ms Features LED Indicator, Test Button Mounting Type Socketable Termination Style Plug In | Coil Type | Non Latching |
| Contact Form DPDT (2 Form C) Contact Rating (Current) 10A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 192 VAC Turn Off Voltage (Min) 72 VAC Operate Time 25ms Release Time 25ms Release Time 25ms Features LED Indicator, Test Button Mounting Type Socketable Termination Style Plug In | Coil Current | 4.6mA |
| Contact Rating (Current) Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 192 VAC Turn Off Voltage (Min) 72 VAC Operate Time 25ms Release Time 25ms Features LED Indicator, Test Button Mounting Type Socketable Termination Style Plug In | Coil Voltage | 240VAC |
| Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 192 VAC Turn Off Voltage (Min) 72 VAC Operate Time 25ms Release Time 25ms Features LED Indicator, Test Button Mounting Type Socketable Termination Style Plug In | Contact Form | DPDT (2 Form C) |
| Turn On Voltage (Max) 192 VAC Turn Off Voltage (Min) 72 VAC Operate Time 25 ms Release Time 25 ms LED Indicator, Test Button Mounting Type Socketable Termination Style Plug In | Contact Rating (Current) | 10A |
| Turn Off Voltage (Min) 72 VAC Operate Time 25ms Release Time 25ms LED Indicator, Test Button Mounting Type Socketable Termination Style Plug In | Switching Voltage | 250VAC, 125VDC - Max |
| Operate Time 25ms Release Time 25ms Features LED Indicator, Test Button Mounting Type Socketable Termination Style Plug In | Turn On Voltage (Max) | 192 VAC |
| Release Time 25ms Features LED Indicator, Test Button Mounting Type Socketable Termination Style Plug In | Turn Off Voltage (Min) | 72 VAC |
| Features LED Indicator, Test Button Mounting Type Socketable Termination Style Plug In | Operate Time | 25ms |
| Mounting Type Socketable Termination Style Plug In | Release Time | 25ms |
| Termination Style Plug In | Features | LED Indicator, Test Button |
| | Mounting Type | Socketable |
| Report errors? | Termination Style | Plug In |
| | | Report errors? |

LY2I4N AC220/240 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

LY2I4N AC220/240 Payment Methods



















LY2I4N AC220/240 Shipping Methods













If you have any question about LY2I4N AC220/240, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com