

LY3I4-AC240 Information

wy risener com

For Reference Only

Part Number LY3I4-AC240

Manufacturer Omron Automation and Safety

Category Relays

Power Relays, Over 2 Amps

Description RELAY GEN PURPOSE 3PDT 10A 240V

Package

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









LY3I4-AC240 Specifications

Manufacturer Part NumberLY314-AC240ManufacturerOmron Automation and SafetyCategoryRelaysPower Relays, Over 2 AmpsPackage-SeriesLYRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current8mACoil Voltage240VACContact Form3PDT (3 Form C)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)192 VACTurn Off Voltage (Min)72 VACOperate Time25msRelease Time25msFeaturesTest ButtonMounting TypeSocketableTermination StylePlug In		
CategoryRelaysPower Relays, Over 2 AmpsPackage-SeriesLYRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current8mACoil Voltage240VACContact Form3PDT (3 Form C)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)192 VACTurn Off Voltage (Min)72 VACOperate Time25msRelease Time25msFeaturesTest ButtonMounting TypeSocketableTermination StylePlug In	Manufacturer Part Number	LY3I4-AC240
Package-SeriesLYRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current8mACoil Voltage240VACContact Form3PDT (3 Form C)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)192 VACTurn Off Voltage (Min)72 VACOperate Time25msRelease Time25msFeaturesTest ButtonMounting TypeSocketableTermination StylePlug In	Manufacturer	Omron Automation and Safety
Package - Series LY Relay Type General Purpose Coil Type Non Latching Coil Current 8mA Coil Voltage 240VAC Contact Form 3PDT (3 Form C) Contact Rating (Current) 10A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 192 VAC Turn Off Voltage (Min) 72 VAC Operate Time 25ms Release Time 25ms Features Test Button Mounting Type Socketable Termination Style Plug In	Category	Relays
SeriesLYRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current8mACoil Voltage240 V ACContact Form3PDT (3 Form C)Contact Rating (Current)10ASwitching Voltage250 V AC, 125 V DC - MaxTurn On Voltage (Max)192 V ACTurn Off Voltage (Min)72 V ACOperate Time25 msRelease Time25 msFeaturesTest ButtonMounting TypeSocketableTermination StylePlug In		Power Relays, Over 2 Amps
Relay Type General Purpose Coil Type Non Latching Coil Current 8mA Coil Voltage 240VAC Contact Form 3PDT (3 Form C) Contact Rating (Current) 10A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 192 VAC Turn Off Voltage (Min) 72 VAC Operate Time 25ms Release Time 25ms Release Time 25ms Features Test Button Mounting Type Socketable Termination Style Plug In	Package	-
Coil TypeNon LatchingCoil Current8mACoil Voltage240VACContact Form3PDT (3 Form C)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)192 VACTurn Off Voltage (Min)72 VACOperate Time25msRelease Time25msFeaturesTest ButtonMounting TypeSocketableTermination StylePlug In	Series	LY
Coil Current8mACoil Voltage240VACContact Form3PDT (3 Form C)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)192 VACTurn Off Voltage (Min)72 VACOperate Time25msRelease Time25msFeaturesTest ButtonMounting TypeSocketableTermination StylePlug In	Relay Type	General Purpose
Coil Voltage 240VAC Contact Form 3PDT (3 Form C) Contact Rating (Current) 10A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 192 VAC Turn Off Voltage (Min) 72 VAC Operate Time 25ms Release Time 25ms Features Test Button Mounting Type Socketable Termination Style Plug In	Coil Type	Non Latching
Contact Form 3PDT (3 Form C) Contact Rating (Current) 10A Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 192 VAC Turn Off Voltage (Min) 72 VAC Operate Time 25ms Release Time 25ms Release Time 25ms Features Test Button Mounting Type Socketable Termination Style Plug In	Coil Current	8mA
Contact Rating (Current) Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 192 VAC Turn Off Voltage (Min) 72 VAC Operate Time 25ms Release Time 25ms Features Test Button Mounting Type Socketable Termination Style	Coil Voltage	240VAC
Switching Voltage 250VAC, 125VDC - Max Turn On Voltage (Max) 192 VAC Turn Off Voltage (Min) 72 VAC Operate Time 25ms Release Time 25ms Features Test Button Mounting Type Socketable Termination Style Plug In	Contact Form	3PDT (3 Form C)
Turn On Voltage (Max) 192 VAC Turn Off Voltage (Min) 72 VAC Operate Time 25ms Release Time 25ms Features Test Button Mounting Type Socketable Termination Style Plug In	Contact Rating (Current)	10A
Turn Off Voltage (Min) 72 VAC Operate Time 25ms Release Time 25ms Features Test Button Mounting Type Socketable Termination Style Plug In	Switching Voltage	250VAC, 125VDC - Max
Operate Time 25ms Release Time 25ms Features Test Button Mounting Type Socketable Termination Style Plug In	Turn On Voltage (Max)	192 VAC
Release Time 25ms Features Test Button Mounting Type Socketable Termination Style Plug In	Turn Off Voltage (Min)	72 VAC
Features Test Button Mounting Type Socketable Termination Style Plug In	Operate Time	25ms
Mounting Type Socketable Termination Style Plug In	Release Time	25ms
Termination Style Plug In	Features	Test Button
	Mounting Type	Socketable
Report errors?	Termination Style	Plug In
•		Report errors?

LY3I4-AC240 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

LY3I4-AC240 Payment Methods





















LY3I4-AC240 Shipping Methods













If you have any question about LY3I4-AC240, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com