

LY4-AC24

LY4-AC24 Information



| Part Number | LY4-AC24 |
|--------------|--|
| Manufacturer | Omron Automation and Safety |
| Category | Relays Power Relays, Over 2 Amps |
| Description | RELAY GEN PURPOSE 4PDT 10A 24V |
| Package | - |
| | For the pricing/inventory/lead time, please contact us Website: https://www.heisener.com E-mail: salesdept@heisener.com |



Request a Quote

For Reference Only

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



LY4-AC24 Specifications

| Manufacturer Part NumberLY4-AC24ManufacturerOmron Automation and SafetyCategoryRelaysPower Relays, Over 2 AmpsPower Relays, Over 2 AmpsPackage-SeriesLYRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current80mACoil Voltage24VACContact Form10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)9.2 VACTurn Off Voltage (Min)7.2 VACOperate Time25ms |
|---|
| CategoryRelaysPower Relays, Over 2 AmpsPackage-SeriesLYRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current80mACoil Voltage24VACContact Form4PDT (4 Form C)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)7.2 VAC |
| PackagePower Relays, Over 2 AmpsPackage-SeriesLYRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current80mACoil Voltage24VACContact Form4PDT (4 Form C)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)19.2 VACTurn Off Voltage (Min)7.2 VAC |
| Package-SeriesLYRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current80mACoil Voltage24VACContact Form4PDT (4 Form C)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)19.2 VACTurn Off Voltage (Min)7.2 VAC |
| SeriesLYRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current80mACoil Voltage24VACContact Form4PDT (4 Form C)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)19.2 VACTurn Off Voltage (Min)7.2 VAC |
| Relay TypeGeneral PurposeCoil TypeNon LatchingCoil Current80mACoil Voltage24VACContact Form4PDT (4 Form C)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)19.2 VACTurn Off Voltage (Min)7.2 VAC |
| Coil TypeNon LatchingCoil Current80mACoil Voltage24VACContact Form4PDT (4 Form C)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)19.2 VACTurn Off Voltage (Min)7.2 VAC |
| Coil Current80mACoil Voltage24VACContact Form4PDT (4 Form C)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)19.2 VACTurn Off Voltage (Min)7.2 VAC |
| Coil Voltage24VACContact Form4PDT (4 Form C)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)19.2 VACTurn Off Voltage (Min)7.2 VAC |
| Contact Form4PDT (4 Form C)Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)19.2 VACTurn Off Voltage (Min)7.2 VAC |
| Contact Rating (Current)10ASwitching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)19.2 VACTurn Off Voltage (Min)7.2 VAC |
| Switching Voltage250VAC, 125VDC - MaxTurn On Voltage (Max)19.2 VACTurn Off Voltage (Min)7.2 VAC |
| Turn On Voltage (Max)19.2 VACTurn Off Voltage (Min)7.2 VAC |
| Turn Off Voltage (Min)7.2 VAC |
| |
| Operate Time 25ms |
| |
| Release Time 25ms |
| Features - |
| Mounting Type Socketable |
| Termination Style Plug In |
| Report errors? |

LY4-AC24 Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

RVICE Set

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.



If you have any question about LY4-AC24, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com