



M74HC11TTR Information



For Reference Only

Part Number M74HC11TTR

Manufacturer STMicroelectronics

Category Integrated Circuits (ICs)
Logic - Gates and Inverters

Description IC GATE AND 3CH 3-INP 14-TSSOP **Package** 14-TSSOP (0.173", 4.40mm Width)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









M74HC11TTR Specifications

Manufacturer Part Number M74HC11TTR Manufacturer STMicroelectronics Category Integrated Circuits (ICs) Logic - Gates and Inverters Logic - Gates and Inverters Package 14-TSSOP (0.173", 4.40mm Width) Series 74HC Logic Type AND Gate Number of Circuits 3 Number of Inputs 3 Features - Voltage - Supply 2 V ~ 6 V Current - Quiescent (Max) 1μA Current - Output High, Low 5.2mA, 5.2mA Logic Level - Low 0.5 V ~ 1.8 V Logic Level - High 1.5 V ~ 4.2 V Max Propagation Delay @ V, Max CL 14ns @ 6V, 50pF Operating Temperature -55°C ~ 125°C Mounting Type Surface Mount Supplier Device Package 14-TSSOP Package / Case 14-TSSOP (0.173", 4.40mm Width)		
CategoryIntegrated Circuits (ICs)Logic - Gates and InvertersPackage 14-TSSOP (0.173", 4.40mm Width)Series 74HC Logic TypeAND GateNumber of Circuits 3 Number of Inputs 3 Features-Voltage - Supply $2 \text{ V} \sim 6 \text{ V}$ Current - Quiescent (Max) $1 \mu A$ Current - Output High, Low $5.2 \text{mA}, 5.2 \text{mA}$ Logic Level - Low $0.5 \text{ V} \sim 1.8 \text{ V}$ Logic Level - High $1.5 \text{ V} \sim 4.2 \text{ V}$ Max Propagation Delay @ V, Max CL 14ns @ 6 V , 50pF Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Mounting TypeSurface MountSupplier Device Package 14-TSSOP	Manufacturer Part Number	M74HC11TTR
Package Logic - Gates and Inverters Package 14-TSSOP (0.173", 4.40mm Width) Series 74HC Logic Type AND Gate Number of Circuits 3 Number of Inputs 3 Features - Voltage - Supply 2 V ~ 6 V Current - Quiescent (Max) 1μA Current - Output High, Low 5.2mA, 5.2mA Logic Level - Low 0.5 V ~ 1.8 V Logic Level - High 1.5 V ~ 4.2 V Max Propagation Delay @ V, Max CL 14ns @ 6V, 50pF Operating Temperature -55°C ~ 125°C Mounting Type Surface Mount Supplier Device Package 14-TSSOP	Manufacturer	STMicroelectronics
Package14-TSSOP (0.173", 4.40mm Width)Series74HCLogic TypeAND GateNumber of Circuits3Number of Inputs3Features-Voltage - Supply2 V ~ 6 VCurrent - Quiescent (Max)1μACurrent - Output High, Low5.2mA, 5.2mALogic Level - Low0.5 V ~ 1.8 VLogic Level - High1.5 V ~ 4.2 VMax Propagation Delay @ V, Max CL14ns @ 6V, 50pFOperating Temperature-55°C ~ 125°CMounting TypeSurface MountSupplier Device Package14-TSSOP	Category	Integrated Circuits (ICs)
Series 74HC Logic Type AND Gate Number of Circuits 3 Number of Inputs 3 Features - Voltage - Supply 2 V ~ 6 V Current - Quiescent (Max) 1μA Current - Output High, Low 5.2mA, 5.2mA Logic Level - Low 0.5 V ~ 1.8 V Logic Level - High 1.5 V ~ 4.2 V Max Propagation Delay @ V, Max CL 14ns @ 6V, 50pF Operating Temperature -55°C ~ 125°C Mounting Type Surface Mount Supplier Device Package 14-TSSOP		Logic - Gates and Inverters
Logic TypeAND GateNumber of Circuits3Number of Inputs3Features-Voltage - Supply $2 \text{ V} \sim 6 \text{ V}$ Current - Quiescent (Max) $1\mu\text{A}$ Current - Output High, Low 5.2mA , 5.2mA Logic Level - Low $0.5 \text{ V} \sim 1.8 \text{ V}$ Logic Level - High $1.5 \text{ V} \sim 4.2 \text{ V}$ Max Propagation Delay @ V, Max CL 14ns @ 6V, 50pF Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Mounting TypeSurface MountSupplier Device Package 14-TSSOP	Package	14-TSSOP (0.173", 4.40mm Width)
Number of Circuits3Number of Inputs3Features-Voltage - Supply2 V ~ 6 VCurrent - Quiescent (Max)1μACurrent - Output High, Low5.2mA, 5.2mALogic Level - Low0.5 V ~ 1.8 VLogic Level - High1.5 V ~ 4.2 VMax Propagation Delay @ V, Max CL14ns @ 6V, 50pFOperating Temperature-55°C ~ 125°CMounting TypeSurface MountSupplier Device Package14-TSSOP	Series	74HC
Number of Inputs3Features-Voltage - Supply2 V ~ 6 VCurrent - Quiescent (Max)1μACurrent - Output High, Low5.2mA, 5.2mALogic Level - Low0.5 V ~ 1.8 VLogic Level - High1.5 V ~ 4.2 VMax Propagation Delay @ V, Max CL14ns @ 6V, 50pFOperating Temperature-55°C ~ 125°CMounting TypeSurface MountSupplier Device Package14-TSSOP	Logic Type	AND Gate
Features - Voltage - Supply 2 $V \sim 6 V$ Current - Quiescent (Max) 1 μ A Current - Output High, Low 5.2mA, 5.2mA Logic Level - Low 0.5 $V \sim 1.8 V$ Logic Level - High 1.5 $V \sim 4.2 V$ Max Propagation Delay @ V , Max CL 14ns @ $6V$, $50pF$ Operating Temperature -55°C ~ 125 °C Mounting Type Surface Mount Supplier Device Package 14-TSSOP	Number of Circuits	3
Voltage - Supply $2\ V \sim 6\ V$ $Current - Quiescent (Max) \\ Current - Output High, Low \\ 5.2mA, 5.2mA \\ Logic Level - Low \\ 0.5\ V \sim 1.8\ V$ $Logic Level - High \\ Max\ Propagation\ Delay\ @\ V,\ Max\ CL \\ Operating\ Temperature \\ -55^{\circ}C \sim 125^{\circ}C \\ Mounting\ Type \\ Surface\ Mount \\ Supplier\ Device\ Package$	Number of Inputs	3
Current - Quiescent (Max) $1\mu A$ Current - Output High, Low $5.2mA, 5.2mA$ Logic Level - Low $0.5 \text{ V} \sim 1.8 \text{ V}$ Logic Level - High $1.5 \text{ V} \sim 4.2 \text{ V}$ Max Propagation Delay @ V, Max CL $14ns @ 6V, 50pF$ Operating Temperature $-55^{\circ}C \sim 125^{\circ}C$ Mounting Type $Surface Mount$ Supplier Device Package $14-TSSOP$	Features	-
Current - Output High, Low 5.2mA , 5.2mA Logic Level - Low $0.5 \text{ V} \sim 1.8 \text{ V}$ Logic Level - High $1.5 \text{ V} \sim 4.2 \text{ V}$ Max Propagation Delay @ V, Max CL 14ns @ 6V , 50pF Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Mounting TypeSurface MountSupplier Device Package 14-TSSOP	Voltage - Supply	2 V ~ 6 V
Logic Level - Low $0.5 \text{ V} \sim 1.8 \text{ V}$ Logic Level - High $1.5 \text{ V} \sim 4.2 \text{ V}$ Max Propagation Delay @ V, Max CL 14ns @ 6V , 50pF Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Mounting TypeSurface MountSupplier Device Package 14-TSSOP	Current - Quiescent (Max)	1μΑ
Logic Level - High 1.5 V ~ 4.2 V Max Propagation Delay @ V, Max CL 14ns @ 6V, 50pF Operating Temperature -55°C ~ 125°C Mounting Type Surface Mount Supplier Device Package 14-TSSOP	Current - Output High, Low	5.2mA, 5.2mA
Max Propagation Delay @ V, Max CL14ns @ 6V, 50pFOperating Temperature-55°C ~ 125°CMounting TypeSurface MountSupplier Device Package14-TSSOP	Logic Level - Low	0.5 V ~ 1.8 V
Operating Temperature-55°C ~ 125°CMounting TypeSurface MountSupplier Device Package14-TSSOP	Logic Level - High	1.5 V ~ 4.2 V
Mounting Type Surface Mount Supplier Device Package 14-TSSOP	Max Propagation Delay @ V, Max CL	14ns @ 6V, 50pF
Supplier Device Package 14-TSSOP	Operating Temperature	-55°C ~ 125°C
	Mounting Type	Surface Mount
Package / Case 14-TSSOP (0.173", 4.40mm Width)	Supplier Device Package	14-TSSOP
	Package / Case	14-TSSOP (0.173", 4.40mm Width)
Report errors?		Report errors?

M74HC11TTR Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

M74HC11TTR Payment Methods



















M74HC11TTR Shipping Methods













If you have any question about M74HC11TTR, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com