

M8340109K2202GCD03

M8340109K2202GCD03 Information

Part Number M8340109K2202GCD03

Manufacturer Vishay Dale Category Resistors

Resistor Networks, Arrays

Description RES ARRAY 9 RES 22K OHM 10SIP

Package 10-SIP

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

For Reference Only

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









M8340109K2202GCD03 Specifications

Manufacturer Part Number M8340109K2202GCD03 Manufacturer Vishay Dale Category Resistors Resistor Networks, Arrays Package 10-SIP Series Military, MIL-PRF-83401/09, RZ090 Circuit Type Bussed Resistance (Ohms) 22k Tolerance ±2% Number of Resistors 9 Number of Pins 10 Power Per Element 120mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications Military Mounting Type Through Hole Package / Case 10-SIP Supplier Device Package 10-SIP Size / Dimension 0.983" L x 0.098" W (24.97mm x 2.49mm) Height - Seated (Max) 0.195" (4.95mm)		
Category Resistors Resistor Networks, Arrays Package 10-SIP Series Military, MIL-PRF-83401/09, RZ090 Circuit Type Bussed Resistance (Ohms) 22k Tolerance ±2% Number of Resistors 9 Number of Pins 10 Power Per Element 120mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications Military Mounting Type Through Hole Package / Case 10-SIP Supplier Device Package 10-SIP Size / Dimension 0.983" L x 0.098" W (24.97mm x 2.49mm) Height - Seated (Max) 0.195" (4.95mm)	Manufacturer Part Number	M8340109K2202GCD03
Resistor Networks, Arrays Package 10-SIP Series Military, MIL-PRF-83401/09, RZ090 Circuit Type Bussed Resistance (Ohms) 22k Tolerance ±2% Number of Resistors 9 Number of Pins 10 Power Per Element 120mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications Military Mounting Type Through Hole Package / Case 10-SIP Supplier Device Package 10-SIP Size / Dimension 0.983" L x 0.098" W (24.97mm x 2.49mm) Height - Seated (Max) 0.195" (4.95mm)	Manufacturer	Vishay Dale
Package 10-SIP Series Military, MIL-PRF-83401/09, RZ090 Circuit Type Bussed Resistance (Ohms) 22k Tolerance ±2% Number of Resistors 9 Number of Pins 10 Power Per Element 120mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications Military Mounting Type Through Hole Package / Case 10-SIP Supplier Device Package 10-SIP Size / Dimension 0.983" L x 0.098" W (24.97mm x 2.49mm) Height - Seated (Max) 0.195" (4.95mm)	Category	Resistors
SeriesMilitary, MIL-PRF-83401/09, RZ090Circuit TypeBussedResistance (Ohms)22kTolerance±2%Number of Resistors9Number of Pins10Power Per Element120mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplicationsMilitaryMounting TypeThrough HolePackage / Case10-SIPSupplier Device Package10-SIPSize / Dimension0.983" L x 0.098" W (24.97mm x 2.49mm)Height - Seated (Max)0.195" (4.95mm)		Resistor Networks, Arrays
Circuit TypeBussedResistance (Ohms)22kTolerance±2%Number of Resistors9Number of Pins10Power Per Element120mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplicationsMilitaryMounting TypeThrough HolePackage / Case10-SIPSupplier Device Package10-SIPSize / Dimension0.983" L x 0.098" W (24.97mm x 2.49mm)Height - Seated (Max)0.195" (4.95mm)	Package	10-SIP
Resistance (Ohms) 22k Tolerance ±2% Number of Resistors 9 Number of Pins 10 Power Per Element 120mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications Military Mounting Type Through Hole Package / Case 10-SIP Supplier Device Package 10-SIP Size / Dimension 0.983" L x 0.098" W (24.97mm x 2.49mm) Height - Seated (Max) 0.195" (4.95mm)	Series	Military, MIL-PRF-83401/09, RZ090
Tolerance ±2% Number of Resistors 9 Number of Pins 10 Power Per Element 120mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications Military Mounting Type Through Hole Package / Case 10-SIP Supplier Device Package 10-SIP Size / Dimension 0.983" L x 0.098" W (24.97mm x 2.49mm) Height - Seated (Max) 0.195" (4.95mm)	Circuit Type	Bussed
Number of Resistors9Number of Pins10Power Per Element120mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplicationsMilitaryMounting TypeThrough HolePackage / Case10-SIPSupplier Device Package10-SIPSize / Dimension0.983" L x 0.098" W (24.97mm x 2.49mm)Height - Seated (Max)0.195" (4.95mm)	Resistance (Ohms)	22k
Number of Pins 10 Power Per Element 120mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications Military Mounting Type Through Hole Package / Case 10-SIP Size / Dimension 0.983" L x 0.098" W (24.97mm x 2.49mm) Height - Seated (Max) 10 10 10 10 10 10 10 10 10 1	Tolerance	±2%
Power Per Element 120mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications Military Mounting Type Through Hole Package / Case 10-SIP Supplier Device Package 10-SIP Size / Dimension 0.983" L x 0.098" W (24.97mm x 2.49mm) Height - Seated (Max) 0.195" (4.95mm)	Number of Resistors	9
Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications Military Mounting Type Through Hole Package / Case 10-SIP Supplier Device Package 10-SIP Size / Dimension 0.983" L x 0.098" W (24.97mm x 2.49mm) Height - Seated (Max) 0.195" (4.95mm)	Number of Pins	10
Operating Temperature -55°C ~ 125°C Applications Military Mounting Type Through Hole Package / Case 10-SIP Supplier Device Package 10-SIP Size / Dimension 0.983" L x 0.098" W (24.97mm x 2.49mm) Height - Seated (Max) 0.195" (4.95mm)	Power Per Element	120mW
Applications Military Mounting Type Through Hole Package / Case 10-SIP Supplier Device Package 10-SIP Size / Dimension 0.983" L x 0.098" W (24.97mm x 2.49mm) Height - Seated (Max) 0.195" (4.95mm)	Temperature Coefficient	±100ppm/°C
Mounting Type Through Hole Package / Case 10-SIP Supplier Device Package 10-SIP Size / Dimension 0.983" L x 0.098" W (24.97mm x 2.49mm) Height - Seated (Max) 0.195" (4.95mm)	Operating Temperature	-55°C ~ 125°C
Package / Case 10-SIP Supplier Device Package 10-SIP Size / Dimension 0.983" L x 0.098" W (24.97mm x 2.49mm) Height - Seated (Max) 0.195" (4.95mm)	Applications	Military
Supplier Device Package 10-SIP Size / Dimension 0.983" L x 0.098" W (24.97mm x 2.49mm) Height - Seated (Max) 0.195" (4.95mm)	Mounting Type	Through Hole
Size / Dimension 0.983" L x 0.098" W (24.97mm x 2.49mm) Height - Seated (Max) 0.195" (4.95mm)	Package / Case	10-SIP
Height - Seated (Max) 0.195" (4.95mm)	Supplier Device Package	10-SIP
	Size / Dimension	0.983" L x 0.098" W (24.97mm x 2.49mm)
Report errors?	Height - Seated (Max)	0.195" (4.95mm)
		Report errors?

M8340109K2202GCD03 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

M8340109K2202GCD03 Payment Methods

































If you have any question about M8340109K2202GCD03, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com