



M83723/72R2025N Information

Heisener.com

Part Number M83723/72R2025N

Manufacturer TE Connectivity Deutsch Connectors

Category Connectors, Interconnects

Circular Connectors

Description CONN RCPT 25POS FLANGE W/PINS

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









M83723/72R2025N Specifications

| Manufacturer Part Number M83723/72R2025N Manufacturer TE Connectivity Deutsch Connectors Category Connectors, Interconnects Package - Series Military, MIL-DTL-83723 Series III Connector Type Receptacle, Male Pins Number of Positions 25 Shell Size - Insert 20-25 Shell Size, MIL - Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Gold Features - Voltage - Rated - Current Rating 7.5A, 23A | | |
|---|--------------------------|--------------------------------------|
| Category Circular Connectors Circular Connectors Package - Series Military, MIL-DTL-83723 Series III Connector Type Receptacle, Male Pins Number of Positions 25 Shell Size - Insert 20-25 Shell Size, MIL - Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Gold Features Voltage - Rated Current Rating 7,5A, 23A | Manufacturer Part Number | M83723/72R2025N |
| Package-SeriesMilitary, MIL-DTL-83723 Series IIIConnector TypeReceptacle, Male PinsNumber of Positions25Shell Size - Insert20-25Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum, Nickel Plated, ElectrolessContact FinishGoldFeatures-Voltage - Rated-Current Rating7.5A, 23A | Manufacturer | TE Connectivity Deutsch Connectors |
| Package - Military, MIL-DTL-83723 Series III Connector Type Receptacle, Male Pins Number of Positions 25 Shell Size - Insert 20-25 Shell Size, MIL - Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Gold Features - Voltage - Rated Current Rating 7,5A, 23A | Category | Connectors, Interconnects |
| SeriesMilitary, MIL-DTL-83723 Series IIIConnector TypeReceptacle, Male PinsNumber of Positions25Shell Size - Insert20-25Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum, Nickel Plated, ElectrolessContact FinishGoldFeatures-Voltage - Rated-Current Rating7.5A, 23A | | Circular Connectors |
| Connector TypeReceptacle, Male PinsNumber of Positions25Shell Size - Insert20-25Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum, Nickel Plated, ElectrolessContact FinishGoldFeatures-Voltage - Rated-Current Rating7.5A, 23A | Package | - |
| Number of Positions25Shell Size - Insert20-25Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum, Nickel Plated, ElectrolessContact FinishGoldFeatures-Voltage - Rated-Current Rating7.5A, 23A | Series | Military, MIL-DTL-83723 Series III |
| Shell Size - Insert20-25Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum, Nickel Plated, ElectrolessContact FinishGoldFeatures-Voltage - Rated-Current Rating7.5A, 23A | Connector Type | Receptacle, Male Pins |
| Shell Size, MIL Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Features - Voltage - Rated Current Rating 7.5A, 23A | Number of Positions | 25 |
| Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum, Nickel Plated, ElectrolessContact FinishGoldFeatures-Voltage - Rated-Current Rating7.5A, 23A | Shell Size - Insert | 20-25 |
| Termination Crimp Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Gold Features - Voltage - Rated - Current Rating 7.5A, 23A | Shell Size, MIL | - |
| Fastening Type Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Gold Features - Voltage - Rated Current Rating Bayonet Lock N (Normal) Environment Resistant Aluminum, Nickel Plated, Electroless - Tolant Plated - 7.5A, 23A | Mounting Type | Panel Mount, Flange |
| Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Nickel Plated, Electroless Contact Finish Gold Features - Voltage - Rated - Current Rating 7.5A, 23A | Termination | Crimp |
| Ingress Protection Environment Resistant Aluminum, Nickel Plated, Electroless Contact Finish Gold Features - Voltage - Rated Current Rating Total Current Rating Current Rating Environment Resistant Aluminum, Nickel Plated, Electroless Gold - - 7.5A, 23A | Fastening Type | Bayonet Lock |
| Shell Material, Finish Contact Finish Gold Features Voltage - Rated Current Rating Aluminum, Nickel Plated, Electroless Gold - 7.5A, 23A | Orientation | N (Normal) |
| Contact Finish Gold Features - Voltage - Rated - Current Rating 7.5A, 23A | Ingress Protection | Environment Resistant |
| Features - Voltage - Rated - Current Rating 7.5A, 23A | Shell Material, Finish | Aluminum, Nickel Plated, Electroless |
| Voltage - Rated - Current Rating 7.5A, 23A | Contact Finish | Gold |
| Current Rating 7.5A, 23A | Features | - |
| - | Voltage - Rated | - |
| Report errors? | Current Rating | 7.5A, 23A |
| | | Report errors? |

M83723/72R2025N Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

M83723/72R2025N Payment Methods



















M83723/72R2025N Shipping Methods













If you have any question about M83723/72R2025N, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com