



M83723/75W20259 Information

Heisener.com

Part Number M83723/75W20259

Manufacturer Amphenol Aerospace Operations

Category Connectors, Interconnects

Circular Connectors

Description CONN PLUG 25POS STRAIGHT W/SCKT

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









M83723/75W20259 Specifications

Manufacturer Part Number M83723/75W20259 Manufacturer Amphenol Aerospace Operations Category Connectors, Interconnects Package - Series Military, MIL-DTL-83723 Series III Connector Type Plug, Female Sockets Number of Positions 25 Shell Size - Insert 20-25 Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Bayonet Lock Orientation 9 Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Olive Drab Cadmium Plated Contact Finish Gold Features - Voltage - Rated - Current Rating 7.5A, 23A		
Category Connectors, Interconnects Circular Connectors Package - Series Military, MIL-DTL-83723 Series III Connector Type Plug, Female Sockets Number of Positions 25 Shell Size - Insert 20-25 Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Bayonet Lock Orientation 9 Ingress Protection Shell Material, Finish Aluminum, Olive Drab Cadmium Plated Contact Finish Gold Features Voltage - Rated Current Rating 7,5A, 23A	Manufacturer Part Number	M83723/75W20259
Package-SeriesMilitary, MIL-DTL-83723 Series IIIConnector TypePlug, Female SocketsNumber of Positions25Shell Size - Insert20-25Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientation9Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum, Olive Drab Cadmium PlatedContact FinishGoldFeatures-Voltage - Rated-Current Rating7.5A, 23A	Manufacturer	Amphenol Aerospace Operations
Package-SeriesMilitary, MIL-DTL-83723 Series IIIConnector TypePlug, Female SocketsNumber of Positions25Shell Size - Insert20-25Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientation9Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum, Olive Drab Cadmium PlatedContact FinishGoldFeatures-Voltage - Rated-Current Rating7.5A, 23A	Category	Connectors, Interconnects
Series Military, MIL-DTL-83723 Series III Connector Type Plug, Female Sockets Number of Positions 25 Shell Size - Insert 20-25 Shell Size, MIL		Circular Connectors
Connector TypePlug, Female SocketsNumber of Positions25Shell Size - Insert20-25Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientation9Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum, Olive Drab Cadmium PlatedContact FinishGoldFeatures-Voltage - Rated-Current Rating7.5A, 23A	Package	-
Number of Positions25Shell Size - Insert20-25Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientation9Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum, Olive Drab Cadmium PlatedContact FinishGoldFeatures-Voltage - Rated-Current Rating7.5A, 23A	Series	Military, MIL-DTL-83723 Series III
Shell Size - Insert Shell Size, MIL	Connector Type	Plug, Female Sockets
Shell Size, MIL Mounting Type Free Hanging (In-Line) Crimp Fastening Type Bayonet Lock Orientation 9 Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Olive Drab Cadmium Plated Contact Finish Features - Voltage - Rated - Current Rating 7.5A, 23A	Number of Positions	25
Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientation9Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum, Olive Drab Cadmium PlatedContact FinishGoldFeatures-Voltage - Rated-Current Rating7.5A, 23A	Shell Size - Insert	20-25
Termination Crimp Fastening Type Bayonet Lock Orientation 9 Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Olive Drab Cadmium Plated Contact Finish Gold Features - Voltage - Rated - Current Rating 7,5A, 23A	Shell Size, MIL	-
Fastening Type Orientation 9 Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Olive Drab Cadmium Plated Contact Finish Gold Features - Voltage - Rated Current Rating 7.5A, 23A	Mounting Type	Free Hanging (In-Line)
Orientation 9 Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Olive Drab Cadmium Plated Contact Finish Gold Features - Voltage - Rated - Current Rating 7.5A, 23A	Termination	Crimp
Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Olive Drab Cadmium Plated Contact Finish Gold Features - Voltage - Rated - Current Rating 7.5A, 23A	Fastening Type	Bayonet Lock
Shell Material, Finish Contact Finish Gold Features - Voltage - Rated Current Rating 7.5A, 23A	Orientation	9
Contact Finish Gold Features - Voltage - Rated - Current Rating 7.5A, 23A	Ingress Protection	Environment Resistant
Features - Voltage - Rated - Current Rating 7.5A, 23A	Shell Material, Finish	Aluminum, Olive Drab Cadmium Plated
Voltage - Rated - Current Rating 7.5A, 23A	Contact Finish	Gold
Current Rating 7.5A, 23A	Features	-
	Voltage - Rated	-
Report errors?	Current Rating	7.5A, 23A
Report circles.		Report errors?

M83723/75W20259 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

M83723/75W20259 Payment Methods



















M83723/75W20259 Shipping Methods













If you have any question about M83723/75W20259, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com