



### **MA101A301GAA Information**

www.helsener.com

For Reference Only

Part Number MA101A301GAA Manufacturer AVX Corporation

Category Capacitors

Ceramic Capacitors

CAP CER 300PF 100V NP0 AXIAL **Description** 

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## **MA101A301GAA Specifications**

Manufacturer Part NumberMA101A301GAAManufacturerAVX CorporationCategoryCapacitorsPackageAxialSeriesCeralam? MACapacitance300pFTolerance±2%Voltage - Rated100VTemperature CoefficientCOG, NPOOperating Temperature-55°C ~ 125°CFeatures-ApplicationsGeneral PurposeFailure Rate-Mounting TypeThrough HolePackage / CaseAxialSize / Dimension0.090" Dia x 0.160" L (2.29mm x 4.07mm)		
Category         Capacitors           Package         Axial           Series         Ceralam? MA           Capacitance         300pF           Tolerance         ±2%           Voltage - Rated         100V           Temperature Coefficient         C0G, NP0           Operating Temperature         -55°C ~ 125°C           Features         -           Ratings         -           Applications         General Purpose           Failure Rate         -           Mounting Type         Through Hole           Package / Case         Axial           Size / Dimension         0.090" Dia x 0.160" L (2.29mm x 4.07mm)	Manufacturer Part Number	MA101A301GAA
PackageAxialSeriesCeralam? MACapacitance300pFTolerance±2%Voltage - Rated100VTemperature CoefficientC0G, NP0Operating Temperature-55°C ~ 125°CFeatures-Ratings-ApplicationsGeneral PurposeFailure Rate-Mounting TypeThrough HolePackage / CaseAxialSize / Dimension0.090" Dia x 0.160" L (2.29mm x 4.07mm)	Manufacturer	AVX Corporation
PackageAxialSeriesCeralam? MACapacitance300pFTolerance±2%Voltage - Rated100VTemperature CoefficientC0G, NP0Operating Temperature-55°C ~ 125°CFeatures-Ratings-ApplicationsGeneral PurposeFailure Rate-Mounting TypeThrough HolePackage / CaseAxialSize / Dimension0.090" Dia x 0.160" L (2.29mm x 4.07mm)	Category	Capacitors
Series         Ceralam? MA           Capacitance         300pF           Tolerance         ±2%           Voltage - Rated         100V           Temperature Coefficient         C0G, NP0           Operating Temperature         -55°C ~ 125°C           Features         -           Ratings         -           Applications         General Purpose           Failure Rate         -           Mounting Type         Through Hole           Package / Case         Axial           Size / Dimension         0.090" Dia x 0.160" L (2.29mm x 4.07mm)		Ceramic Capacitors
Capacitance $300pF$ Tolerance $\pm 2\%$ Voltage - Rated $100V$ Temperature Coefficient $COG, NPO$ Operating Temperature $-55^{\circ}C \sim 125^{\circ}C$ Features-Ratings-ApplicationsGeneral PurposeFailure Rate-Mounting TypeThrough HolePackage / CaseAxialSize / Dimension $0.090''$ Dia x $0.160''$ L $(2.29mm$ x $4.07mm)$	Package	Axial
Tolerance ±2%  Voltage - Rated 100V  Temperature Coefficient C0G, NP0  Operating Temperature -55°C ~ 125°C  Features - Ratings - Applications General Purpose  Failure Rate - Mounting Type Through Hole  Package / Case Axial Size / Dimension 0.090" Dia x 0.160" L (2.29mm x 4.07mm)	Series	Ceralam? MA
Voltage - Rated100VTemperature CoefficientC0G, NP0Operating Temperature-55°C ~ 125°CFeatures-Ratings-ApplicationsGeneral PurposeFailure Rate-Mounting TypeThrough HolePackage / CaseAxialSize / Dimension0.090" Dia x 0.160" L (2.29mm x 4.07mm)	Capacitance	300pF
Temperature Coefficient  COG, NPO  Operating Temperature  -55°C ~ 125°C  Features  - Ratings  - Applications  General Purpose  Failure Rate  - Mounting Type  Through Hole  Package / Case  Axial  Size / Dimension  COG, NPO  COG	Tolerance	$\pm 2\%$
Operating Temperature -55°C ~ 125°C  Features - Ratings - Applications General Purpose Failure Rate - Mounting Type Through Hole Package / Case Axial Size / Dimension 0.090" Dia x 0.160" L (2.29mm x 4.07mm)	Voltage - Rated	100V
Features - Case	Temperature Coefficient	COG, NPO
Ratings - General Purpose Failure Rate - Mounting Type Through Hole Package / Case Axial Size / Dimension 0.090" Dia x 0.160" L (2.29mm x 4.07mm)	Operating Temperature	-55°C ~ 125°C
Applications General Purpose  Failure Rate -  Mounting Type Through Hole  Package / Case Axial  Size / Dimension 0.090" Dia x 0.160" L (2.29mm x 4.07mm)	Features	-
Failure Rate - Mounting Type Through Hole Package / Case Axial Size / Dimension 0.090" Dia x 0.160" L (2.29mm x 4.07mm)	Ratings	-
Mounting Type Through Hole  Package / Case Axial  Size / Dimension 0.090" Dia x 0.160" L (2.29mm x 4.07mm)	Applications	General Purpose
Package / Case Axial Size / Dimension 0.090" Dia x 0.160" L (2.29mm x 4.07mm)	Failure Rate	-
Size / Dimension 0.090" Dia x 0.160" L (2.29mm x 4.07mm)	Mounting Type	Through Hole
	Package / Case	Axial
	Size / Dimension	0.090" Dia x 0.160" L (2.29mm x 4.07mm)
Height - Seated (Max)	Height - Seated (Max)	-
Thickness (Max) -	Thickness (Max)	-
Lead Spacing -	Lead Spacing	-
Lead Style -	Lead Style	-
Report errors?		Report errors?

### **MA101A301GAA Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## **MA101A301GAA Payment Methods**



















### **MA101A301GAA Shipping Methods**













If you have any question about MA101A301GAA, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com