



MAL215759101E3 Information



For Reference Only

Part Number MAL215759101E3

Manufacturer Vishay BC Components

Category Capacitors

Aluminum Electrolytic Capacitors

Description CAP ALUM 100UF 20% 500V SNAP

Package Radial, Can - Snap-In

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









MAL215759101E3 Specifications

Manufacturer Part Number MAL215759101E3 Manufacturer Vishay BC Components Category Capacitors Package Radial, Can - Snap-In Series 157 PUM-SI Capacitance 100μF Tolerance ±20% Voltage - Rated 500V ESR (Equivalent Series Resistance) 1.67 Ohm @ 100Hz Lifetime @ Temp. 3000 Hrs @ 85°C Operating Temperature -25°C ~ 85°C Polarization Audio Ripple Current - Low Frequency - Ripple Current - High Frequency - Impedance 1.39 Ohms Lead Spacing 0.394" (10.00mm) Size / Dimension 0.866" Dia (22.00mm) Height - Seated (Max) 1.457" (37.00mm) Surface Mount Land Size - Mounting Type Through Hole Package / Case Radial, Can - Snap-In	*	
Category Capacitors Package Radial, Can - Snap-In Series 157 PUM-SI Capacitance 100µF Tolerance ±20% Voltage - Rated 500V ESR (Equivalent Series Resistance) 1.67 Ohm @ 100Hz Lifetime @ Temp. 3000 Hrs @ 85°C Operating Temperature -25°C ~ 85°C Polarization Polar Applications Audio Ripple Current - Low Frequency - Ripple Current - High Frequency - Impedance 1.39 Ohms Lead Spacing 0.394" (10.00mm) Size / Dimension 0.866" Dia (22.00mm) Height - Seated (Max) 1.457" (37.00mm) Surface Mount Land Size - Mounting Type Through Hole Package / Case Radial, Can - Snap-In	Manufacturer Part Number	MAL215759101E3
Package Radial, Can - Snap-In Series 157 PUM-SI Capacitance 100µF Tolerance ±20% Voltage - Rated 500V ESR (Equivalent Series Resistance) 1.67 Ohm @ 100Hz Lifetime @ Temp. 3000 Hrs @ 85°C Operating Temperature -25°C ~ 85°C Polarization Polar Applications Audio Ripple Current - Low Frequency - Ripple Current - High Frequency - Impedance 1.39 Ohms Lead Spacing 0.394" (10.00mm) Size / Dimension 0.866" Dia (22.00mm) Height - Seated (Max) 1.457" (37.00mm) Surface Mount Land Size - Mounting Type Through Hole Package / Case Radial, Can - Snap-In	Manufacturer	Vishay BC Components
Package Radial, Can - Snap-In Series 157 PUM-SI Capacitance 100μF Tolerance ±20% Voltage - Rated 500V ESR (Equivalent Series Resistance) 1.67 Ohm @ 100Hz Lifetime @ Temp. 3000 Hrs @ 85°C Operating Temperature -25°C ~ 85°C Polarization Polar Applications Audio Ripple Current - Low Frequency - Ripple Current - High Frequency - Impedance 1.39 Ohms Lead Spacing 0.394" (10.00mm) Size / Dimension 0.866" Dia (22.00mm) Height - Seated (Max) 1.457" (37.00mm) Surface Mount Land Size - Mounting Type Through Hole Package / Case Radial, Can - Snap-In	Category	Capacitors
Series 157 PUM-SI Capacitance 100µF Tolerance ±20% Voltage - Rated 500V ESR (Equivalent Series Resistance) 1.67 Ohm @ 100Hz Lifetime @ Temp. 3000 Hrs @ 85°C Operating Temperature -25°C ~ 85°C Polarization Audio Applications Audio Ripple Current - Low Frequency - Ripple Current - High Frequency - Impedance 1.39 Ohms Lead Spacing 0.394" (10.00mm) Size / Dimension 0.866" Dia (22.00mm) Height - Seated (Max) 1.457" (37.00mm) Surface Mount Land Size - Mounting Type Through Hole Package / Case Radial, Can - Snap-In		Aluminum Electrolytic Capacitors
Capacitance 100μF Tolerance ±20% Voltage - Rated 500V ESR (Equivalent Series Resistance) 1.67 Ohm @ 100Hz Lifetime @ Temp. 3000 Hrs @ 85°C Operating Temperature -25°C ~ 85°C Polarization Polar Applications Audio Ripple Current - Low Frequency - Ripple Current - High Frequency - Impedance 1.39 Ohms Lead Spacing 0.394" (10.00mm) Size / Dimension 0.866" Dia (22.00mm) Height - Seated (Max) 1.457" (37.00mm) Surface Mount Land Size - Mounting Type Through Hole Package / Case Radial, Can - Snap-In	Package	Radial, Can - Snap-In
Tolerance ±20% Voltage - Rated 500V ESR (Equivalent Series Resistance) 1.67 Ohm @ 100Hz Lifetime @ Temp. 3000 Hrs @ 85°C Operating Temperature -25°C ~ 85°C Polarization Polar Applications Audio Ripple Current - Low Frequency - Ripple Current - High Frequency - Impedance 1.39 Ohms Lead Spacing 0.394" (10.00mm) Size / Dimension 0.866" Dia (22.00mm) Height - Seated (Max) 1.457" (37.00mm) Surface Mount Land Size - Mounting Type Through Hole Package / Case Radial, Can - Snap-In	Series	157 PUM-SI
Voltage - Rated500VESR (Equivalent Series Resistance)1.67 Ohm @ 100HzLifetime @ Temp.3000 Hrs @ 85°COperating Temperature-25°C ~ 85°CPolarizationPolarApplicationsAudioRipple Current - Low Frequency-Ripple Current - High Frequency-Impedance1.39 OhmsLead Spacing0.394" (10.00mm)Size / Dimension0.866" Dia (22.00mm)Height - Seated (Max)1.457" (37.00mm)Surface Mount Land Size-Mounting TypeThrough HolePackage / CaseRadial, Can - Snap-In	Capacitance	100μF
ESR (Equivalent Series Resistance) Lifetime @ Temp. 3000 Hrs @ 85°C Operating Temperature -25°C ~ 85°C Polarization Applications Audio Ripple Current - Low Frequency -Ripple Current - High Frequency Impedance Lead Spacing 3000 Hrs @ 85°C	Tolerance	±20%
Lifetime @ Temp. Operating Temperature -25°C ~ 85°C Polarization Applications Audio Ripple Current - Low Frequency Ripple Current - High Frequency Impedance Lead Spacing Size / Dimension Height - Seated (Max) Surface Mount Land Size Mounting Type Package / Case 3000 Hrs @ 85°C -25°C ~ 85°C Polar -25°C ~ 85°C -25°C ~ 8	Voltage - Rated	500V
Operating Temperature -25°C ~ 85°C Polarization Polar Applications Audio Ripple Current - Low Frequency - Ripple Current - High Frequency - Impedance 1.39 Ohms Lead Spacing 0.394" (10.00mm) Size / Dimension 0.866" Dia (22.00mm) Height - Seated (Max) 1.457" (37.00mm) Surface Mount Land Size - Mounting Type Through Hole Package / Case Radial, Can - Snap-In	ESR (Equivalent Series Resistance)	1.67 Ohm @ 100Hz
Polarization Polar Applications Audio Ripple Current - Low Frequency - Ripple Current - High Frequency - Impedance 1.39 Ohms Lead Spacing 0.394" (10.00mm) Size / Dimension 0.866" Dia (22.00mm) Height - Seated (Max) 1.457" (37.00mm) Surface Mount Land Size - Mounting Type Through Hole Package / Case Radial, Can - Snap-In	Lifetime @ Temp.	3000 Hrs @ 85°C
Applications Ripple Current - Low Frequency - Ripple Current - High Frequency - Impedance 1.39 Ohms Lead Spacing 0.394" (10.00mm) Size / Dimension 0.866" Dia (22.00mm) Height - Seated (Max) 1.457" (37.00mm) Surface Mount Land Size - Mounting Type Through Hole Package / Case Radial, Can - Snap-In	Operating Temperature	-25°C ~ 85°C
Ripple Current - Low Frequency - Ripple Current - High Frequency - Impedance 1.39 Ohms Lead Spacing 0.394" (10.00mm) Size / Dimension 0.866" Dia (22.00mm) Height - Seated (Max) 1.457" (37.00mm) Surface Mount Land Size - Mounting Type Through Hole Package / Case Radial, Can - Snap-In	Polarization	Polar
Ripple Current - High Frequency Impedance 1.39 Ohms Lead Spacing 0.394" (10.00mm) Size / Dimension 0.866" Dia (22.00mm) Height - Seated (Max) 1.457" (37.00mm) Surface Mount Land Size - Mounting Type Through Hole Package / Case Radial, Can - Snap-In	Applications	Audio
Impedance1.39 OhmsLead Spacing0.394" (10.00mm)Size / Dimension0.866" Dia (22.00mm)Height - Seated (Max)1.457" (37.00mm)Surface Mount Land Size-Mounting TypeThrough HolePackage / CaseRadial, Can - Snap-In	Ripple Current - Low Frequency	-
Lead Spacing0.394" (10.00mm)Size / Dimension0.866" Dia (22.00mm)Height - Seated (Max)1.457" (37.00mm)Surface Mount Land Size-Mounting TypeThrough HolePackage / CaseRadial, Can - Snap-In	Ripple Current - High Frequency	-
Size / Dimension 0.866" Dia (22.00mm) Height - Seated (Max) 1.457" (37.00mm) Surface Mount Land Size - Mounting Type Through Hole Package / Case Radial, Can - Snap-In	Impedance	1.39 Ohms
Height - Seated (Max) Surface Mount Land Size Mounting Type Through Hole Package / Case Radial, Can - Snap-In	Lead Spacing	0.394" (10.00mm)
Surface Mount Land Size - Mounting Type Through Hole Package / Case Radial, Can - Snap-In	Size / Dimension	0.866" Dia (22.00mm)
Mounting Type Through Hole Package / Case Radial, Can - Snap-In	Height - Seated (Max)	1.457" (37.00mm)
Package / Case Radial, Can - Snap-In	Surface Mount Land Size	-
	Mounting Type	Through Hole
Report errors?	Package / Case	Radial, Can - Snap-In
		Report errors?

MAL215759101E3 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

MAL215759101E3 Payment Methods





















MAL215759101E3 Shipping Methods













If you have any question about MAL215759101E3, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com