

# MAX3488EESA+

a Quote

### MAX3488EESA+ Information

With Delsener.com	Part Number	MAX3488EESA+	
	Manufacturer	Maxim Integrated	- EN27
	Category	Integrated Circuits (ICs) Interface - Drivers, Receivers, Transceivers	5507
	Description	IC TXRX RS485/422 250KBPS 8-SOIC	3.5.78
	Package	8-SOIC (0.154", 3.90mm Width)	
		For the pricing/inventory/lead time, please contact us	
For Reference Only		Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



# MAX3488EESA+ Specifications

ManufacturerMaxim IntegratedCategoryIntegrated Circuits (ICs)Interface - Drivers, Receivers, TransceiversPackage8-SOIC (0.154", 3.90mm Width)Series-TypeTransceiverProtocolRS422, RS485Number of Drivers/Receivers1/1Duplex50mVReceiver Hysteresis50mVData Rate250kbpsVoltage - Supply3 V ~ 3.6 VOperating Temperature44°C ~ 85°CMounting Type8-SOIC (0.154", 3.90mm Width)		
CategoryIntegrated Circuits (ICs)Interface - Drivers, Receivers, TransceiversPackage8-SOIC (0.154", 3.90mm Width)Package-Series-TypeTransceiverProtocolRS422, RS485Number of Drivers/Receivers1/1DuplexFullReceiver Hysteresis50mVData Rate250kbpsVoltage - Supply3 V ~ 3.6 VOperating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width)	Manufacturer Part Number	MAX3488EESA+
Interface - Drivers, Receivers, TransceiversPackage8-SOIC (0.154", 3.90mm Width)Series-TypeTransceiverProtocolRS422, RS485Number of Drivers/Receivers1/1DuplexFullReceiver Hysteresis50mVData Rate250kbpsVoltage - Supply3 V ~ 3.6 VOperating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width)	Manufacturer	Maxim Integrated
Package     8-SOIC (0.154", 3.90mm Width)       Series     -       Type     Transceiver       Protocol     RS422, RS485       Number of Drivers/Receivers     1/1       Duplex     Full       Receiver Hysteresis     50mV       Data Rate     250kbps       Operating Temperature     40°C ~ 85°C       Mounting Type     Surface Mount       Package / Case     8-SOIC (0.154", 3.90mm Width)	Category	Integrated Circuits (ICs)
Series-FypeTransceiverProtocolRS422, RS485Number of Drivers/Receivers1/1DuplexFullReceiver Hysteresis50mVData Rate250kbpsVoltage - Supply3 V ~ 3.6 VOperating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width)		Interface - Drivers, Receivers, Transceivers
TypeTransceiverProtocolRS422, RS485Number of Drivers/Receivers1/1DuplexFullReceiver Hysteresis50mVData Rate250kbpsVoltage - Supply3 V ~ 3.6 VOperating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width)	Package	8-SOIC (0.154", 3.90mm Width)
ProtocolRS422, RS485Number of Drivers/Receivers1/1DuplexFullReceiver Hysteresis50mVData Rate250kbpsVoltage - Supply3 V ~ 3.6 VOperating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width)	Series	-
Number of Drivers/Receivers1/1DuplexFullReceiver Hysteresis50mVData Rate250kbpsVoltage - Supply3 V ~ 3.6 VOperating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width)	Туре	Transceiver
DuplexFullReceiver Hysteresis50mVData Rate250kbpsVoltage - Supply3 V ~ 3.6 VOperating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width)	Protocol	RS422, RS485
Receiver Hysteresis50mVData Rate250kbpsVoltage - Supply3 V ~ 3.6 VOperating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width)	Number of Drivers/Receivers	1/1
Data Rate250kbpsVoltage - Supply3 V ~ 3.6 VOperating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width)	Duplex	Full
Voltage - Supply3 V ~ 3.6 VOperating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width)	Receiver Hysteresis	50mV
Deperating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width)	Data Rate	250kbps
Mounting Type Surface Mount   Package / Case 8-SOIC (0.154", 3.90mm Width)	Voltage - Supply	3 V ~ 3.6 V
Package / Case 8-SOIC (0.154", 3.90mm Width)	Operating Temperature	$-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$
	Mounting Type	Surface Mount
Supplier Device Package 8-SOIC	Package / Case	8-SOIC (0.154", 3.90mm Width)
	Supplier Device Package	8-SOIC
Report errors?		Report errors?

#### MAX3488EESA+ Guarantees



Quality Guarantees

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

# SERVICE EUARANTEE

#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

## MAX3488EESA+ Payment Methods



# MAX3488EESA+ Shipping Methods



If you have any question about MAX3488EESA+, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com