

# MAX4583CSE+

### MAX4583CSE+ Information

| Р                   | Part Number  | MAX4583CSE+  |   |
|---------------------|--------------|--|---|
| M N                 | Manufacturer | Maxim Integrated   | in an |
| C Wither States com | Category     | Integrated Circuits (ICs)<br>Interface - Analog Switches, Multiplexers,<br>Demultiplexers  |   |
| D                   | Description  | IC SWITCH TRIPLE SPDT 16SOIC   | 1.55                                      |
| Р                   | Package      | 16-SOIC (0.154", 3.90mm Width)   |   |
| eference Only       |              | For the pricing/inventory/lead time, please contact<br>us<br>Website: https://www.heisener.com<br>E-mail: salesdept@heisener.com | Request a Quote                           |

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



# MAX4583CSE+ Specifications

| Manufacturer Part Number               | MAX4583CSE+   |
|--|---|
| Manufacturer                           | Maxim Integrated  |
| Category                               | Integrated Circuits (ICs)                                 |
|  | Interface - Analog Switches, Multiplexers, Demultiplexers |
| Package                                | 16-SOIC (0.154", 3.90mm Width)                            |
| Series                                 | -   |
| Switch Circuit                         | SPDT  |
| Multiplexer/Demultiplexer Circuit      | 2:1   |
| Number of Circuits                     | 3   |
| On-State Resistance (Max)              | 80 Ohm  |
| Channel-to-Channel Matching (Ron)      | 1 Ohm   |
| Voltage - Supply, Single (V+)          | 2 V ~ 12 V  |
| Voltage - Supply, Dual (V±)            | ±2 V ~ 6 V  |
| Switch Time (Ton, Toff) (Max)          | 200ns, 100ns  |
| -3db Bandwidth                         | -   |
| Charge Injection                       | 0.5pC   |
| Channel Capacitance (CS(off), CD(off)) | 4pF, 6pF  |
| Current - Leakage (IS(off)) (Max)      | 1nA   |
| Crosstalk                              | -73dB @ 1MHz  |
| Operating Temperature                  | 0°C ~ 70°C (TA)   |
| Package / Case                         | 16-SOIC (0.154", 3.90mm Width)                            |
| Supplier Device Package                | 16-SO   |
|  | Report errors?  |

#### MAX4583CSE+ Guarantees



Quality Guarantees

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

# SERVICE BUARANTEE

#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

#### MAX4583CSE+ Payment Methods



# MAX4583CSE+ Shipping Methods



If you have any question about MAX4583CSE+, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com