



MAX530BEWG+T Information



For Reference Only

Part Number MAX530BEWG+T
Manufacturer Maxim Integrated
Category Integrated Circuits (ICs)

Data Acquisition - Digital to Analog Converters

(DAC)

Description IC DAC 12BIT PAR/VOLT I/O 24SOIC

Package 24-SOIC (0.295", 7.50mm Width)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









MAX530BEWG+T Specifications

Manufacturer Part NumberMAX530BEWG+TManufacturerMaxim IntegratedCategoryIntegrated Circuits (ICs)Data Acquisition - Digital to Analog Converters (DAC)Package24-SOIC (0.295", 7.50mm Width)Series-Number of Bits12Number of D/A Converters1Settling Time25μs (Typ)Output TypeVoltage - BufferedDifferential OutputNoData InterfaceParallelReference TypeExternal, InternalVoltage - Supply, Analog±5V
Category Integrated Circuits (ICs) Data Acquisition - Digital to Analog Converters (DAC) Package 24-SOIC (0.295", 7.50mm Width) Series Number of Bits 12 Number of D/A Converters 1 Settling Time 25µs (Typ) Output Type Voltage - Buffered Differential Output No Data Interface Reference Type External, Internal
Data Acquisition - Digital to Analog Converters (DAC) Package 24-SOIC (0.295", 7.50mm Width) Series - Number of Bits 12 Number of D/A Converters 1 Settling Time 25μs (Typ) Output Type Voltage - Buffered Differential Output No Data Interface Parallel Reference Type External, Internal
Package24-SOIC (0.295", 7.50mm Width)Series-Number of Bits12Number of D/A Converters1Settling Time25μs (Typ)Output TypeVoltage - BufferedDifferential OutputNoData InterfaceParallelReference TypeExternal, Internal
Series - Number of Bits 12 Number of D/A Converters 1 Settling Time 25μs (Typ) Output Type Voltage - Buffered Differential Output No Data Interface Parallel Reference Type External, Internal
Number of Bits 12 Number of D/A Converters 1 Settling Time 25μs (Typ) Output Type Voltage - Buffered Differential Output No Data Interface Parallel Reference Type External, Internal
Number of D/A Converters 1 Settling Time 25μs (Typ) Output Type Voltage - Buffered Differential Output No Data Interface Parallel Reference Type External, Internal
Settling Time 25µs (Typ) Output Type Voltage - Buffered Differential Output No Data Interface Parallel Reference Type External, Internal
Output Type Voltage - Buffered Differential Output No Data Interface Parallel Reference Type External, Internal
Differential OutputNoData InterfaceParallelReference TypeExternal, Internal
Data Interface Parallel Reference Type External, Internal
Reference Type External, Internal
**
Voltage - Supply, Analog ±5V
Voltage - Supply, Digital 5V
INL/DNL (LSB) ± 1.5 (Max), ± 1 (Max)
Architecture R-2R
Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$
Package / Case 24-SOIC (0.295", 7.50mm Width)
Supplier Device Package 24-SOIC
Mounting Type -
Report er

MAX530BEWG+T Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

MAX530BEWG+T Payment Methods



















MAX530BEWG+T Shipping Methods













If you have any question about MAX530BEWG+T, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com