

MD-50S Information



For Reference Only

Part Number MD-50S Manufacturer CUI Inc.

Category Connectors, Interconnects

Circular Connectors

Description CONN MINIDIN RECPT UNSHIELD 5POS

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









MD-50S Specifications

Manufacturer Part NumberMD-50SManufacturerCUI Inc.CategoryConnectors, InterconnectsPackage-SeriesMDConnector TypeReceptacle, Female SocketsNumber of Positions5Shell Size - InsertMini DINShell Size, MIL-Mounting TypeThrough Hole, Right AngleTerminationSolderFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishPolybutylene Terephthalate (PBT)Contact FinishSilverFeatures-Voltage - Rated100VAC, 12VDCCurrent Rating1A, 2A		
CategoryConnectors, InterconnectsPackage-SeriesMDConnector TypeReceptacle, Female SocketsNumber of Positions5Shell Size - InsertMini DINShell Size, MIL-Mounting TypeThrough Hole, Right AngleTerminationSolderFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishPolybutylene Terephthalate (PBT)Contact FinishSilverFeatures-Voltage - Rated100VAC, 12VDCCurrent Rating1A, 2A	Manufacturer Part Number	MD-50S
Package-SeriesMDConnector TypeReceptacle, Female SocketsNumber of Positions5Shell Size - InsertMini DINShell Size, MIL-Mounting TypeThrough Hole, Right AngleTerminationSolderFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishPolybutylene Terephthalate (PBT)Contact FinishSilverFeatures-Voltage - Rated100VAC, 12VDCCurrent Rating1A, 2A	Manufacturer	CUI Inc.
Package-SeriesMDConnector TypeReceptacle, Female SocketsNumber of Positions5Shell Size - InsertMini DINShell Size, MIL-Mounting TypeThrough Hole, Right AngleTerminationSolderFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishPolybutylene Terephthalate (PBT)Contact FinishSilverFeatures-Voltage - Rated100VAC, 12VDCCurrent Rating1A, 2A	Category	Connectors, Interconnects
SeriesMDConnector TypeReceptacle, Female SocketsNumber of Positions5Shell Size - InsertMini DINShell Size, MIL-Mounting TypeThrough Hole, Right AngleTerminationSolderFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishPolybutylene Terephthalate (PBT)Contact FinishSilverFeatures-Voltage - Rated100VAC, 12VDCCurrent Rating1A, 2A		Circular Connectors
Connector TypeReceptacle, Female SocketsNumber of Positions5Shell Size - InsertMini DINShell Size, MIL-Mounting TypeThrough Hole, Right AngleTerminationSolderFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishPolybutylene Terephthalate (PBT)Contact FinishSilverFeatures-Voltage - Rated100VAC, 12VDCCurrent Rating1A, 2A	Package	-
Number of Positions5Shell Size - InsertMini DINShell Size, MIL-Mounting TypeThrough Hole, Right AngleTerminationSolderFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishPolybutylene Terephthalate (PBT)Contact FinishSilverFeatures-Voltage - Rated100VAC, 12VDCCurrent Rating1A, 2A	Series	MD
Shell Size - InsertMini DINShell Size, MIL-Mounting TypeThrough Hole, Right AngleTerminationSolderFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishPolybutylene Terephthalate (PBT)Contact FinishSilverFeatures-Voltage - Rated100VAC, 12VDCCurrent Rating1A, 2A	Connector Type	Receptacle, Female Sockets
Shell Size, MIL Mounting Type Through Hole, Right Angle Termination Solder Fastening Type Push-Pull Orientation Keyed Ingress Protection - Shell Material, Finish Polybutylene Terephthalate (PBT) Contact Finish Silver Features - Voltage - Rated 100VAC, 12VDC Current Rating 1A, 2A	Number of Positions	5
Mounting Type Termination Solder Fastening Type Push-Pull Orientation Keyed Ingress Protection Shell Material, Finish Polybutylene Terephthalate (PBT) Contact Finish Silver Features - Voltage - Rated 100VAC, 12VDC Current Rating 1A, 2A	Shell Size - Insert	Mini DIN
Termination Solder Fastening Type Push-Pull Orientation Keyed Ingress Protection - Shell Material, Finish Polybutylene Terephthalate (PBT) Contact Finish Silver Features - Voltage - Rated 100VAC, 12VDC Current Rating 1A, 2A	Shell Size, MIL	-
Fastening Type Orientation Keyed Ingress Protection Shell Material, Finish Polybutylene Terephthalate (PBT) Contact Finish Silver Features - Voltage - Rated 100VAC, 12VDC Current Rating 1A, 2A	Mounting Type	Through Hole, Right Angle
Orientation Keyed Ingress Protection - Shell Material, Finish Polybutylene Terephthalate (PBT) Contact Finish Silver Features - Voltage - Rated 100VAC, 12VDC Current Rating 1A, 2A	Termination	Solder
Ingress Protection - Shell Material, Finish Polybutylene Terephthalate (PBT) Contact Finish Silver Features - Voltage - Rated 100VAC, 12VDC Current Rating 1A, 2A	Fastening Type	Push-Pull
Shell Material, Finish Contact Finish Features Voltage - Rated Current Rating Polybutylene Terephthalate (PBT) Silver - 100VAC, 12VDC 1A, 2A	Orientation	Keyed
Contact Finish Features Voltage - Rated Current Rating Silver - 100VAC, 12VDC 1A, 2A	Ingress Protection	-
Features - Voltage - Rated 100VAC, 12VDC Current Rating 1A, 2A	Shell Material, Finish	Polybutylene Terephthalate (PBT)
Voltage - Rated 100VAC, 12VDC Current Rating 1A, 2A	Contact Finish	Silver
Current Rating 1A, 2A	Features	-
	Voltage - Rated	100VAC, 12VDC
Report errors?	Current Rating	1A, 2A
		Report errors?

MD-50S Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

MD-50S Payment Methods





















MD-50S Shipping Methods













If you have any question about MD-50S, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com