



MD2-60ST-SMT Information

For Reference Only

Part Number MD2-60ST-SMT

Manufacturer CUI Inc.

Category Connectors, Interconnects

Circular Connectors

Description CONN MINI-DIN 6PIN R/A SLIM SMD

Package

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









MD2-60ST-SMT Specifications

Manufacturer Part Number MD2-60ST-SMT Manufacturer CUI Inc. Category Connectors, Interconnects Package - Series MD2 Connector Type Receptacle, Female Sockets Number of Positions 6 Shell Size - Insert Mini DIN Shell Size, MIL - Mounting Type Surface Mount, Right Angle Termination Solder Fastening Type Push-Pull Orientation Keyed Ingress Protection - Shell Material, Finish Polybutylene Terephthalate (PBT) Contact Finish Silver Features Board Lock, Shielded Voltage - Rated 12VDC Current Rating 2A		
CategoryConnectors, InterconnectsPackage-SeriesMD2Connector TypeReceptacle, Female SocketsNumber of Positions6Shell Size - InsertMini DINShell Size, MIL-Mounting TypeSurface Mount, Right AngleTerminationSolderFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishPolybutylene Terephthalate (PBT)Contact FinishSilverFeaturesBoard Lock, ShieldedVoltage - Rated12VDCCurrent Rating2A	Manufacturer Part Number	MD2-60ST-SMT
Package-SeriesMD2Connector TypeReceptacle, Female SocketsNumber of Positions6Shell Size - InsertMini DINShell Size, MIL-Mounting TypeSurface Mount, Right AngleTerminationSolderFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishPolybutylene Terephthalate (PBT)Contact FinishSilverFeaturesBoard Lock, ShieldedVoltage - Rated12VDCCurrent Rating2A	Manufacturer	CUI Inc.
Package-SeriesMD2Connector TypeReceptacle, Female SocketsNumber of Positions6Shell Size - InsertMini DINShell Size, MIL-Mounting TypeSurface Mount, Right AngleTerminationSolderFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishPolybutylene Terephthalate (PBT)Contact FinishSilverFeaturesBoard Lock, ShieldedVoltage - Rated12VDCCurrent Rating2A	Category	Connectors, Interconnects
SeriesMD2Connector TypeReceptacle, Female SocketsNumber of Positions6Shell Size - InsertMini DINShell Size, MIL-Mounting TypeSurface Mount, Right AngleTerminationSolderFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishPolybutylene Terephthalate (PBT)Contact FinishSilverFeaturesBoard Lock, ShieldedVoltage - Rated12VDCCurrent Rating2A		Circular Connectors
Connector TypeReceptacle, Female SocketsNumber of Positions6Shell Size - InsertMini DINShell Size, MIL-Mounting TypeSurface Mount, Right AngleTerminationSolderFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishPolybutylene Terephthalate (PBT)Contact FinishSilverFeaturesBoard Lock, ShieldedVoltage - Rated12VDCCurrent Rating2A	Package	-
Number of Positions6Shell Size - InsertMini DINShell Size, MIL-Mounting TypeSurface Mount, Right AngleTerminationSolderFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishPolybutylene Terephthalate (PBT)Contact FinishSilverFeaturesBoard Lock, ShieldedVoltage - Rated12VDCCurrent Rating2A	Series	MD2
Shell Size - InsertMini DINShell Size, MIL-Mounting TypeSurface Mount, Right AngleTerminationSolderFastening TypePush-PullOrientationKeyedIngress Protection-Shell Material, FinishPolybutylene Terephthalate (PBT)Contact FinishSilverFeaturesBoard Lock, ShieldedVoltage - Rated12VDCCurrent Rating2A	Connector Type	Receptacle, Female Sockets
Shell Size, MIL Mounting Type Surface Mount, Right Angle Termination Solder Fastening Type Push-Pull Orientation Keyed Ingress Protection - Shell Material, Finish Polybutylene Terephthalate (PBT) Contact Finish Silver Features Board Lock, Shielded Voltage - Rated 12VDC Current Rating 2A	Number of Positions	6
Mounting Type Surface Mount, Right Angle Termination Solder Fastening Type Push-Pull Orientation Keyed Ingress Protection - Shell Material, Finish Polybutylene Terephthalate (PBT) Contact Finish Silver Features Board Lock, Shielded Voltage - Rated 12VDC Current Rating 2A	Shell Size - Insert	Mini DIN
Termination Solder Fastening Type Push-Pull Orientation Keyed Ingress Protection - Shell Material, Finish Polybutylene Terephthalate (PBT) Contact Finish Silver Features Board Lock, Shielded Voltage - Rated 12VDC Current Rating 2A	Shell Size, MIL	-
Fastening Type Push-Pull Crientation Keyed Ingress Protection - Shell Material, Finish Polybutylene Terephthalate (PBT) Contact Finish Silver Features Board Lock, Shielded Voltage - Rated 12VDC Current Rating 2A	Mounting Type	Surface Mount, Right Angle
Orientation Keyed Ingress Protection - Shell Material, Finish Polybutylene Terephthalate (PBT) Contact Finish Silver Features Board Lock, Shielded Voltage - Rated 12VDC Current Rating 2A	Termination	Solder
Ingress Protection - Shell Material, Finish Polybutylene Terephthalate (PBT) Contact Finish Silver Features Board Lock, Shielded Voltage - Rated 12VDC Current Rating 2A	Fastening Type	Push-Pull
Shell Material, Finish Contact Finish Silver Features Board Lock, Shielded Voltage - Rated 12VDC Current Rating 2A	Orientation	Keyed
Contact Finish Features Board Lock, Shielded Voltage - Rated Current Rating 2A	Ingress Protection	-
Features Board Lock, Shielded Voltage - Rated 12VDC Current Rating 2A	Shell Material, Finish	Polybutylene Terephthalate (PBT)
Voltage - Rated 12VDC Current Rating 2A	Contact Finish	Silver
Current Rating 2A	Features	Board Lock, Shielded
	Voltage - Rated	12VDC
Report errors?	Current Rating	2A
		Report errors?

MD2-60ST-SMT Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

MD2-60ST-SMT Payment Methods



















MD2-60ST-SMT Shipping Methods













If you have any question about MD2-60ST-SMT, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com