



MDBE09PE860 Information



For Reference Only

Part Number MDBE09PE860

Manufacturer Amphenol Commercial Products

Category Connectors, Interconnects

D-Sub Connectors

Description CONN DSUB PLUG 9POS PNL MNT SLDR

Package

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









MDBE09PE860 Specifications

Manufacturer Part NumberMDBE09PE860ManufacturerAmphenol Commercial ProductsCategoryConnectors, InterconnectsPackage- Sub ConnectorsSeriesMDBConnector StyleD-SubConnector TypePlug, Male PinsNumber of Positions9Number of Rows2Shell Size, Connector Layout1 (DE, E)Contact TypeSignalMounting TypePanel Mount, Through HoleFlange FeatureBoard Side (4-40)FeaturesBoard LockShell Material, FinishZinc, Nickel PlatedContact Finish Thickness30μin (0.76μm)Ingress ProtectionIP67 - Dust Tight, WaterproofMaterial Flammability RatingUL94 V-0Report errors?	•	
CategoryConnectors, InterconnectsPackage-SeriesMDBConnector StyleD-SubConnector TypePlug, Male PinsNumber of Positions9Number of Rows2Shell Size, Connector Layout1 (DE, E)Contact TypeSignalMounting TypePanel Mount, Through HoleFlange FeatureBoard Side (4-40)TerminationSolderFeaturesBoard LockShell Material, FinishZinc, Nickel PlatedContact FinishGoldContact Finish Thickness30µin (0.76µm)Ingress ProtectionIP67 - Dust Tight, WaterproofMaterial Flammability RatingUL94 V-0	Manufacturer Part Number	MDBE09PE860
Package - Series MDB Connector Style D-Sub Connector Type Plug, Male Pins Number of Positions 9 Number of Rows 2 Shell Size, Connector Layout 1 (DE, E) Contact Type Signal Mounting Type Panel Mount, Through Hole Flange Feature Board Side (4-40) Termination Solder Features Board Lock Shell Material, Finish Zinc, Nickel Plated Contact Finish Thickness 30µin (0.76µm) Ingress Protection HDB MDB Material Flammability Rating UL94 V-0	Manufacturer	Amphenol Commercial Products
Package-SeriesMDBConnector StyleD-SubConnector TypePlug, Male PinsNumber of Positions9Number of Rows2Shell Size, Connector Layout1 (DE, E)Contact TypeSignalMounting TypePanel Mount, Through HoleFlange FeatureBoard Side (4-40)TerminationSolderFeaturesBoard LockShell Material, FinishZinc, Nickel PlatedContact Finish Thickness30µin (0.76µm)Ingress ProtectionIP67 - Dust Tight, WaterproofMaterial Flammability RatingUL94 V-0	Category	Connectors, Interconnects
SeriesMDBConnector StyleD-SubConnector TypePlug, Male PinsNumber of Positions9Number of Rows2Shell Size, Connector Layout1 (DE, E)Contact TypeSignalMounting TypePanel Mount, Through HoleFlange FeatureBoard Side (4-40)TerminationSolderFeaturesBoard LockShell Material, FinishZinc, Nickel PlatedContact Finish Thickness30μin (0.76μm)Ingress ProtectionIP67 - Dust Tight, WaterproofMaterial Flammability RatingUL94 V-0		D-Sub Connectors
Connector StyleD-SubConnector TypePlug, Male PinsNumber of Positions9Number of Rows2Shell Size, Connector Layout1 (DE, E)Contact TypeSignalMounting TypePanel Mount, Through HoleFlange FeatureBoard Side (4-40)TerminationSolderFeaturesBoard LockShell Material, FinishZinc, Nickel PlatedContact Finish Thickness30μin (0.76μm)Ingress ProtectionIP67 - Dust Tight, WaterproofMaterial Flammability RatingUL94 V-0	Package	-
Connector Type Number of Positions 9 Number of Rows 2 Shell Size, Connector Layout Contact Type Signal Mounting Type Panel Mount, Through Hole Flange Feature Board Side (4-40) Termination Solder Features Board Lock Shell Material, Finish Contact Finish Contact Finish Thickness Ingress Protection Material Flammability Rating Plug, Male Pins Plug, Male Pins 9 Contact Finish Gold 1 (DE, E) Signal Anount, Through Hole Board Side (4-40) Signal Anount, Through Hole Signal Anount, Through Hole Signal Anount, Through Hole Board Side (4-40) Solder Features Board Lock Shell Material, Finish Zinc, Nickel Plated Contact Finish Thickness UL94 V-0	Series	MDB
Number of Positions9Number of Rows2Shell Size, Connector Layout1 (DE, E)Contact TypeSignalMounting TypePanel Mount, Through HoleFlange FeatureBoard Side (4-40)TerminationSolderFeaturesBoard LockShell Material, FinishZinc, Nickel PlatedContact FinishGoldContact Finish Thickness30μin (0.76μm)Ingress ProtectionIP67 - Dust Tight, WaterproofMaterial Flammability RatingUL94 V-0	Connector Style	D-Sub
Number of Rows Shell Size, Connector Layout Contact Type Signal Mounting Type Panel Mount, Through Hole Flange Feature Board Side (4-40) Termination Solder Features Board Lock Shell Material, Finish Zinc, Nickel Plated Contact Finish Thickness 30µin (0.76µm) Ingress Protection Material Flammability Rating 2 1 (DE, E) Signal 1 (DE, E) Signal 1 (DE, E) Signal Panel Mount, Through Hole Board Side (4-40) Fanel Mount, Through Hole Board Side (4-40) Folder 1 (1-40) 1	Connector Type	Plug, Male Pins
Shell Size, Connector Layout Contact Type Signal Mounting Type Panel Mount, Through Hole Flange Feature Board Side (4-40) Termination Solder Features Board Lock Shell Material, Finish Zinc, Nickel Plated Contact Finish Thickness 30µin (0.76µm) Ingress Protection Material Flammability Rating 1 (DE, E) Signal 1 (DE, E) Signal 1 (DE, E) Signal Panel Mount, Through Hole Board Side (4-40) Solder Board Lock Solder Board Lock Shell Material, Finish Zinc, Nickel Plated UL94 V-0	Number of Positions	9
Contact TypeSignalMounting TypePanel Mount, Through HoleFlange FeatureBoard Side (4-40)TerminationSolderFeaturesBoard LockShell Material, FinishZinc, Nickel PlatedContact FinishGoldContact Finish Thickness30μin (0.76μm)Ingress ProtectionIP67 - Dust Tight, WaterproofMaterial Flammability RatingUL94 V-0	Number of Rows	2
Mounting TypePanel Mount, Through HoleFlange FeatureBoard Side (4-40)TerminationSolderFeaturesBoard LockShell Material, FinishZinc, Nickel PlatedContact FinishGoldContact Finish Thickness30μin (0.76μm)Ingress ProtectionIP67 - Dust Tight, WaterproofMaterial Flammability RatingUL94 V-0	Shell Size, Connector Layout	1 (DE, E)
Flange Feature Board Side (4-40) Termination Solder Features Board Lock Shell Material, Finish Zinc, Nickel Plated Contact Finish Gold Contact Finish Thickness 30µin (0.76µm) Ingress Protection IP67 - Dust Tight, Waterproof Material Flammability Rating UL94 V-0	Contact Type	Signal
TerminationSolderFeaturesBoard LockShell Material, FinishZinc, Nickel PlatedContact FinishGoldContact Finish Thickness30μin (0.76μm)Ingress ProtectionIP67 - Dust Tight, WaterproofMaterial Flammability RatingUL94 V-0	Mounting Type	Panel Mount, Through Hole
FeaturesBoard LockShell Material, FinishZinc, Nickel PlatedContact FinishGoldContact Finish Thickness30μin (0.76μm)Ingress ProtectionIP67 - Dust Tight, WaterproofMaterial Flammability RatingUL94 V-0	Flange Feature	Board Side (4-40)
Shell Material, FinishZinc, Nickel PlatedContact FinishGoldContact Finish Thickness30μin (0.76μm)Ingress ProtectionIP67 - Dust Tight, WaterproofMaterial Flammability RatingUL94 V-0	Termination	Solder
Contact FinishGoldContact Finish Thickness30μin (0.76μm)Ingress ProtectionIP67 - Dust Tight, WaterproofMaterial Flammability RatingUL94 V-0	Features	Board Lock
Contact Finish Thickness30μin (0.76μm)Ingress ProtectionIP67 - Dust Tight, WaterproofMaterial Flammability RatingUL94 V-0	Shell Material, Finish	Zinc, Nickel Plated
Ingress Protection IP67 - Dust Tight, Waterproof Material Flammability Rating UL94 V-0	Contact Finish	Gold
Material Flammability Rating UL94 V-0	Contact Finish Thickness	30μin (0.76μm)
, ,	Ingress Protection	IP67 - Dust Tight, Waterproof
Report errors?	Material Flammability Rating	UL94 V-0
		Report errors?

MDBE09PE860 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

MDBE09PE860 Payment Methods



















MDBE09PE860 Shipping Methods













If you have any question about MDBE09PE860, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com