



MG-5000-A-MD-R Information



For Reference Only

Part NumberMG-5000-A-MD-RManufacturerSSI Technologies IncCategorySensors, Transducers

Pressure Sensors, Transducers

Description SENSOR DIGITAL GAUGE 5000PSI LCD

Package Module Box with Display

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









MG-5000-A-MD-R Specifications

Manufacturer MG-5000-A-MD-R Manufacturer SSI Technologies Inc Category Sensors, Transducers Package Module Box with Display Series MG-MD Pressure Type Vented Gauge Operating Pressure 5000 PSI (34473.79 kPa) Output Type Wheatstone Bridge Output 4 mA ~ 20 mA, LCD Display Accuracy ±0.25% Voltage - Supply 12V Port Size Male - 1/4" (6.35mm) NPT Port Style Threaded Features Temperature Compensated Termination Style - Maximum Pressure 15000 PSI (103421.36 kPa) Operating Temperature -10°C ~ 60°C Package / Case Module Box with Display Supplier Device Package MediaGauge		
CategorySensors, TransducersPackageModule Box with DisplaySeriesMG-MDPressure TypeVented GaugeOperating Pressure5000 PSI (34473.79 kPa)Output TypeWheatstone BridgeOutput4 mA ~ 20 mA, LCD DisplayAccuracy±0.25%Voltage - Supply12VPort SizeMale - 1/4" (6.35mm) NPTPort StyleThreadedFeaturesTemperature CompensatedTermination Style-Maximum Pressure15000 PSI (103421.36 kPa)Operating Temperature-10°C ~ 60°CPackage / CaseModule Box with DisplaySupplier Device PackageMediaGauge	Manufacturer Part Number	MG-5000-A-MD-R
Package Module Box with Display Series MG-MD Pressure Type Vented Gauge Operating Pressure 5000 PSI (34473.79 kPa) Output Type Wheatstone Bridge Output 4 mA ~ 20 mA, LCD Display Accuracy ±0.25% Voltage - Supply 12V Port Size Male - 1/4" (6.35mm) NPT Port Style Threaded Features Temperature Compensated Termination Style - Maximum Pressure 15000 PSI (103421.36 kPa) Operating Temperature - 10°C ~ 60°C Package / Case Module Box with Display Supplier Device Package	Manufacturer	SSI Technologies Inc
PackageModule Box with DisplaySeriesMG-MDPressure TypeVented GaugeOperating Pressure5000 PSI (34473.79 kPa)Output TypeWheatstone BridgeOutput4 mA ~ 20 mA, LCD DisplayAccuracy±0.25%Voltage - Supply12VPort SizeMale - 1/4" (6.35mm) NPTPort StyleThreadedFeaturesTemperature CompensatedTermination Style-Maximum Pressure15000 PSI (103421.36 kPa)Operating Temperature-10°C ~ 60°CPackage / CaseModule Box with DisplaySupplier Device PackageMediaGauge	Category	Sensors, Transducers
SeriesMG-MDPressure TypeVented GaugeOperating Pressure5000 PSI (34473.79 kPa)Output TypeWheatstone BridgeOutput4 mA ~ 20 mA, LCD DisplayAccuracy±0.25%Voltage - Supply12VPort SizeMale - 1/4" (6.35mm) NPTPort StyleThreadedFeaturesTemperature CompensatedTermination Style-Maximum Pressure15000 PSI (103421.36 kPa)Operating Temperature-10°C ~ 60°CPackage / CaseModule Box with DisplaySupplier Device PackageMediaGauge		Pressure Sensors, Transducers
Pressure Type Vented Gauge Operating Pressure 5000 PSI (34473.79 kPa) Output Type Wheatstone Bridge Output 4 mA ~ 20 mA, LCD Display Accuracy ±0.25% Voltage - Supply 12V Port Size Male - 1/4" (6.35mm) NPT Port Style Threaded Features Temperature Compensated Termination Style - Compensated Termination Style - Compensated Termination Style - Compensated Termination Style - Compensated Departing Temperature - 10°C ~ 60°C Package / Case Module Box with Display Supplier Device Package	Package	Module Box with Display
Operating Pressure Output Type Wheatstone Bridge Output 4 mA ~ 20 mA, LCD Display Accuracy ±0.25% Voltage - Supply Port Size Male - 1/4" (6.35mm) NPT Port Style Features Temperature Compensated Termination Style Termination Style Maximum Pressure 15000 PSI (103421.36 kPa) Operating Temperature -10°C ~ 60°C Package / Case Module Box with Display Supplier Device Package MediaGauge	Series	MG-MD
Output TypeWheatstone BridgeOutput4 mA ~ 20 mA, LCD DisplayAccuracy±0.25%Voltage - Supply12VPort SizeMale - 1/4" (6.35mm) NPTPort StyleThreadedFeaturesTemperature CompensatedTermination Style-Maximum Pressure15000 PSI (103421.36 kPa)Operating Temperature-10°C ~ 60°CPackage / CaseModule Box with DisplaySupplier Device PackageMediaGauge	Pressure Type	Vented Gauge
Output 4 mA ~ 20 mA, LCD Display Accuracy ±0.25% Voltage - Supply 12V Port Size Male - 1/4" (6.35mm) NPT Port Style Threaded Features Temperature Compensated Termination Style - Maximum Pressure 15000 PSI (103421.36 kPa) Operating Temperature -10°C ~ 60°C Package / Case Module Box with Display Supplier Device Package MediaGauge	Operating Pressure	5000 PSI (34473.79 kPa)
Accuracy ±0.25% Voltage - Supply 12V Port Size Male - 1/4" (6.35mm) NPT Port Style Threaded Features Temperature Compensated Termination Style - Maximum Pressure 15000 PSI (103421.36 kPa) Operating Temperature -10°C ~ 60°C Package / Case Module Box with Display Supplier Device Package MediaGauge	Output Type	Wheatstone Bridge
Voltage - Supply Port Size Male - 1/4" (6.35mm) NPT Port Style Threaded Features Temperature Compensated Termination Style - Maximum Pressure 15000 PSI (103421.36 kPa) Operating Temperature -10°C ~ 60°C Package / Case Module Box with Display Supplier Device Package MediaGauge	Output	4 mA ~ 20 mA, LCD Display
Port Size Male - 1/4" (6.35mm) NPT Port Style Threaded Features Temperature Compensated Termination Style - Maximum Pressure 15000 PSI (103421.36 kPa) Operating Temperature -10°C ~ 60°C Package / Case Module Box with Display Supplier Device Package MediaGauge	Accuracy	±0.25%
Port Style Features Temperature Compensated Termination Style - Maximum Pressure 15000 PSI (103421.36 kPa) Operating Temperature -10°C ~ 60°C Package / Case Module Box with Display Supplier Device Package MediaGauge	Voltage - Supply	12V
Features Temperature Compensated Termination Style - Maximum Pressure 15000 PSI (103421.36 kPa) Operating Temperature -10°C ~ 60°C Package / Case Module Box with Display Supplier Device Package MediaGauge	Port Size	Male - 1/4" (6.35mm) NPT
Termination Style - 15000 PSI (103421.36 kPa) Operating Temperature -10°C ~ 60°C Package / Case Module Box with Display Supplier Device Package MediaGauge	Port Style	Threaded
Maximum Pressure $15000 \text{ PSI } (103421.36 \text{ kPa})$ Operating Temperature $-10^{\circ}\text{C} \sim 60^{\circ}\text{C}$ Package / CaseModule Box with DisplaySupplier Device PackageMediaGauge	Features	Temperature Compensated
Operating Temperature $-10^{\circ}\text{C} \sim 60^{\circ}\text{C}$ Package / CaseModule Box with DisplaySupplier Device PackageMediaGauge	Termination Style	-
Package / Case Module Box with Display Supplier Device Package MediaGauge	Maximum Pressure	15000 PSI (103421.36 kPa)
Supplier Device Package MediaGauge	Operating Temperature	-10°C ~ 60°C
	Package / Case	Module Box with Display
Report errors?	Supplier Device Package	MediaGauge
		Report errors?

MG-5000-A-MD-R Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

MG-5000-A-MD-R Payment Methods



















MG-5000-A-MD-R Shipping Methods













If you have any question about MG-5000-A-MD-R, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com