

MG1111C-TR

Request a Quote

MG1111C-TR Information

www.heisener.com	Part Number	MG1111C-TR
	Manufacturer	Stanley Electric Co
	Category	Optoelectronics LED Indication - Discrete
	Description	LED GREEN 0603 SMD
	Package	0603 (1608 Metric)
		For the pricing/inventory/lead time, please contact us
For Reference Only		Website: https://www.heisener.com E-mail: salesdept@heisener.com

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



MG1111C-TR Specifications

ManufacturerStanley Electric CoCategoryOptoelectronicsELED Indication - DiscretePackage0603 (1608 Metric)Series-ColorGreenConfiguration-Lens Color-Lens Transparency-Millicandela Rating68mcdVoltage - Forward (Vf) (Typ)3.1VCurrent - Test10mAViewing Angle-Viewing AngleSamaWavelength - Peak52mnFeatures52mnPackage / Case603 (1608 Metric)Supplier Device Package-Size / Dimension1.60mm L x 0.80mm W		
Action of the second	Manufacturer Part Number	MG1111C-TR
LED Indication - DiscretePackage0603 (1608 Metric)Series-ColorGreenConfiguration-Lens Color-Lens Color-Millicandela Rating68mcdLens Style/SizeRectangle with Flat Top, 1.10mm x 0.80mmVoltage - Forward (Vf) (Typ)3.1VCurrent - Test10mAViewing Angle-Wavelength - Dominant533nmWavelength - Peak522nmPackage / Case0603 (1608 Metric)Supplier Device Package-Size / Dimension1.60mm L x 0.80mm WHeight (Max)0.80mm	Manufacturer	Stanley Electric Co
Package0603 (1608 Metric)Series-ColorGreenConfiguration-Lens Color-Lens Color-Millicandela Rating68mcdMillicandela RatingRectangle with Flat Top, 1.10mm x 0.80mmVoltage - Forward (Vf) (Typ)3.1VCurrent - Test10mAViewing Angle-Wavelength - DominantSirface MountWavelength - Peak522nmPackage / Case0603 (1608 Metric)Supplier Device Package-Size / Dimension1.60mm L x 0.80mm WHeight (Max)0.80mm	Category	Optoelectronics
Series-ColorGreenConfiguration-Lens Color-Lens Color-Millicandela Rating68mcdLens Style/SizeRectangle with Flat Top, 1.10mm x 0.80mmVoltage - Forward (Vf) (Typ)3.1VCurrent - Test10mAViewing Angle-Wavelength - DominantS33mmWavelength - Peak522nmFeatures-Package / Case0603 (1608 Metric)Supplier Device Package-Size / Dimension1.60mm L x 0.80mm WHeight (Max)0.80mm		LED Indication - Discrete
ColorGreenConfiguration-Lens Color-Lens Color-Lens Transparency-Willicandela Rating68mcdLens Style/SizeRectangle with Flat Top, 1.10mm x 0.80mmVoltage - Forward (Vf) (Typ)3.1VCurrent - Test10mAViewing Angle-Wavelength - DominantSurface MountWavelength - Peak523nmFeatures-Package / Case6003 (1608 Metric)Surplier Device Package1.60mm L x 0.80mm WHeight (Max)0.80mm	Package	0603 (1608 Metric)
Configuration-Lens Color-Lens Transparency-Millicandela Rating68mcdLens Style/SizeRectangle with Flat Top, 1.10mm x 0.80mmVoltage - Forward (Vf) (Typ)3.1VCurrent - Test10mAViewing Angle-Mounting TypeSurface MountWavelength - Dominant52nmFeatures-Features-Package / Case0603 (1608 Metric)Supplier Device Package1.60mm L x 0.80mm WHeight (Max)0.80mm	Series	-
Lens Transparency-Lens Transparency-Millicandela Rating68mcdLens Style/SizeRectangle with Flat Top, 1.10mm x 0.80mmLens Style/SizeRectangle with Flat Top, 1.10mm x 0.80mmVoltage - Forward (Vf) (Typ)3.1VCurrent - Test10mACurrent - Test10mAViewing Angle-Wavelength - DominantSurface MountWavelength - Peak522nmFeatures-Package / Case0603 (1608 Metric)Supplier Device Package-Size / Dimension1.60mm L x 0.80mm WHeight (Max)0.80mm	Color	Green
Lens Transparency-Millicandela Rating68mcdLens Style/SizeRectangle with Flat Top, 1.10mm x 0.80mmLens Style/Size3.1VVoltage - Forward (Vf) (Typ)3.1VCurrent - Test10mAViewing Angle-Wounting TypeSurface MountWavelength - Dominant533nmWavelength - Peak522nmFeatures-Package / Case0603 (1608 Metric)Supplier Device Package-Size / Dimension1.60mm L x 0.80mm WHeight (Max)0.80mm	Configuration	-
Millicandela Rating68mcdLens Style/SizeRectangle with Flat Top, 1.10mm x 0.80mmVoltage - Forward (Vf) (Typ)3.1VCurrent - Test10mACurrent - Test10mAWounting Type-Mounting TypeSurface MountWavelength - Dominant533nmWavelength - Peak522nmPackage / Case0603 (1608 Metric)Supplier Device Package-Supplier Device Package1.60mm L x 0.80mm WHeight (Max)0.80mm	Lens Color	-
Lens Style/SizeRectangle with Flat Top, 1.10mm x 0.80mmVoltage - Forward (Vf) (Typ)3.1VCurrent - Test10mAViewing Angle-Mounting TypeSurface MountWavelength - Dominant533nmWavelength - Peak522nmFeatures-Package / Case0603 (1608 Metric)Supplier Device Package-Size / Dimension1.60mm L x 0.80mm WHeight (Max)0.80mm	Lens Transparency	-
Voltage - Forward (Vf) (Typ)3.1VCurrent - Test10mAViewing Angle-Mounting TypeSurface MountWavelength - Dominant533nmWavelength - Peak522nmFeatures-Package / Case0603 (1608 Metric)Supplier Device Package-Size / Dimension1.60mm L x 0.80mm WHeight (Max)0.80mm	Millicandela Rating	68mcd
Current - Test10mAViewing Angle-Wounting TypeSurface MountWavelength - Dominant533nmWavelength - Peak522nmFeatures-Package / Case0603 (1608 Metric)Supplier Device Package-Size / Dimension1.60mm L x 0.80mm WHeight (Max)0.80mm	Lens Style/Size	Rectangle with Flat Top, 1.10mm x 0.80mm
Viewing Angle-Mounting TypeSurface MountWavelength - Dominant533nmWavelength - Peak522nmFeatures-Package / Case0603 (1608 Metric)Supplier Device Package-Size / Dimension1.60mm L x 0.80mm WHeight (Max)0.80mm	Voltage - Forward (Vf) (Typ)	3.1V
Mounting TypeSurface MountWavelength - Dominant533nmWavelength - Peak522nmFeatures-Package / Case0603 (1608 Metric)Supplier Device Package-Size / Dimension1.60mm L x 0.80mm WHeight (Max)0.80mm	Current - Test	10mA
Wavelength - Dominant533nmWavelength - Peak522nmFeatures-Package / Case0603 (1608 Metric)Supplier Device Package-Size / Dimension1.60mm L x 0.80mm WHeight (Max)0.80mm	Viewing Angle	-
Wavelength - Peak522nmFeatures-Package / Case0603 (1608 Metric)Supplier Device Package-Size / Dimension1.60mm L x 0.80mm WHeight (Max)0.80mm	Mounting Type	Surface Mount
Features-Package / Case0603 (1608 Metric)Supplier Device Package-Size / Dimension1.60mm L x 0.80mm WHeight (Max)0.80mm	Wavelength - Dominant	533nm
Package / Case0603 (1608 Metric)Supplier Device Package-Size / Dimension1.60mm L x 0.80mm WHeight (Max)0.80mm	Wavelength - Peak	522nm
Supplier Device Package-Size / Dimension1.60mm L x 0.80mm WHeight (Max)0.80mm	Features	-
Size / Dimension1.60mm L x 0.80mm WHeight (Max)0.80mm	Package / Case	0603 (1608 Metric)
Height (Max) 0.80mm	Supplier Device Package	-
-	Size / Dimension	1.60mm L x 0.80mm W
Report errors?	Height (Max)	0.80mm
		Report errors?

MG1111C-TR Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE BUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

MG1111C-TR Payment Methods



MG1111C-TR Shipping Methods



If you have any question about MG1111C-TR, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com