

# MHF01300BRMNNYAA01

### **MHF01300BRMNNYAA01 Information**



For Reference Only

Part Number MHF01300BRMNNYAA01

Manufacturer Honeywell Sensing and Productivity Solutions

**Category** Sensors, Transducers

Pressure Sensors, Transducers

**Description** MEDIUM PRESSURE SWITCH, MH SERIE

Package Cylinder, Metal

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## **MHF01300BRMNNYAA01 Specifications**

Manufacturer Part Number     MHF01300BRMNNYAA01       Manufacturer     Honeywell Sensing and Productivity Solutions       Category     Sensors, Transducers       Package     Cylinder, Metal       Series     MH       Pressure Type     Sealed Gauge       Operating Pressure     -       Output Type     SPST-NC       Output     -       Accuracy     ±2%       Voltage - Supply     -       Port Size     Male - 1/8" (3.18mm) BSPT       Port Style     -       Features     -       Termination Style     -       Maximum Pressure     600 PSI (4136.85 kPa)       Operating Temperature     -40°C ~ 120°C       Package / Case     Cylinder, Metal       Supplier Device Package     -       Report errors?		
Category         Sensors, Transducers           Package         Cylinder, Metal           Series         MH           Pressure Type         Sealed Gauge           Operating Pressure         -           Output Type         SPST-NC           Output         -           Accuracy         ±2%           Voltage - Supply         -           Port Size         Male - 1/8" (3.18mm) BSPT           Port Style         -           Features         -           Termination Style         -           Maximum Pressure         600 PSI (4136.85 kPa)           Operating Temperature         -40°C ~ 120°C           Package / Case         Cylinder, Metal           Supplier Device Package         -	Manufacturer Part Number	MHF01300BRMNNYAA01
Package         Cylinder, Metal           Series         MH           Pressure Type         Sealed Gauge           Operating Pressure         -           Output Type         SPST-NC           Output         -           Accuracy         ±2%           Voltage - Supply         -           Port Size         Male - 1/8" (3.18mm) BSPT           Port Style         -           Features         -           Termination Style         -           Maximum Pressure         600 PSI (4136.85 kPa)           Operating Temperature         -40°C ~ 120°C           Package / Case         Cylinder, Metal           Supplier Device Package         -	Manufacturer	Honeywell Sensing and Productivity Solutions
Package         Cylinder, Metal           Series         MH           Pressure Type         Sealed Gauge           Operating Pressure         -           Output Type         SPST-NC           Output         -           Accuracy         ±2%           Voltage - Supply         -           Port Size         Male - 1/8" (3.18mm) BSPT           Port Style         -           Features         -           Termination Style         -           Maximum Pressure         600 PSI (4136.85 kPa)           Operating Temperature         -40°C ~ 120°C           Package / Case         Cylinder, Metal           Supplier Device Package         -	Category	Sensors, Transducers
SeriesMHPressure TypeSealed GaugeOperating Pressure-Output TypeSPST-NCOutput-Accuracy±2%Voltage - Supply-Port SizeMale - 1/8" (3.18mm) BSPTPort Style-Features-Termination Style-Maximum Pressure600 PSI (4136.85 kPa)Operating Temperature-40°C ~ 120°CPackage / CaseCylinder, MetalSupplier Device Package-		Pressure Sensors, Transducers
Pressure TypeSealed GaugeOperating Pressure-Output TypeSPST-NCOutput-Accuracy±2%Voltage - Supply-Port SizeMale - 1/8" (3.18mm) BSPTPort Style-Features-Termination Style-Maximum Pressure600 PSI (4136.85 kPa)Operating Temperature-40°C ~ 120°CPackage / CaseCylinder, MetalSupplier Device Package-	Package	Cylinder, Metal
Operating Pressure Output Type SPST-NC Output - Accuracy ±2% Voltage - Supply - Port Size Male - 1/8" (3.18mm) BSPT Port Style - Features - Termination Style Maximum Pressure 600 PSI (4136.85 kPa) Operating Temperature -40°C ~ 120°C Package / Case Supplier Device Package - Cylinder, Metal Supplier Device Package	Series	MH
Output TypeSPST-NCOutput-Accuracy±2%Voltage - Supply-Port SizeMale - 1/8" (3.18mm) BSPTPort Style-Features-Termination Style-Maximum Pressure600 PSI (4136.85 kPa)Operating Temperature-40°C ~ 120°CPackage / CaseCylinder, MetalSupplier Device Package-	Pressure Type	Sealed Gauge
Output         -           Accuracy         ±2%           Voltage - Supply         -           Port Size         Male - 1/8" (3.18mm) BSPT           Port Style         -           Features         -           Termination Style         -           Maximum Pressure         600 PSI (4136.85 kPa)           Operating Temperature         -40°C ~ 120°C           Package / Case         Cylinder, Metal           Supplier Device Package         -	Operating Pressure	-
Accuracy ±2%  Voltage - Supply -  Port Size Male - 1/8" (3.18mm) BSPT  Port Style -  Features -  Termination Style -  Maximum Pressure 600 PSI (4136.85 kPa)  Operating Temperature -40°C ~ 120°C  Package / Case Cylinder, Metal  Supplier Device Package -	Output Type	SPST-NC
Voltage - Supply  Port Size  Male - 1/8" (3.18mm) BSPT  Port Style  - Features  - Termination Style  Maximum Pressure  600 PSI (4136.85 kPa)  Operating Temperature  -40°C ~ 120°C  Package / Case  Cylinder, Metal  Supplier Device Package  -	Output	-
Port Size Male - 1/8" (3.18mm) BSPT  Port Style -  Features -  Termination Style -  Maximum Pressure 600 PSI (4136.85 kPa)  Operating Temperature -40°C ~ 120°C  Package / Case Cylinder, Metal  Supplier Device Package -	Accuracy	±2%
Port Style - Features - Termination Style - Maximum Pressure 600 PSI (4136.85 kPa) Operating Temperature -40°C ~ 120°C Package / Case Cylinder, Metal Supplier Device Package -	Voltage - Supply	-
Features - Cremination Style - Maximum Pressure 600 PSI (4136.85 kPa)  Operating Temperature -40°C ~ 120°C  Package / Case Cylinder, Metal  Supplier Device Package - Company	Port Size	Male - 1/8" (3.18mm) BSPT
Termination Style -  Maximum Pressure 600 PSI (4136.85 kPa)  Operating Temperature -40°C ~ 120°C  Package / Case Cylinder, Metal  Supplier Device Package -	Port Style	-
Maximum Pressure600 PSI (4136.85 kPa)Operating Temperature-40°C ~ 120°CPackage / CaseCylinder, MetalSupplier Device Package-	Features	-
Operating Temperature -40°C ~ 120°C  Package / Case Cylinder, Metal  Supplier Device Package -	Termination Style	-
Package / Case Cylinder, Metal Supplier Device Package -	Maximum Pressure	600 PSI (4136.85 kPa)
Supplier Device Package -	Operating Temperature	-40°C ~ 120°C
	Package / Case	Cylinder, Metal
Report errors?	Supplier Device Package	-
		Report errors?

### MHF01300BRMNNYAA01 Guarantees



#### **Ouality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### MHF01300BRMNNYAA01 Payment Methods





















### MHF01300BRMNNYAA01 Shipping Methods













If you have any question about MHF01300BRMNNYAA01, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com