

MI-27V-IY-F4

lest a Quote

MI-27V-IY-F4 Information

| Heisener.com | Part Number | MI-27V-IY-F4 |
|--------------------|--------------|---------------------------------------------------------------------------|
| | Manufacturer | Vicor Corporation |
| | Category | Power Supplies - Board Mount DC DC Converters |
| | Description | CONVERT DC/DC 165VIN 5.8VOUT 50W |
| | Package | Full Brick |
| | | For the pricing/inventory/lead time, please contact |
| For Reference Only | | us Website: https://www.heisener.com E-mail: salesdept@heisener.com |

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.




MI-27V-IY-F4 Specifications

| Manufacturer Part Number | MI-27V-IY-F4 | |
|--------------------------|---------------------------------------------------------|--|
| Manufacturer | Vicor Corporation | |
| Category | Power Supplies - Board Mount | |
| | DC DC Converters | |
| Package | Full Brick | |
| Series | MI-200 | |
| Туре | Isolated Module | |
| Number of Outputs | 1 | |
| Voltage - Input (Min) | 100V | |
| Voltage - Input (Max) | 310V | |
| Voltage - Output 1 | 5.8V | |
| Voltage - Output 2 | - | |
| Voltage - Output 3 | - | |
| Voltage - Output 4 | - | |
| Current - Output (Max) | 8.6A | |
| Power (Watts) | 50W | |
| Voltage - Isolation | 3kV (3000V) | |
| Applications | ITE (Commercial) | |
| Features | Remote On/Off, OCP, OTP, OVP | |
| Operating Temperature | -40° C ~ 85° C | |
| Efficiency | 90% | |
| Mounting Type | Through Hole | |
| Package / Case | Full Brick | |
| Size / Dimension | 4.20" L x 2.40" W x 1.00" H (106.7mm x 61.0mm x 25.4mm) | |
| | | |

| Supplier Device Package | - |
|-------------------------|----------------|
| Control Features | - |
| | Report errors? |

MI-27V-IY-F4 Guarantees



If you have any question about MI-27V-IY-F4, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com