



MJTP1140 Information

Heisener.com

For Reference Only

Part NumberMJTP1140ManufacturerAPEM Inc.CategorySwitches

Tactile Switches

Description SWITCH TACTILE SPST-NO 0.05A 12V

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









MJTP1140 Specifications

Manufacturer Part Number MITP1140 Manufacturer APEM Inc. Category Switches Package - Series MJTP Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical 1.50mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Gull Wing Outline 4.20mm x 4.20mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 260gf Ingress Protection - Features Tactile Feedback		
Category Switches Package - Series MJTP Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical 1.50mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Gull Wing Outline 4.20mm x 4.20mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 260gf Ingress Protection - Features Tactile Feedback	Manufacturer Part Number	MJTP1140
Package - Series MJTP Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical 1.50mm Actuator Length, Right Angle - Contact Ration Gull Wing Termination Style Gull Wing Outline 4.20mm x 4.20mm Illumination Type, Color Illumination Type, Color Illumination Voltage (Nominal) - Coperating Force 260gf Ingress Protection - Features Tactile Feedback	Manufacturer	APEM Inc.
Package-SeriesMJTPCircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage0.05A @ 12VDCActuator TypeStandardMounting TypeSurface MountActuator Height off PCB, Vertical1.50mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StyleGull WingOutline4.20mm x 4.20mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force260gfIngress Protection-FeaturesTactile Feedback	Category	Switches
SeriesMJTPCircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage0.05A @ 12VDCActuator TypeStandardMounting TypeSurface MountActuator Height off PCB, Vertical1.50mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StyleGull WingOutline4.20mm x 4.20mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force260gfIngress Protection-FeaturesTactile Feedback		Tactile Switches
CircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage0.05A @ 12VDCActuator TypeStandardMounting TypeSurface MountActuator Height off PCB, Vertical1.50mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StyleGull WingOutline4.20mm x 4.20mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force260gfIngress Protection-FeaturesTactile Feedback	Package	-
Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical 1.50mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Gull Wing Outline 4.20mm x 4.20mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 260gf Ingress Protection - Features Tactile Feedback	Series	MJTP
Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Standard Mounting Type Surface Mount Actuator Height off PCB, Vertical 1.50mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Gull Wing Outline 4.20mm x 4.20mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 260gf Ingress Protection - Features Tactile Feedback	Circuit	SPST-NO
Actuator Type Surface Mount Actuator Height off PCB, Vertical 1.50mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Gull Wing Outline 4.20mm x 4.20mm Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 260gf Ingress Protection - Features Tactile Feedback	Switch Function	Off-Mom
Mounting Type Actuator Height off PCB, Vertical Actuator Length, Right Angle Actuator Orientation Top Actuated Termination Style Gull Wing Outline Illumination Illumination Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Features Surface Mount 1.50mm Actuated Comm x 4.20mm Top Actuated Full Wing Cull Wing Actuator Orientation Top Actuated Top Actuated Non-Illumination Top Actuated Features Surface Mount 1.50mm Actuator Mount Top Actuated Foul Wing Coll Wing Actuator Orientation Top Actuated Foul Wing Coll Wing Actuator Coll Wing Food Sull Wing Food	Contact Rating @ Voltage	0.05A @ 12VDC
Actuator Height off PCB, Vertical Actuator Length, Right Angle Actuator Orientation Top Actuated Termination Style Gull Wing Outline 4.20mm x 4.20mm Illumination Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Features 1.50mm 2.60ll Wing 6.10ll Win	Actuator Type	Standard
Actuator Length, Right Angle Actuator Orientation Top Actuated Termination Style Gull Wing Outline 4.20mm x 4.20mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) Operating Force Ingress Protection Features Tactile Feedback	Mounting Type	Surface Mount
Actuator Orientation Top Actuated Termination Style Gull Wing Outline 4.20mm x 4.20mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 260gf Ingress Protection - Features Tactile Feedback	Actuator Height off PCB, Vertical	1.50mm
Termination Style Outline 4.20mm x 4.20mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Features Tactile Feedback	Actuator Length, Right Angle	-
Outline 4.20mm x 4.20mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 260gf Ingress Protection - Features Tactile Feedback	Actuator Orientation	Top Actuated
IlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force260gfIngress Protection-FeaturesTactile Feedback	Termination Style	Gull Wing
Illumination Type, Color-Illumination Voltage (Nominal)-Operating Force260gfIngress Protection-FeaturesTactile Feedback	Outline	4.20mm x 4.20mm
Illumination Voltage (Nominal)-Operating Force260gfIngress Protection-FeaturesTactile Feedback	Illumination	Non-Illuminated
Operating Force 260gf Ingress Protection - Features Tactile Feedback	Illumination Type, Color	-
Ingress Protection - Tactile Feedback	Illumination Voltage (Nominal)	-
Features Tactile Feedback	Operating Force	260gf
	Ingress Protection	-
Report errors?	Features	Tactile Feedback
		Report errors?

MJTP1140 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

MJTP1140 Payment Methods





















MJTP1140 Shipping Methods













If you have any question about MJTP1140, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com