



MK2KP-UA-DC24 Information

Heisener.com

Part Number MK2KP-UA-DC24

Manufacturer Omron Automation and Safety

Category Relays

Power Relays, Over 2 Amps

Description RELAY GEN PURPOSE DPDT 5A 24V

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









MK2KP-UA-DC24 Specifications

Manufacturer Part NumberMK2KP-UA-DC24ManufacturerOmron Automation and SafetyCategoryRelaysPackage-SeriesMKKRelay TypeGeneral PurposeCoil TypeLatching, Dual CoilCoil Current110mACoil Voltage24VDCContact FormDPDT (2 Form C)Contact Rating (Current)5ASwitching Voltage250VAC, 250VDC - MaxTurn On Voltage (Max)19.2 VDCTurn Off Voltage (Min)-Operate Time30msRelease Time30msFeatures-Mounting TypeSocketableTermination StylePlug In, 11 Pin (Octal)		
Category Relays Power Relays, Over 2 Amps Package - Series MKK Relay Type General Purpose Coil Type Latching, Dual Coil Coil Current 110mA Coil Voltage 24VDC Contact Form DPDT (2 Form C) Contact Rating (Current) 5A Switching Voltage 250VAC, 250VDC - Max Turn On Voltage (Max) 19.2 VDC Turn Off Voltage (Min) - Operate Time 30ms Release Time 30ms Features - Mounting Type Socketable Termination Style Plug In, 11 Pin (Octal)	Manufacturer Part Number	MK2KP-UA-DC24
Package-SeriesMKKRelay TypeGeneral PurposeCoil TypeLatching, Dual CoilCoil Current110mACoil Voltage24VDCContact FormDPDT (2 Form C)Contact Rating (Current)5ASwitching Voltage250VAC, 250VDC - MaxTurn On Voltage (Max)19.2 VDCTurn Off Voltage (Min)-Operate Time30msRelease Time30msFeatures-Mounting TypeSocketableTermination StylePlug In, 11 Pin (Octal)	Manufacturer	Omron Automation and Safety
Package - Series MKK Relay Type General Purpose Coil Type Latching, Dual Coil Coil Current 110mA Coil Voltage 24VDC Contact Form DPDT (2 Form C) Contact Rating (Current) 5A Switching Voltage 250VAC, 250VDC - Max Turn On Voltage (Max) 19.2 VDC Turn Off Voltage (Min) - Operate Time 30ms Release Time 30ms Features - Mounting Type Socketable Termination Style Plug In, 11 Pin (Octal)	Category	Relays
SeriesMKKRelay TypeGeneral PurposeCoil TypeLatching, Dual CoilCoil Current110mACoil Voltage24VDCContact FormDPDT (2 Form C)Contact Rating (Current)5ASwitching Voltage250VAC, 250VDC - MaxTurn On Voltage (Max)19.2 VDCTurn Off Voltage (Min)-Operate Time30msRelease Time30msFeatures-Mounting TypeSocketableTermination StylePlug In, 11 Pin (Octal)		Power Relays, Over 2 Amps
Relay Type General Purpose Coil Type Latching, Dual Coil Coil Current 110mA Coil Voltage 24VDC Contact Form DPDT (2 Form C) Contact Rating (Current) 5A Switching Voltage 250VAC, 250VDC - Max Turn On Voltage (Max) 19.2 VDC Turn Off Voltage (Min) - Operate Time 30ms Release Time 30ms Release Time 30ms Features - Mounting Type Socketable Termination Style Plug In, 11 Pin (Octal)	Package	-
Coil TypeLatching, Dual CoilCoil Current110mACoil Voltage24VDCContact FormDPDT (2 Form C)Contact Rating (Current)5ASwitching Voltage250VAC, 250VDC - MaxTurn On Voltage (Max)19.2 VDCTurn Off Voltage (Min)-Operate Time30msRelease Time30msFeatures-Mounting TypeSocketableTermination StylePlug In, 11 Pin (Octal)	Series	MKK
Coil Current110mACoil Voltage24VDCContact FormDPDT (2 Form C)Contact Rating (Current)5ASwitching Voltage250VAC, 250VDC - MaxTurn On Voltage (Max)19.2 VDCTurn Off Voltage (Min)-Operate Time30msRelease Time30msFeatures-Mounting TypeSocketableTermination StylePlug In, 11 Pin (Octal)	Relay Type	General Purpose
Coil Voltage 24VDC Contact Form DPDT (2 Form C) Contact Rating (Current) 5A Switching Voltage 250VAC, 250VDC - Max Turn On Voltage (Max) 19.2 VDC Turn Off Voltage (Min) - Operate Time 30ms Release Time 30ms Features - Mounting Type Socketable Termination Style Plug In, 11 Pin (Octal)	Coil Type	Latching, Dual Coil
Contact Form DPDT (2 Form C) Contact Rating (Current) Switching Voltage 250VAC, 250VDC - Max Turn On Voltage (Max) 19.2 VDC Turn Off Voltage (Min) Operate Time 30ms Release Time 30ms Features - Mounting Type Socketable Termination Style DPDT (2 Form C) 5A 250VAC, 250VDC - Max 19.2 VDC - United Style 19.2 VDC - Socketable Plug In, 11 Pin (Octal)	Coil Current	110mA
Contact Rating (Current) Switching Voltage 250VAC, 250VDC - Max Turn On Voltage (Max) 19.2 VDC Turn Off Voltage (Min) Operate Time 30ms Release Time 30ms Features - Mounting Type Socketable Termination Style Plug In, 11 Pin (Octal)	Coil Voltage	24VDC
Switching Voltage 250VAC, 250VDC - Max Turn On Voltage (Max) 19.2 VDC Turn Off Voltage (Min) - Operate Time 30ms Release Time 30ms Features - Mounting Type Socketable Termination Style Plug In, 11 Pin (Octal)	Contact Form	DPDT (2 Form C)
Turn On Voltage (Max) 19.2 VDC Turn Off Voltage (Min) Operate Time 30ms Release Time 30ms Features - Mounting Type Socketable Termination Style 19.2 VDC - 19.2	Contact Rating (Current)	5A
Turn Off Voltage (Min) Operate Time 30ms Release Time 30ms Features - Mounting Type Socketable Termination Style Plug In, 11 Pin (Octal)	Switching Voltage	250VAC, 250VDC - Max
Operate Time 30ms Release Time 30ms Features - Mounting Type Socketable Termination Style Plug In, 11 Pin (Octal)	Turn On Voltage (Max)	19.2 VDC
Release Time 30ms Features - Mounting Type Socketable Termination Style Plug In, 11 Pin (Octal)	Turn Off Voltage (Min)	-
Features - Mounting Type Socketable Termination Style Plug In, 11 Pin (Octal)	Operate Time	30ms
Mounting Type Socketable Termination Style Plug In, 11 Pin (Octal)	Release Time	30ms
Termination Style Plug In, 11 Pin (Octal)	Features	-
	Mounting Type	Socketable
Report errors?	Termination Style	Plug In, 11 Pin (Octal)
		Report errors?

MK2KP-UA-DC24 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

MK2KP-UA-DC24 Payment Methods



















MK2KP-UA-DC24 Shipping Methods













If you have any question about MK2KP-UA-DC24, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com