

MKP385310063JCA2B0 Information

Heisener.com	Part Number Manufacturer Category Description Package	MKP385310063JCA2B0 Vishay BC Components Capacitors Film Capacitors CAP FILM 10000PF 5% 630VDC RAD Radial For the pricing/inventory/lead time, please contact	
For Reference Only		us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



MKP385310063JCA2B0 Specifications

Manufacturer Part NumberMKP385310063JCA2B0ManufacturerVishay BC ComponentsCategoryCapacitorsFilm CapacitorsFilm CapacitorsPackageRadialSeriesMKP385Capacitance10000pFTolerance±5%Voltage Rating - AC20VVoltage Rating - DC630VDielectric MaterialPolypropylene (PP), MetallizedFSR (Equivalent Series Resistance)-Operating TypeThrough HoleMounting Type0.394" L x 0.118" W (10.00mm x 3.00mm)Field Spacing0.295" (7.50mm)Lead SpacingDC Link, DC Filtering; High Frequency, Switching; High Pulse, DV/DT	_	
CategoryCapacitorsPackageRadialPackageRadialSeriesMKP385Capacitance1000pFTolerance±5%Voltage Rating - AC220VVoltage Rating - DC630VDielectric MaterialPolypropylene (PP), MetallizedDielectric Material-5°°C ~ 110°CMounting TypeThrough HolePackage / CaseRadialSize / Dimension0.394" L x 0.118" W (10.00mm x 3.00mm)Height - Seated (Max)0.295" (7.50mm)	Manufacturer Part Number	MKP385310063JCA2B0
Film CapacitorsPackageRadialSeriesMKP385Capacitance10000pFTolerance±5%Voltage Rating - AC220VVoltage Rating - DC630VDielectric MaterialPolypropylene (PP), MetallizedESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 110°CMounting TypeThrough HolePackage / CaseRadialSize / Dimension0.315" (8.00mm)Height - Seated (Max)0.295" (7.50mm)	Manufacturer	Vishay BC Components
PackageRadialSeriesMKP385Capacitance10000pFTolerance±5%Voltage Rating - AC220VVoltage Rating - DC630VDielectric MaterialPolyproplene (PP), MetallizedDisperting Temperature-Operating TypeThrough HolePackage / CaseRadialSize / Dimension0.394" L x 0.118" W (10.00mm x 3.00mm)Height - Seated (Max)0.315" (8.00mm)Lead Spacing0.295" (7.50mm)	Category	Capacitors
Series MKP385 Capacitance 10000pF Tolerance ±5% Voltage Rating - AC 20V Voltage Rating - DC 630V Dielectric Material Polyproplene (PP), Metallized Dielectric Material - Operating Temperature -5°C ~ 110°C Mounting Type Through Hole Package / Case Radial Size / Dimension 0.394" L x 0.118" W (10.00mm x 3.00mm) Height - Seated (Max) 0.315" (8.00mm) Lead Spacing 0.295" (7.50mm)		Film Capacitors
Capacitance10000pFTolerance±5%Voltage Rating - AC220VVoltage Rating - DC630VDielectric MaterialPolyproplene (PP), MetallizedESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 110°CMounting TypeThrough HolePackage / CaseRadialSize / Dimension0.394" L x 0.118" W (10.00mm x 3.00mm)Height - Seated (Max)0.315" (8.00mm)Lead Spacing0.295" (7.50mm)	Package	Radial
Tolerance±5%Voltage Rating - AC220VVoltage Rating - DC630VDielectric MaterialPolypropylene (PP), MetallizedESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 110°CMounting TypeThrough HolePackage / CaseRadialSize / Dimension0.394" L x 0.118" W (10.00mm x 3.00mm)Height - Seated (Max)0.315" (8.00mm)TerminationPC PinsLead Spacing0.295" (7.50mm)	Series	MKP385
Voltage Rating - AC220VVoltage Rating - DC630VDielectric MaterialPolypropylene (PP), MetallizedESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 110°CMounting TypeThrough HolePackage / CaseRadialSize / Dimension0.394" L x 0.118" W (10.00mm x 3.00mm)Height - Seated (Max)0.315" (8.00mm)TerminationPC PinsLead Spacing0.295" (7.50mm)	Capacitance	10000pF
Voltage Rating - DC630VDielectric MaterialPolypropylene (PP), MetallizedESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 110°CMounting TypeThrough HolePackage / CaseRadialSize / Dimension0.394" L x 0.118" W (10.00mm x 3.00mm)Height - Seated (Max)0.315" (8.00mm)TerminationPC PinsLead Spacing0.295" (7.50mm)	Tolerance	$\pm 5\%$
Dielectric MaterialPolypropylene (PP), MetallizedESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 110°CMounting TypeThrough HolePackage / CaseRadialSize / Dimension0.394" L x 0.118" W (10.00mm x 3.00mm)Height - Seated (Max)0.315" (8.00mm)TerminationPC PinsLead Spacing0.295" (7.50mm)	Voltage Rating - AC	220V
ESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 110°CMounting TypeThrough HolePackage / CaseRadialSize / Dimension0.394" L x 0.118" W (10.00mm x 3.00mm)Height - Seated (Max)0.315" (8.00mm)TerminationPC PinsLead Spacing0.295" (7.50mm)	Voltage Rating - DC	630V
Operating Temperature-55°C ~ 110°CMounting TypeThrough HolePackage / CaseRadialSize / Dimension0.394" L x 0.118" W (10.00mm x 3.00mm)Height - Seated (Max)0.315" (8.00mm)TerminationPC PinsLead Spacing0.295" (7.50mm)	Dielectric Material	Polypropylene (PP), Metallized
Nounting TypeThrough HolePackage / CaseRadialSize / Dimension0.394" L x 0.118" W (10.00mm x 3.00mm)Height - Seated (Max)0.315" (8.00mm)TerminationPC PinsLead Spacing0.295" (7.50mm)	ESR (Equivalent Series Resistance)	-
Package / CaseRadialSize / Dimension0.394" L x 0.118" W (10.00mm x 3.00mm)Height - Seated (Max)0.315" (8.00mm)TerminationPC PinsLead Spacing0.295" (7.50mm)	Operating Temperature	-55°C ~ 110°C
Size / Dimension 0.394" L x 0.118" W (10.00mm x 3.00mm) Height - Seated (Max) 0.315" (8.00mm) Termination PC Pins Lead Spacing 0.295" (7.50mm)	Mounting Type	Through Hole
Height - Seated (Max)0.315" (8.00mm)TerminationPC PinsLead Spacing0.295" (7.50mm)	Package / Case	Radial
TerminationPC PinsLead Spacing0.295" (7.50mm)	Size / Dimension	0.394" L x 0.118" W (10.00mm x 3.00mm)
Lead Spacing 0.295" (7.50mm)	Height - Seated (Max)	0.315" (8.00mm)
	Termination	PC Pins
Applications DC Link, DC Filtering; High Frequency, Switching; High Pulse, DV/DT	Lead Spacing	0.295" (7.50mm)
	Applications	DC Link, DC Filtering; High Frequency, Switching; High Pulse, DV/DT
Features -	Features	-
Report errors?		Report errors?

MKP385310063JCA2B0 Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

DISCOVER

MKP385310063JCA2B0 Payment Methods



MKP385310063JCA2B0 Shipping Methods



If you have any question about MKP385310063JCA2B0, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com